

CSV CL - DSV Shipment information csv file guideline

MsgID: DSV Shipment information csv file guideline

Version: 1.0 Final

Author:	Cecilia Axmin GRIT BS EDI
Company:	DSV A/S
Publication:	16-08-2011
Trading Partner:	DSV_CSV_IN_CL_mp
Notes:	Final version 1.0 CSV CL - DSV Shipment information csv file guideline.

Table of Contents

MsgID - DSV Shipment information csv file guiedline	1
HEADER01 - HEADER01	2
HEADER01 - HEADER01	3
Field2- - CLCSV1Partnercode:	4
Field3- - e-mail adress:YYYY@ZZZ.XXX	5
Field4- - Creation Date	6
Fieled5- - DD.MM.YYYY	7
Header - RowtagID	8
RowtagID - RowtagID	10
Field2 - Shippers reference	11
Field3 - Delivery instructions 1	12
Field4 - Delivery instructions 2	13
Field5 - Delivery instructions 3	14
Field6 - TRANSPORT	15
Field7 - Speed	16
Field8 - Transport type	17
Field9 - Product	18
Field10 - Insurance	19
Field11 - Insurance Amount	20
Field12 - Insurance Currency	21
Field13 - Insurance Packing Wrapping	22
Field14 - Insurance goods category	23
Field15 - PreAdvice	24
Field16 - COD amount	25
Field17 - COD currency	26
Field18 - Bank Account	27
Field19 - INCOTERM	28
Field20 - Location of terms	29
Field21 - INCOTERM Country	30
Field22 - CONSIGNEE	31
Field23 - Consignee Id DSVcustomernumber	32
Field24 - Consignee Company name	33
Field25 - Consignee Address row 1	34
Field26 - Consignee Address row 2	35
Field27 - Consignee Postal code	36
Field28 - Consignee City	37
Field29 - Consignee State	38
Field30 - Consignee Country code	39
Field31 - Consignee reference	40
Field32 - Consignee Contact person	41
Field33 - Consignee Phone number	42
Field34 - GOODS	43
Field35 - Number of packages	44
Field36 - Package type	45
Field37 - Weight (kg)	46
Field38 - Volume (m3)	47
Field39 - Loading meter (m)	48
Field40 - Length (cm)	

Field41 - Width (cm)	50
Field42 - Height (cm)	51
Field43 - Goods description	52
Field44 - ShippingMark	53
Field45 - EUR pallet	54
Field46 - Consignor	55
Field47 - Consignor Id DSVcustomernumber	56
Field48 - Consignor Company name	57
Field49 - Consignor Address row 1	58
Field50 - Consignor Address row 2	59
Field51 - Consignor Postal code	60
Field52 - Consignor City	61
Field53 - Consignor State	62
Field54 - Consignor country code	63
Field55 - Consignor Contact person	64
Field56 - Consignor Phone number	65
Field57 - Consignor location code	66
Field58 - Profile value	67
Record - CONSIGNMENT	68
CONSIGNMENT - RowtagID	70
Field2 - Shippers reference	71
Field3 - Delivery instructions 1	72
Field4 - Delivery instructions 2	73
Field5 - Delivery instructions 3	74
Field6 - TRANSPORT	75
Field7 - Speed	76
Field8 - Transport type	77
Field9 - Product	78
Field10 - Insurance	79
Field11 - Insurance Amount	80
Field12 - Insurance Currency	81
Field13 - Insurance Packing Wrapping	82
Field14 - Insurance goods category	83
Field15 - PreAdvice	84
Field16 - COD amount	85
Field17 - COD currency	86
Field18 - Bank Account	87
Field19 - INCOTERM	88
Field20 - Location of terms	89
Field21 - INCOTERM Country	90
Field22 - CONSIGNEE	91
Field23 - Consignee Id DSVcustomernumber	92
Field24 - Consignee Company name	93
Field25 - Consignee Address row 1	94
Field26 - Consignee Address row 2	95
Field27 - Consignee Postal code	96
Field28 - Consignee City	97
Field29 - Consignee State	98
Field30 - Consignee Country code	99
Field31 - Consignee reference	100
Field32 - Consignee Contact person	101
Field33 - Consignee Phone number	102

Field34 - GOODS	103
Field35 - Number of packages	104
Field36 - Package type	105
Field37 - Weight (kg)	106
Field38 - Volume (m3)	107
Field39 - Loading meter (m)	108
Field40 - Length (cm)	109
Field41 - Width (cm)	110
Field42 - Height (cm)	111
Field43 - Goods description	112
Field44 - ShippingMark	113
Field45 - EUR pallet	114
Field46 - Consignor	115
Field47 - Consignor Id DSVcustomernumber	116
Field48 - Consignor Company name	117
Field49 - Consignor Address row 1	118
Field50 - Consignor Address row 2	119
Field51 - Consignor Postal code	120
Field52 - Consignor City	121
Field53 - Consignor State	122
Field54 - Consignor country code	123
Field55 - Consignor Contact person	124
Field56 - Consignor Phone number	125
Field57 - Consignor location code	126
Field58 - Profile value	127

MsgID - DSV Shipment information csv file guidedline

ID	MsgID
Name	DSV Shipment information csv file guidedline
Purpose	
Standard	DSV
Version	1.0

ChildView:

<u>ID</u>	<u>Name</u>	<u>Min Use</u>	<u>Max Use</u>	<u>Purpose</u>	<u>Excluded</u>
HEADER01	HEADER01	0	1	File identification record	No
Header	RowtagID	0	1	Headline record. All fields mandatory in headline.	No
Record	CONSIGNMENT	0	999999	Record for consignment information.	No

Version notes: Draft 1.0 24th Feb 2011 The file specification created.

Draft 1.0 1 March adjustments to specification.

Final draft 1.0 updated 15th of August 2011.

Final version 1.0 Updated 16th of August 2011.

Information: File with data needs to be saved with an extension .csv

Minimum number of records are three.

HEADER01
ROWTAGID
CONSIGNMENT

It is only the CONSIGNMENT record that can be repeated in the file. This contains the consignment/shipment information.

In the header record the date format is: DD.MM.YYYY HH:MM

Length of contents in the CONSIGNMENT fields definitions: if it is stated the field is 35 long then it is 35, If more information is entered then the whole file can fail in translation.

For decimal values both "." and "," can be used.

All columns in the file needs to be in place even if they are never used. This even if value is not used in the shipment information's. If any record is removed then the file will fail in translation. It is possible in excel to have hidden columns these will usually show up when saving as .csv format. This needs to be crosschecked before the function is used. There are to be 58 columns in the ROWTAGID and CONSIGNMENT records.

The values CONSIGNMENT, TRANSPORT, CONSIGNEE, GOODS and CONSIGNOR are headlines that needs to be written to each record of information that is entered.

There is one general standard consolidation function in place. If the sender reference value has the same value in more than one CONSIGNMENT record, those records will be consolidated. It is only the sender reference that will be used as key for consolidation value.

The consolidation is only has the effect on creating several good rows to one consignment. No information will be consolidated. It is only Information in Goods will be entered as separate goodsrow information to the same shipment when consolidation take place.

HEADER01 - HEADER01

ID	HEADER01
Name	HEADER01
Min Use	0
Max Use	1
Excluded	No
Purpose	File identification record

ChildView:

<u>Position</u>	<u>ID</u>	<u>Name</u>	<u>Requirement</u>	<u>User Option</u>	<u>Min Length</u>	<u>Max Length</u>	<u>Excluded</u>
01	HEADER01	HEADER01	Optional	Used	0	8	No
01	Field2-	CLCSV1Partnercode:	Optional	Used	0	58	No
01	Field3-	e-mail address:YYYY@ZZZ.XXX	Optional	Used	0	70	No
01	Field4-	Creation Date	Optional	Used	0	15	No
01	Field5-	DD.MM.YYYY	Optional	Used	0	10	No

Standard note customer: *This is the identification record to be placed first in the file, a record used for identifying the file. It is named HEADER01 .*

Message example: *HEADER01;CLCSV1Partnercode: XXXXX;e-mail address: YYYY@ZZZ.com;Creation date;DD.MM.YYYY HH:MM*

HEADER01 - HEADER01

ID	HEADER01
Name	HEADER01
Requirement	Optional
User Option	Used
Type	String
Position	01
Min Length	0
Max Length	8
Excluded	No
Purpose	Header name. Default value.
Tag Field	None
Tag Value	

Standard note customer: *Default value HEADER01*
Message example: *HEADER01*

Field2- - CLCSV1Partnercode:

ID	Field2-
Name	CLCSV1Partnercode:
Requirement	Optional
User Option	Used
Type	String
Position	01
Min Length	0
Max Length	58
Excluded	No
Purpose	Sender identification
Tag Field	None
Tag Value	

Standard note customer: *The value XXXXX in partner code is to be replaced with the agreed partner ID value that is to be used to identify the sending customer.*

Message example: *CLCSV1Partnercode:Companyabbreviation*

Field3- - e-mail address:YYYY@ZZZ.XXX

ID	Field3-
Name	e-mail address:YYYY@ZZZ.XXX
Requirement	Optional
User Option	Used
Type	String
Position	01
Min Length	0
Max Length	70
Excluded	No
Purpose	Contact information for sender of file
Tag Field	None
Tag Value	

Standard note customer: *"e-mail adress: " to be defaulted and followed by the e-mail address of the sender or an address possible to return information on. The YYYY@ZZZ.XXX to be replaced with the e-mail address, it is placed directly after the colon. Return information will not be automatically triggered.*

Creation date shall be updated with the date of when the file is sent. This information entered in separate field

Message example: *name.name@company.com*

Field4- - Creation Date

ID	Field4-
Name	Creation Date
Requirement	Optional
User Option	Used
Type	String
Position	01
Min Length	0
Max Length	15
Excluded	No
Purpose	Default fieldult name
Tag Field	None
Tag Value	

Standard note customer: *Default value "Creation Date"*

Message example: *Creation Date*

Fieled5- - DD.MM.YYYY

ID	Fieled5-
Name	DD.MM.YYYY
Requirement	Optional
User Option	Used
Type	String
Position	01
Min Length	0
Max Length	10
Excluded	No
Purpose	Information about the file creation date.
Tag Field	None
Tag Value	

Standard note customer: *Creation date to be updated with the date of when the file is sent in. This information entered in separate field.
format to be used is DD.MM.YYYY*

Message example: 22.04.2011

Header - RowtagID

ID	Header
Name	RowtagID
Min Use	0
Max Use	1
Excluded	No
Purpose	Headline record. All fields mandatory in headline.

ChildView:

<u>Position</u>	<u>ID</u>	<u>Name</u>	<u>Requirement</u>	<u>User Option</u>	<u>Min Length</u>	<u>Max Length</u>	<u>Excluded</u>
01	RowtagID	RowtagID	Mandatory	Must use	0	8	No
02	Field2	Shippers reference	Mandatory	Must use	0	35	No
03	Field3	Delivery instructions 1	Mandatory	Must use	0	24	No
04	Field4	Delivery instructions 2	Mandatory	Must use	0	23	No
05	Field5	Delivery instructions 3	Mandatory	Must use	0	23	No
06	Field6	TRANSPORT	Mandatory	Must use	0	9	No
07	Field7	Speed	Mandatory	Must use	0	5	No
08	Field8	Transport type	Mandatory	Must use	0	14	No
09	Field9	Product	Mandatory	Must use	0	7	No
10	Field10	Insurance	Mandatory	Must use	0	9	No
11	Field11	Insurance Amount	Mandatory	Must use	0	16	No
12	Field12	Insurance Currency	Mandatory	Must use	0	18	No
13	Field13	Insurance Packing Wrapping	Mandatory	Must use	0	26	No
14	Field14	Insurance goods category	Mandatory	Must use	0	24	No
15	Field15	PreAdvice	Mandatory	Must use	0	9	No
16	Field16	COD amount	Mandatory	Must use	0	10	No
17	Field17	COD currency	Mandatory	Dependent	0	12	No
18	Field18	Bank Account	Mandatory	Must use	0	12	No
19	Field19	INCOTERM	Mandatory	Must use	0	8	No
20	Field20	Location of terms	Mandatory	Must use	0	17	No
21	Field21	INCOTERM Country	Mandatory	Must use	0	16	No
22	Field22	CONSIGNEE	Mandatory	Must use	0	9	No
23	Field23	Consignee Id DSVcustomernumber	Mandatory	Must use	0	30	No
24	Field24	Consignee Company name	Mandatory	Must use	0	22	No
25	Field25	Consignee Address row 1	Mandatory	Must use	0	23	No
26	Field26	Consignee Address row 2	Mandatory	Must use	0	23	No
27	Field27	Consignee Postal code	Mandatory	Must use	0	21	No
28	Field28	Consignee City	Mandatory	Must use	0	14	No
29	Field29	Consignee State	Mandatory	Must use	0	15	No
30	Field30	Consignee Country code	Mandatory	Must use	0	22	No
31	Field31	Consignee reference	Mandatory	Used	0	19	No
32	Field32	Consignee Contact person	Mandatory	Used	0	24	No
33	Field33	Consignee Phone number	Mandatory	Used	0	22	No

34	Field34	GOODS	Mandatory	Must use	0	5	No
35	Field35	Number of packages	Mandatory	Must use	0	18	No
36	Field36	Package type	Mandatory	Must use	0	12	No
37	Field37	Weight (kg)	Mandatory	Must use	0	12	No
38	Field38	Volume (m3)	Mandatory	Must use	0	11	No
39	Field39	Loading meter (m)	Mandatory	Must use	0	17	No
40	Field40	Length (cm)	Mandatory	Must use	0	12	No
41	Field41	Width (cm)	Mandatory	Must use	0	11	No
42	Field42	Height (cm)	Mandatory	Must use	0	11	No
43	Field43	Goods description	Mandatory	Must use	0	18	No
44	Field44	ShippingMark	Mandatory	Must use	0	12	No
45	Field45	EUR pallet	Mandatory	Must use	0	10	No
46	Field46	Consignor	Mandatory	Must use	0	9	No
47	Field47	Consignor Id DSVcustomernumber	Mandatory	Must use	0	30	No
48	Field48	Consignor Company name	Mandatory	Must use	0	22	No
49	Field49	Consignor Address row 1	Mandatory	Must use	0	23	No
50	Field50	Consignor Address row 2	Mandatory	Must use	0	23	No
51	Field51	Consignor Postal code	Mandatory	Must use	0	21	No
52	Field52	Consignor City	Mandatory	Must use	0	14	No
53	Field53	Consignor State	Mandatory	Must use	0	15	No
54	Field54	Consignor country code	Mandatory	Must use	0	22	No
55	Field55	Consignor Contact person	Mandatory	Must use	0	24	No
56	Field56	Consignor Phone number	Mandatory	Must use	0	22	No
57	Field57	Consignor location code	Mandatory	Must use	0	23	No
58	Field58	Profile value	Mandatory	Must use	0	13	No

Standard note customer: All Fields in the RowtagID needs to be present even if value not used in the shipment information's. If any record is removed then the file will fail in translation. It is possible in excel to have hidden columns these will usually show up when saving as .csv format. This needs to be crosschecked before the function is used. There are to be 58 fields/columns in the ROWTAGID record.

The information in this specification listed under Header RowtagID for the different fields in the RowtagID record is only valid for the headline texts in the row RowtagID.

The definitions regarding the values possible to enter for the Shipment information under the headlines are specified in the definitions placed under the CONSIGNMENT record. The CONSIGNMENT record defines the max contents of these fields.

RowtagID - RowtagID

ID	RowtagID
Name	RowtagID
Requirement	Mandatory
User Option	Must use
Type	String
Position	01
Min Length	0
Max Length	8
Excluded	No
Purpose	Headline text
Tag Field	Value
Tag Value	RowtagID

Standard note customer: *A headline needs to be written to each record of information that is entered.*

In this record the headline will be "RowtagID". (Only one entry in the file with this value and it is naming the record that has all the names on the columns).

For the following records entered in the file. The records that has the shipment information's the value is CONSIGNMENT. This is the RowtagID/value that will be repeated as the first value for each entry with shipment information's.

Message example: *RowtagID*

General mapping notes: *Map will not work if the value CONSIGNMENT is not entered in the RowtagID.*

Field2 - Shippers reference

ID	Field2
Name	Shippers reference
Requirement	Mandatory
User Option	Must use
Type	String
Position	02
Min Length	0
Max Length	35
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Shippers Reference 35*

Field3 - Delivery instructions 1

ID	Field3
Name	Delivery instructions 1
Requirement	Mandatory
User Option	Must use
Type	String
Position	03
Min Length	0
Max Length	24
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Delivery Instructions 1*

Field4 - Delivery instructions 2

ID	Field4
Name	Delivery instructions 2
Requirement	Mandatory
User Option	Must use
Type	String
Position	04
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Delivery Instructions 2*

Field5 - Delivery instructions 3

ID	Field5
Name	Delivery instructions 3
Requirement	Mandatory
User Option	Must use
Type	String
Position	05
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Delivery Instructions 3*

Field6 - TRANSPORT

ID	Field6
Name	TRANSPORT
Requirement	Mandatory
User Option	Must use
Type	String
Position	06
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *TRANSPORT*

Field7 - Speed

ID	Field7
Name	Speed
Requirement	Mandatory
User Option	Must use
Type	String
Position	07
Min Length	0
Max Length	5
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Speed*

Field8 - Transport type

ID	Field8
Name	Transport type
Requirement	Mandatory
User Option	Must use
Type	String
Position	08
Min Length	0
Max Length	14
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Transport Type*

Field9 - Product

ID	Field9
Name	Product
Requirement	Mandatory
User Option	Must use
Type	String
Position	09
Min Length	0
Max Length	7
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Product*

Field10 - Insurance

ID	Field10
Name	Insurance
Requirement	Mandatory
User Option	Must use
Type	String
Position	10
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Insurance*

Field11 - Insurance Amount

ID	Field11
Name	Insurance Amount
Requirement	Mandatory
User Option	Must use
Type	String
Position	11
Min Length	0
Max Length	16
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Insurance Amount*

Field12 - Insurance Currency

ID	Field12
Name	Insurance Currency
Requirement	Mandatory
User Option	Must use
Type	String
Position	12
Min Length	0
Max Length	18
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Insurance Currency*

Field13 - Insurance Packing Wrapping

ID	Field13
Name	Insurance Packing Wrapping
Requirement	Mandatory
User Option	Must use
Type	String
Position	13
Min Length	0
Max Length	26
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Insurance Packing Wrapping*

Field14 - Insurance goods category

ID	Field14
Name	Insurance goods category
Requirement	Mandatory
User Option	Must use
Type	String
Position	14
Min Length	0
Max Length	24
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Insurance Goods Category*

Field15 - PreAdvice

ID	Field15
Name	PreAdvice
Requirement	Mandatory
User Option	Must use
Type	String
Position	15
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *PreAdvice*

Field16 - COD amount

ID	Field16
Name	COD amount
Requirement	Mandatory
User Option	Must use
Type	String
Position	16
Min Length	0
Max Length	10
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *COD Amount*

Field17 - COD currency

ID	Field17
Name	COD currency
Requirement	Mandatory
User Option	Dependent
Type	String
Position	17
Min Length	0
Max Length	12
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *COD Currency*

Field18 - Bank Account

ID	Field18
Name	Bank Account
Requirement	Mandatory
User Option	Must use
Type	String
Position	18
Min Length	0
Max Length	12
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Standard note customer: *Value only possible to use for shipments Domestic Sweden.*

General mapping notes: *Only possible to use for shipments Domestic Sweden.*

Field19 - INCOTERM

ID	Field19
Name	INCOTERM
Requirement	Mandatory
User Option	Must use
Type	String
Position	19
Min Length	0
Max Length	8
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *INCOTERM code*

Field20 - Location of terms

ID	Field20
Name	Location of terms
Requirement	Mandatory
User Option	Must use
Type	String
Position	20
Min Length	0
Max Length	17
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Location of terms*

Field21 - INCOTERM Country

ID	Field21
Name	INCOTERM Country
Requirement	Mandatory
User Option	Must use
Type	String
Position	21
Min Length	0
Max Length	16
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *INCOTERM Country*
General mapping notes: *For future use.*

Field22 - CONSIGNEE

ID	Field22
Name	CONSIGNEE
Requirement	Mandatory
User Option	Must use
Type	String
Position	22
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *CONSIGNEE*

Field23 - Consignee Id DSVcustomernumber

ID	Field23
Name	Consignee Id DSVcustomernumber
Requirement	Mandatory
User Option	Must use
Type	String
Position	23
Min Length	0
Max Length	30
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Id DSVcustomernumber*

Field24 - Consignee Company name

ID	Field24
Name	Consignee Company name
Requirement	Mandatory
User Option	Must use
Type	String
Position	24
Min Length	0
Max Length	22
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Company name*

Field25 - Consignee Address row 1

ID	Field25
Name	Consignee Address row 1
Requirement	Mandatory
User Option	Must use
Type	String
Position	25
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Address row 1*

Field26 - Consignee Address row 2

ID	Field26
Name	Consignee Address row 2
Requirement	Mandatory
User Option	Must use
Type	String
Position	26
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Address row 2*

Field27 - Consignee Postal code

ID	Field27
Name	Consignee Postal code
Requirement	Mandatory
User Option	Must use
Type	String
Position	27
Min Length	0
Max Length	21
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Postal code*

Field28 - Consignee City

ID	Field28
Name	Consignee City
Requirement	Mandatory
User Option	Must use
Type	String
Position	28
Min Length	0
Max Length	14
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee City*

Field29 - Consignee State

ID	Field29
Name	Consignee State
Requirement	Mandatory
User Option	Must use
Type	String
Position	29
Min Length	0
Max Length	15
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Standard note customer: *Not in use currently. Record needs to be present but empty.*

Message example: *Consignee State*

Field30 - Consignee Country code

ID	Field30
Name	Consignee Country code
Requirement	Mandatory
User Option	Must use
Type	String
Position	30
Min Length	0
Max Length	22
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Country code*

Field31 - Consignee reference

ID	Field31
Name	Consignee reference
Requirement	Mandatory
User Option	Used
Type	String
Position	31
Min Length	0
Max Length	19
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee reference*

Field32 - Consignee Contact person

ID	Field32
Name	Consignee Contact person
Requirement	Mandatory
User Option	Used
Type	String
Position	32
Min Length	0
Max Length	24
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Contact person*

Field33 - Consignee Phone number

ID	Field33
Name	Consignee Phone number
Requirement	Mandatory
User Option	Used
Type	String
Position	33
Min Length	0
Max Length	22
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignee Phone number*

Field34 - GOODS

ID	Field34
Name	GOODS
Requirement	Mandatory
User Option	Must use
Type	String
Position	34
Min Length	0
Max Length	5
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *GOODS*

Field35 - Number of packages

ID	Field35
Name	Number of packages
Requirement	Mandatory
User Option	Must use
Type	String
Position	35
Min Length	0
Max Length	18
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Number of packages*

Field36 - Package type

ID	Field36
Name	Package type
Requirement	Mandatory
User Option	Must use
Type	String
Position	36
Min Length	0
Max Length	12
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Package type*

Field37 - Weight (kg)

ID	Field37
Name	Weight (kg)
Requirement	Mandatory
User Option	Must use
Type	String
Position	37
Min Length	0
Max Length	12
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Weight (kg)*

Field38 - Volume (m3)

ID	Field38
Name	Volume (m3)
Requirement	Mandatory
User Option	Must use
Type	String
Position	38
Min Length	0
Max Length	11
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Volume (m3)*

Field39 - Loading meter (m)

ID	Field39
Name	Loading meter (m)
Requirement	Mandatory
User Option	Must use
Type	String
Position	39
Min Length	0
Max Length	17
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Loading Meter (m)*

Field40 - Length (cm)

ID	Field40
Name	Length (cm)
Requirement	Mandatory
User Option	Must use
Type	String
Position	40
Min Length	0
Max Length	12
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Length (cm)*

Field41 - Width (cm)

ID	Field41
Name	Width (cm)
Requirement	Mandatory
User Option	Must use
Type	String
Position	41
Min Length	0
Max Length	11
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Width (cm)*

Field42 - Height (cm)

ID	Field42
Name	Height (cm)
Requirement	Mandatory
User Option	Must use
Type	String
Position	42
Min Length	0
Max Length	11
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Height (cm)*

Field43 - Goods description

ID	Field43
Name	Goods description
Requirement	Mandatory
User Option	Must use
Type	String
Position	43
Min Length	0
Max Length	18
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Goods description*

Field44 - ShippingMark

ID	Field44
Name	ShippingMark
Requirement	Mandatory
User Option	Must use
Type	String
Position	44
Min Length	0
Max Length	12
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *ShippingMark*

Field45 - EUR pallet

ID	Field45
Name	EUR pallet
Requirement	Mandatory
User Option	Must use
Type	String
Position	45
Min Length	0
Max Length	10
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *EUR pallet*

Field46 - Consignor

ID	Field46
Name	Consignor
Requirement	Mandatory
User Option	Must use
Type	String
Position	46
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor*

Field47 - Consignor Id DSVcustomernumber

ID	Field47
Name	Consignor Id DSVcustomernumber
Requirement	Mandatory
User Option	Must use
Type	String
Position	47
Min Length	0
Max Length	30
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Id DSVcustomernumber*

Field48 - Consignor Company name

ID	Field48
Name	Consignor Company name
Requirement	Mandatory
User Option	Must use
Type	String
Position	48
Min Length	0
Max Length	22
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Company name*

Field49 - Consignor Address row 1

ID	Field49
Name	Consignor Address row 1
Requirement	Mandatory
User Option	Must use
Type	String
Position	49
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Address row 1*

Field50 - Consignor Address row 2

ID	Field50
Name	Consignor Address row 2
Requirement	Mandatory
User Option	Must use
Type	String
Position	50
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Address row 2*

Field51 - Consignor Postal code

ID	Field51
Name	Consignor Postal code
Requirement	Mandatory
User Option	Must use
Type	String
Position	51
Min Length	0
Max Length	21
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Postal code*

Field52 - Consignor City

ID	Field52
Name	Consignor City
Requirement	Mandatory
User Option	Must use
Type	String
Position	52
Min Length	0
Max Length	14
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor City*

Field53 - Consignor State

ID	Field53
Name	Consignor State
Requirement	Mandatory
User Option	Must use
Type	String
Position	53
Min Length	0
Max Length	15
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Standard note customer: *Not in use currently. Record needs to be present but empty.*

Message example: *Consignor State*

Field54 - Consignor country code

ID	Field54
Name	Consignor country code
Requirement	Mandatory
User Option	Must use
Type	String
Position	54
Min Length	0
Max Length	22
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor country code*

Field55 - Consignor Contact person

ID	Field55
Name	Consignor Contact person
Requirement	Mandatory
User Option	Must use
Type	String
Position	55
Min Length	0
Max Length	24
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Contact person*

Field56 - Consignor Phone number

ID	Field56
Name	Consignor Phone number
Requirement	Mandatory
User Option	Must use
Type	String
Position	56
Min Length	0
Max Length	22
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Message example: *Consignor Phone number*

Field57 - Consignor location code

ID	Field57
Name	Consignor location code
Requirement	Mandatory
User Option	Must use
Type	String
Position	57
Min Length	0
Max Length	23
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Standard note customer: *Not in use currently. Record needs to be present but empty.*

Message example: *Consignor location code*

Field58 - Profile value

ID	Field58
Name	Profile value
Requirement	Mandatory
User Option	Must use
Type	String
Position	58
Min Length	0
Max Length	13
Excluded	No
Purpose	Headline text
Tag Field	None
Tag Value	

Standard note customer: *Used after special agreement.*

Record - CONSIGNMENT

ID	Record
Name	CONSIGNMENT
Min Use	0
Max Use	999999
Excluded	No
Purpose	Record for consignment information.

ChildView:

<u>Position</u>	<u>ID</u>	<u>Name</u>	<u>Requirement</u>	<u>User Option</u>	<u>Min Length</u>	<u>Max Length</u>	<u>Excluded</u>
01	CONSIGNMENT	RowtagID	Mandatory	Must use	0	11	No
02	Field2	Shippers reference	Optional	Recommended	0	20	No
03	Field3	Delivery instructions 1	Optional	Used	0	35	No
04	Field4	Delivery instructions 2	Optional	Used	0	35	No
05	Field5	Delivery instructions 3	Optional	Used	0	35	No
06	Field6	TRANSPORT	Mandatory	Must use	0	9	No
07	Field7	Speed	Optional	Used	0	10	No
08	Field8	Transport type	Mandatory	Must use	0	8	No
09	Field9	Product	Mandatory	Must use	0	12	No
10	Field10	Insurance	Optional	Used	0	3	No
11	Field11	Insurance Amount	Conditional	Dependent	0	9	No
12	Field12	Insurance Currency	Conditional	Dependent	0	3	No
13	Field13	Insurance Packing Wrapping	Conditional	Dependent	0	1	No
14	Field14	Insurance goods category	Conditional	Dependent	0	1	No
15	Field15	PreAdvice	Optional	Used	0	3	No
16	Field16	COD amount	Optional	Used	0	8	No
17	Field17	COD currency	Conditional	Dependent	0	3	No
18	Field18	Bank Account	Conditional	Dependent	0	11	No
19	Field19	INCOTERM	Mandatory	Used	0	3	No
20	Field20	Location of terms	Optional	Used	0	7	No
21	Field21	INCOTERM Country	Optional	Not used	0	2	No
22	Field22	CONSIGNEE	Mandatory	Must use	0	9	No
23	Field23	Consignee Id DSVcustomernumber	Optional	Must use	0	17	No
24	Field24	Consignee Company name	Optional	Used	0	35	No
25	Field25	Consignee Address row 1	Optional	Must use	0	35	No
26	Field26	Consignee Address row 2	Optional	Used	0	35	No
27	Field27	Consignee Postal code	Optional	Must use	0	9	No
28	Field28	Consignee City	Optional	Must use	0	35	No
29	Field29	Consignee State	Optional	Not used	0	9	No
30	Field30	Consignee Country code	Optional	Must use	0	2	No
31	Field31	Consignee reference	Optional	Used	0	35	No
32	Field32	Consignee Contact person	Optional	Used	0	35	No

33	Field33	Consignee Phone number	Optional	Used	0	35	No
34	Field34	GOODS	Mandatory	Must use	0	5	No
35	Field35	Number of packages	Mandatory	Must use	0	8	No
36	Field36	Package type	Mandatory	Must use	0	7	No
37	Field37	Weight (kg)	Mandatory	Must use	0	8	No
38	Field38	Volume (m3)	Optional	Used	0	8	No
39	Field39	Loading meter (m)	Optional	Used	0	8	No
40	Field40	Length (cm)	Optional	Used	0	8	No
41	Field41	Width (cm)	Optional	Used	0	8	No
42	Field42	Height (cm)	Optional	Used	0	8	No
43	Field43	Goods description	Optional	Used	0	20	No
44	Field44	ShippingMark	Optional	Used	0	20	No
45	Field45	EUR pallet	Optional	Used	0	3	No
46	Field46	Consignor	Mandatory	Must use	0	10	No
47	Field47	Consignor Id DSVcustomernumber	Mandatory	Must use	0	17	No
48	Field48	Consignor Company name	Optional	Must use	0	35	No
49	Field49	Consignor Address row 1	Optional	Must use	0	35	No
50	Field50	Consignor Address row 2	Optional	Used	0	35	No
51	Field51	Consignor Postal code	Optional	Must use	0	9	No
52	Field52	Consignor City	Optional	Must use	0	35	No
53	Field53	Consignor State	Optional	Not used	0	9	No
54	Field54	Consignor country code	Optional	Must use	0	2	No
55	Field55	Consignor Contact person	Optional	Used	0	35	No
56	Field56	Consignor Phone number	Optional	Used	0	35	No
57	Field57	Consignor location code	Optional	Not used	0	15	No
58	Field58	Profile value	Optional	Not recommended	0	35	No

Standard note customer: *The records that has the shipment information's the value identifying the record is CONSIGNMENT. This is the RowtagID/value that will be repeated as the first value for each row with shipment information's.*

CONSIGNMENT - RowtagID

ID	CONSIGNMENT
Name	RowtagID
Requirement	Mandatory
User Option	Must use
Type	String
Position	01
Min Length	0
Max Length	11
Excluded	No
Purpose	Headline default text
Tag Field	Value
Tag Value	CONSIGNMENT

Message example: *CONSIGNMENT*

Field2 - Shippers reference

ID	Field2
Name	Shippers reference
Requirement	Optional
User Option	Recommended
Type	String
Position	02
Min Length	0
Max Length	20
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *This is the customer reference.*

Max length to use is 20 characters as that is the max search possibility available for DSV operational staff.

!!!! If this value occurs at more than one CONSIGNMENT entry in the same file then these will be consolidated in to one shipment information with several goods row information's!!!!

Message example: ABC1234567

Field3 - Delivery instructions 1

ID	Field3
Name	Delivery instructions 1
Requirement	Optional
User Option	Used
Type	String
Position	03
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Message example: *Instruktion1*

Field4 - Delivery instructions 2

ID	Field4
Name	Delivery instructions 2
Requirement	Optional
User Option	Used
Type	String
Position	04
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Message example: *Instruktion2*

Field5 - Delivery instructions 3

ID	Field5
Name	Delivery instructions 3
Requirement	Optional
User Option	Used
Type	String
Position	05
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Message example: *Instruktion 3*

Field6 - TRANSPORT

ID	Field6
Name	TRANSPORT
Requirement	Mandatory
User Option	Must use
Type	String
Position	06
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline default text
Tag Field	None
Tag Value	

Standard note customer: *Default value TRANSPORT to be entered.*

Message example: *TRANSPORT*

Field7 - Speed

ID	Field7
Name	Speed
Requirement	Optional
User Option	Used
Type	String
Position	07
Min Length	0
Max Length	10
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *This is only valid for Transport type Road. There are three different values that can be entered using uppercase:*

HIGH SPEED
NORMAL
EXPRESS

Message example: HIGH SPEED

Field8 - Transport type

ID	Field8
Name	Transport type
Requirement	Mandatory
User Option	Must use
Type	String
Position	08
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *"Transport type" has the following options to choose from*

ROAD
SEA
AIR

The transport type is used in combination with Product and only certain combinations will pas as well as value to be in uppercase. Not allowed combination will cause the file to fail.

Available Combinations are:

"Transport type" "Product"

ROAD FTL
SEA FCL
AIR IATA
ROAD LTL
SEA LCL

Message example: ROAD

Field9 - Product

ID	Field9
Name	Product
Requirement	Mandatory
User Option	Must use
Type	String
Position	09
Min Length	0
Max Length	12
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The value in "Product" is used in combination with the value for "Transport type" and only certain combinations will pas. If no combination it will be considered a shipment to be consolidated with others within the same transport type.*

As "Product" can one of the below values use uppercase be entered :

FTL
FCL
IATA
LTL
LCL

Available allowed Combinations are:

"Transport type" "Product"

Road FTL
Sea FCL
Air IATA
Road LTL
Sea LCL

Message example: LTL

Field10 - Insurance

ID	Field10
Name	Insurance
Requirement	Optional
User Option	Used
Type	String
Position	10
Min Length	0
Max Length	3
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *If Insurance is a service requested the code "INS" must be entered. All insurance fields must have information's entered if the insurance service is requested. Else the Insurance information records are to be left empty.*

Message example: *INS*

Field11 - Insurance Amount

ID	Field11
Name	Insurance Amount
Requirement	Conditional
User Option	Dependent
Type	String
Position	11
Min Length	0
Max Length	9
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The amount that the insurance is to cover.*

Message example: 255,50

Field12 - Insurance Currency

ID	Field12
Name	Insurance Currency
Requirement	Conditional
User Option	Dependent
Type	String
Position	12
Min Length	0
Max Length	3
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Currency for the Insurance amount.
ISO abbreviations for currency codes to be used.*

Message example: *DKK*

Field13 - Insurance Packing Wrapping

ID	Field13
Name	Insurance Packing Wrapping
Requirement	Conditional
User Option	Dependent
Type	String
Position	13
Min Length	0
Max Length	1
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The value for packing/ wrapping. The code values possible to use are value 1 or 2.*
1 is used for PACKED / CRATED
2 is used for NON PACKED / NON CRATED
Message example: 1

Field14 - Insurance goods category

ID	Field14
Name	Insurance goods category
Requirement	Conditional
User Option	Dependent
Type	String
Position	14
Min Length	0
Max Length	1
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The values to indicate Gods category are the following code values possible to use: 1,2,3,4 or 5.*

*1 is used for ORDINARY NEW COMMERCIAL GOODS
2 is used for USED TRADING GOODS
3 is used for PERSONAL BELONGINGS & FURNITURE
4 is used for PORCELAIN / GLAS / LIGHT BULBS AND OTHER FRAGILE GOODS
5 is used for MARBLE (MARMOR)*

Message example: 4

Field15 - PreAdvice

ID	Field15
Name	PreAdvice
Requirement	Optional
User Option	Used
Type	String
Position	15
Min Length	0
Max Length	3
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Code value "ADV" is to be entered if this service is requested.
IF ADV used , contact information in Consignee information assumed to be used for contact details.*

Message example: ADV

Field16 - COD amount

ID	Field16
Name	COD amount
Requirement	Optional
User Option	Used
Type	String
Position	16
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *If COD is to be used then the amount is to entered here.*

Message example: 350,6

Field17 - COD currency

ID	Field17
Name	COD currency
Requirement	Conditional
User Option	Dependent
Type	String
Position	17
Min Length	0
Max Length	3
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *If COD is to be used then the currency is to be entered here.*

Message example: *EUR*

Field18 - Bank Account

ID	Field18
Name	Bank Account
Requirement	Conditional
User Option	Dependent
Type	String
Position	18
Min Length	0
Max Length	11
Excluded	No
Purpose	Consignment Information. Only DOM SE.
Tag Field	None
Tag Value	

Standard note customer: *Only for use in domestic Sweden.
Bank account information in connection to COD.*

Message example: 876-5432

Field19 - INCOTERM

ID	Field19
Name	INCOTERM
Requirement	Mandatory
User Option	Used
Type	String
Position	19
Min Length	0
Max Length	3
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The agreed delivery condition to be used is to be entered here.*

Message example: *DDU*

Field20 - Location of terms

ID	Field20
Name	Location of terms
Requirement	Optional
User Option	Used
Type	String
Position	20
Min Length	0
Max Length	7
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Enter the value of a location, border, if such a location is to be entered in connection to the delivery condition.*

General mapping notes: *Data definition is 35 characters.*

Field21 - INCOTERM Country

ID	Field21
Name	INCOTERM Country
Requirement	Optional
User Option	Not used
Type	String
Position	21
Min Length	0
Max Length	2
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *For future use. Use Location of terms.*

General mapping notes: *No mapping in place.*

Field22 - CONSIGNEE

ID	Field22
Name	CONSIGNEE
Requirement	Mandatory
User Option	Must use
Type	String
Position	22
Min Length	0
Max Length	9
Excluded	No
Purpose	Headline default text
Tag Field	None
Tag Value	

Standard note customer: *Default value CONSIGNEE needs to be entered as a headline. This needs to be entered even if the intention is to consolidate the information in the CONSIGNMENT record with another CONSIGNMENT record.*

Message example: *CONSIGNEE*

Field23 - Consignee Id DSVcustomernumber

ID	Field23
Name	Consignee Id DSVcustomernumber
Requirement	Optional
User Option	Must use
Type	String
Position	23
Min Length	0
Max Length	17
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Consignee customer number at DSV to be entered here.*

Message example: 1234567

Field24 - Consignee Company name

ID	Field24
Name	Consignee Company name
Requirement	Optional
User Option	Used
Type	String
Position	24
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Field25 - Consignee Address row 1

ID	Field25
Name	Consignee Address row 1
Requirement	Optional
User Option	Must use
Type	String
Position	25
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Field26 - Consignee Address row 2

ID	Field26
Name	Consignee Address row 2
Requirement	Optional
User Option	Used
Type	String
Position	26
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Message example: *File definition allows up to 70 characters. If more than 70 characters the file will fail.*

Field27 - Consignee Postal code

ID	Field27
Name	Consignee Postal code
Requirement	Optional
User Option	Must use
Type	String
Position	27
Min Length	0
Max Length	9
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Field28 - Consignee City

ID	Field28
Name	Consignee City
Requirement	Optional
User Option	Must use
Type	String
Position	28
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Field29 - Consignee State

ID	Field29
Name	Consignee State
Requirement	Optional
User Option	Not used
Type	String
Position	29
Min Length	0
Max Length	9
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Not in use currently.*

Field30 - Consignee Country code

ID	Field30
Name	Consignee Country code
Requirement	Optional
User Option	Must use
Type	String
Position	30
Min Length	0
Max Length	2
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Consignee country code to be entered using ISO codes two characters abbreviation.*

Field31 - Consignee reference

ID	Field31
Name	Consignee reference
Requirement	Optional
User Option	Used
Type	String
Position	31
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Field32 - Consignee Contact person

ID	Field32
Name	Consignee Contact person
Requirement	Optional
User Option	Used
Type	String
Position	32
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *IF service preadvise (ADV) entered. Contact name to be listed here.*

Field33 - Consignee Phone number

ID	Field33
Name	Consignee Phone number
Requirement	Optional
User Option	Used
Type	String
Position	33
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Field34 - GOODS

ID	Field34
Name	GOODS
Requirement	Mandatory
User Option	Must use
Type	String
Position	34
Min Length	0
Max Length	5
Excluded	No
Purpose	Headline default text
Tag Field	None
Tag Value	

Standard note customer: *GOODS is a headline that needs to be written to each record of information that is entered.*

Message example: *GOODS*

Field35 - Number of packages

ID	Field35
Name	Number of packages
Requirement	Mandatory
User Option	Must use
Type	String
Position	35
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Number of packages in the shipment or Goods row if expected to be consolidated.*

Message example: 5

Field36 - Package type

ID	Field36
Name	Package type
Requirement	Mandatory
User Option	Must use
Type	String
Position	36
Min Length	0
Max Length	7
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Here is the abbreviation for the package type entered*

Message example: *PLL*

Field37 - Weight (kg)

ID	Field37
Name	Weight (kg)
Requirement	Mandatory
User Option	Must use
Type	String
Position	37
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The weight information for the number of packages listed in the GOODS information section. Value expected to be in kg.*

Message example: 36

Field38 - Volume (m3)

ID	Field38
Name	Volume (m3)
Requirement	Optional
User Option	Used
Type	String
Position	38
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The volume information for the number of packages listed in the GOODS information section. Value expected to be in cubic meter.*

Field39 - Loading meter (m)

ID	Field39
Name	Loading meter (m)
Requirement	Optional
User Option	Used
Type	String
Position	39
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The loading meter information for the number of packages listed in the GOODS information section. Value expected to be in meter.*

Field40 - Length (cm)

ID	Field40
Name	Length (cm)
Requirement	Optional
User Option	Used
Type	String
Position	40
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The Length information for the packages listed in the GOODS information section. Value expected to be in centimeter.*

Field41 - Width (cm)

ID	Field41
Name	Width (cm)
Requirement	Optional
User Option	Used
Type	String
Position	41
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The With information for the packages listed in the GOODS information section. Value expected to be in centimeter.*

Field42 - Height (cm)

ID	Field42
Name	Height (cm)
Requirement	Optional
User Option	Used
Type	String
Position	42
Min Length	0
Max Length	8
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The hight information for the packages listed in the GOODS information section. Value expected to be in centimeter.*

Field43 - Goods description

ID	Field43
Name	Goods description
Requirement	Optional
User Option	Used
Type	String
Position	43
Min Length	0
Max Length	20
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Description of the contents to be shipped.*

Message example: *Chairs*

Field44 - ShippingMark

ID	Field44
Name	ShippingMark
Requirement	Optional
User Option	Used
Type	String
Position	44
Min Length	0
Max Length	20
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Mark on the goods that make it easy to identify.*

Field45 - EUR pallet

ID	Field45
Name	EUR pallet
Requirement	Optional
User Option	Used
Type	String
Position	45
Min Length	0
Max Length	3
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Number of exchangeable pallets EUR.*

Field46 - Consignor

ID	Field46
Name	Consignor
Requirement	Mandatory
User Option	Must use
Type	String
Position	46
Min Length	0
Max Length	10
Excluded	No
Purpose	Headline default text
Tag Field	None
Tag Value	

Standard note customer: *Default value "Consignor" needs to be entered as a headline. This needs to be entered even if the intention is to consolidate the information in the CONSIGNMENT record with another CONSIGNMENT record.*

Message example: CONSIGNOR

Field47 - Consignor Id DSVcustomernumber

ID	Field47
Name	Consignor Id DSVcustomernumber
Requirement	Mandatory
User Option	Must use
Type	String
Position	47
Min Length	0
Max Length	17
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Consignors customer number at DSV.*
Message example: 456789

Field48 - Consignor Company name

ID	Field48
Name	Consignor Company name
Requirement	Optional
User Option	Must use
Type	String
Position	48
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Name of the consignor.*

Field49 - Consignor Address row 1

ID	Field49
Name	Consignor Address row 1
Requirement	Optional
User Option	Must use
Type	String
Position	49
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Adress of the consignor.*

Field50 - Consignor Address row 2

ID	Field50
Name	Consignor Address row 2
Requirement	Optional
User Option	Used
Type	String
Position	50
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Second adress row of the consignor.*

Field51 - Consignor Postal code

ID	Field51
Name	Consignor Postal code
Requirement	Optional
User Option	Must use
Type	String
Position	51
Min Length	0
Max Length	9
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Consignors postal code value.*

Field52 - Consignor City

ID	Field52
Name	Consignor City
Requirement	Optional
User Option	Must use
Type	String
Position	52
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *The city name of the consignors location.*

Field53 - Consignor State

ID	Field53
Name	Consignor State
Requirement	Optional
User Option	Not used
Type	String
Position	53
Min Length	0
Max Length	9
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Not in use currently.*

Field54 - Consignor country code

ID	Field54
Name	Consignor country code
Requirement	Optional
User Option	Must use
Type	String
Position	54
Min Length	0
Max Length	2
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Consignors country code to be entered using ISO codes two characters abbreviation.*

Field55 - Consignor Contact person

ID	Field55
Name	Consignor Contact person
Requirement	Optional
User Option	Used
Type	String
Position	55
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Contact person at Consignor.*

Field56 - Consignor Phone number

ID	Field56
Name	Consignor Phone number
Requirement	Optional
User Option	Used
Type	String
Position	56
Min Length	0
Max Length	35
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Phone numebr for Consignor.*

Field57 - Consignor location code

ID	Field57
Name	Consignor location code
Requirement	Optional
User Option	Not used
Type	String
Position	57
Min Length	0
Max Length	15
Excluded	No
Purpose	Consignment Information
Tag Field	None
Tag Value	

Standard note customer: *Not in use currently. Record needs to be present but empty.*

Field58 - Profile value

ID	Field58
Name	Profile value
Requirement	Optional
User Option	Not recommended
Type	String
Position	58
Min Length	0
Max Length	35
Excluded	No
Purpose	Configuration Information
Tag Field	None
Tag Value	

Standard note customer: *For internal DSV use.*