



Message Implementation Guideline

## **DSV\_TransportMessage**

Model: DSV\_STD\_XML\_TRANSPORTMESSAGE\_V1\_IN  
Version: 17-PROD\_Release\_v1.8\_20230601  
Issue date: 2023-05-30  
Author: DSV A/S, EDI

## Change Log

No	Changes	
01	Date (YYYY-MM-DD)	2020-07-16
	Author	
	CRQ	V 1.2
	<b>Tag</b>	<b>Parties</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Parties
	Change Description	Required for Road are: PartyName, AddressLine 1 and 2, CityName, PostCode and CountryCode.
02	Date (YYYY-MM-DD)	2020-07-16
	Author	
	CRQ	V 1.2
	<b>Tag</b>	<b>Dimensions</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodItems/GoodItem/Dimensions
	Change Description	Dimensions (LxWxH) required for Road shipments.
03	Date (YYYY-MM-DD)	2020-09-30
	Author	DSV Panalpina A/S, EDI
	CRQ	v1.3
	<b>Tag</b>	<b>FreeTextData</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/FreeTextData
	Change Description	Field length in /DSV_TransportMessage/Transport/Shipments/Shipment/FreeTextData/FreeText/TextLine1-5 extended to 1024 per TextLine
04	Date (YYYY-MM-DD)	2021-04-30
	Author	DSV Panalpina A/S, EDI
	CRQ	v1.4
	<b>Tag</b>	<b>EquipmentUnits</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits
	Change Description	Dates in /DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dates is added to handle Container Dates.
05	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	ver1.5
	<b>Tag</b>	<b>SizeTypeCode</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/EquipmentType/SizeTypeCode
	Change Description	Updated applicable DSV SizeTypeCodes.
06	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	ver1.5
	<b>Tag</b>	<b>ISOCODE</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/EquipmentType/ISOCODE
	Change Description	Enabled ISOCODE and updated applicable codes.
07	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	ver1.5
	<b>Tag</b>	<b>PackingMode</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/EquipmentType/

## Change Log

No	Changes	
08	Change Description	PackingMode Enabled PackingMode
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
09	CRQ	ver1.5
	Tag	<b>TransportMovement</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/ TransportMovement
10	Change Description	Enabled TransportMovement
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
11	CRQ	ver1.5
	Tag	<b>Code</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/ TransportMovement/Code
12	Change Description	Enabled TransportMovement Code
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
13	CRQ	ver1.5
	Tag	<b>Description</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/ TransportMovement/Description
14	Change Description	Enabled TransportMovement description
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
15	CRQ	ver1.5
	Tag	<b>SizeTypeCode</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/EquipmentUnits/ EquipmentUnit/EquipmentType/SizeTypeCode
16	Change Description	Updated applicable DSV SizeTypeCodes.
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
17	CRQ	ver1.5
	Tag	<b>ISOCODE</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/EquipmentUnits/ EquipmentUnit/EquipmentType/ISOCODE
18	Change Description	Updated applicable codes.
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
19	CRQ	ver1.5
	Tag	<b>PackingMode</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/EquipmentUnits/ EquipmentUnit/EquipmentType/PackingMode
20	Change Description	Enabled PackingMode
	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI

## Change Log

No	Changes	
	CRQ	ver1.5
	<b>Tag</b>	<b>TransportMovement</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/EquipmentUnits/EquipmentUnit/TransportMovement
	Change Description	Enabled TransportMovement
15	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	ver1.5
	<b>Tag</b>	<b>Code</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/EquipmentUnits/EquipmentUnit/TransportMovement/Code
	Change Description	Enabled TransportMovement Code
16	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	ver1.5
	<b>Tag</b>	<b>Description</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/EquipmentUnits/EquipmentUnit/TransportMovement/Description
	Change Description	Enabled TransportMovement description
17	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	Ver 1.5
	<b>Tag</b>	<b>Stage</b>
	Path	DSV_TransportMessage/Transport/TransportStages/TransportStage/Stage
	Change Description	Enabled elements: TransportId CarrierId CarrierName TransportType TransportMeansName TransportMeansNationality
18	Date (YYYY-MM-DD)	2021-10-04
	Author	DSV A/S, EDI
	CRQ	Ver 1.5
	<b>Tag</b>	<b>Stage</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/TransportStages/TransportStage/Stage
	Change Description	Enabled elements: TransportId CarrierId CarrierName TransportType TransportMeansName TransportMeansNationality
19	Date (YYYY-MM-DD)	2021-11-02
	Author	DSV A/S, EDI
	CRQ	Ver 1.6
	<b>Tag</b>	<b>Type</b>

## Change Log

No	Changes	
	Path	DSV_TransportMessage/Transport/TransportStages/TransportStage/Locations/Location/@Type
	Change Description	Enabled locations: Departure, Destination, PlaceOfLoading, PlaceOfUnloading, PortOfEntry
20	Date (YYYY-MM-DD)	2021-11-02
	Author	DSV A/S, EDI
	CRQ	Ver 1.6
	<b>Tag</b>	<b>References</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/References
	Change Description	Enabled References
21	Date (YYYY-MM-DD)	2022-11-29
	Author	DSV A/S, EDI
	CRQ	v1.7
	<b>Tag</b>	<b>CodeDescriptions</b>
	Path	DSV_TransportMessage/Transport/TransportStages/TransportStage/CodeDescriptions
	Change Description	Enabled CodeDescriptions for BookingStatus. Use to be agreed.
22	Date (YYYY-MM-DD)	2022-11-29
	Author	DSV A/S, EDI
	CRQ	v1.7
	<b>Tag</b>	<b>CodeDescriptions</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/TransportStages/TransportStage/CodeDescriptions
	Change Description	Enabled CodeDescriptions for BookingStatus. Use to be agreed.
23	Date (YYYY-MM-DD)	2023-05-30
	Author	DSV Panalpina A/S, EDI
	CRQ	v1.8
	<b>Tag</b>	<b>Measurements</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Measurements
	Change Description	Measurement in /DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Measurements added.
24	Date (YYYY-MM-DD)	2023-05-30
	Author	DSV Panalpina A/S, EDI
	CRQ	v1.8
	<b>Tag</b>	<b>Dimensions</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dimensions
	Change Description	Dimensions in /DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dimensions added.

## Structure

Occurrence	Element/Attribute
------------	-------------------

<b>DSV_TransportMessage</b>	
1 .. 1	xs:sequence
1 .. 1	<b>Header</b>
1 .. 1	xs:sequence
1 .. 1	<b>MessageId</b>
1 .. 1	<b>SenderId</b>
1 .. 1	<b>ReceiverId</b>
1 .. 1	<b>DocumentDate</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
1 .. 1	<b>DocumentCode</b>
1 .. 1	<b>Function</b>
1 .. 1	<b>Version</b>
1 .. 1	<b>Transport</b>
1 .. 1	xs:sequence
1 .. 1	<b>TransportId</b>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>FreeTextData</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>FreeText</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>DescriptionCode</b>
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
0 .. 1	<b>ControlTotals</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ControlTotal</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Quantity</b>
0 .. 1	<b>References</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
required	<i>Type</i>
optional	<i>Identifier</i>
optional	<i>CustomFieldType</i>
0 .. 1	<b>Requirements</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Requirement</b>
1 .. 1	xs:sequence
0 .. 1	<b>GovernmentalRequirements</b>
1 .. 1	xs:sequence
0 .. 1	<b>TransportMovementCode</b>
0 .. 1	<b>InvolvementCode</b>
0 .. 1	<b>Documents</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Document</b>
1 .. 1	xs:sequence
0 .. 1	<b>DocumentCode</b>
0 .. 1	<b>DocumentCopies</b>
0 .. 1	<b>DocumentOriginals</b>
0 .. 1	<b>TransportStages</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>TransportStage</b>
1 .. 1	xs:sequence
0 .. 1	<b>Stage</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>ModeOfTransport</b>
0 .. 1	<b>TransportId</b>
0 .. 1	<b>CarrierId</b>
0 .. 1	<b>CarrierName</b>
0 .. 1	<b>TransportType</b>
0 .. 1	<b>TransportMeansName</b>
0 .. 1	<b>TransportMeansNationality</b>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>TransportServices</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>TransportService</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PriorityCode</b>
0 .. unbounded	<b>TransportService &lt;AdditionalServices&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. unbounded	<b>TransportService &lt;Insurance&gt;</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PackagingState</b>
0 .. 1	<b>CargoType</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b> required	<b>Location</b>
1 .. 1	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
<b>0 .. 1</b>	<b>Parties</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>Party</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. 1</b> required optional	<b>PartyDetails</b>
1 .. 1	<i>Role</i>
0 .. 1	<i>AddressOverride</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Id</b>
0 .. 1	<b>Assignor</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>
0 .. 1	<b>AddressLine2</b>
0 .. 1	<b>AddressLine3</b>
0 .. 1	<b>CityName</b>
0 .. 1	<b>State</b>
0 .. 1	<b>PostCode</b>
0 .. 1	<b>CountryCode</b>
<b>0 .. unbounded</b> required	<b>Contact</b>
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Name</b>
0 .. 1	<b>Phone</b>
0 .. 1	<b>Mobile</b>
0 .. 1	<b>Fax</b>
0 .. 1	<b>Email</b>
<b>0 .. 1</b>	<b>CodeDescriptions</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b> optional	<b>CodeDescription</b>
0 .. 1	<i>Type</i>
<b>0 .. 1</b>	<b>EquipmentUnits</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>EquipmentUnit</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. 1</b>	<b>EquipmentType</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Type</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
0 .. 1	<b>UnitId</b>
0 .. 1	<b>SizeTypeCode</b>
0 .. 1	<b>ISOCODE</b>
0 .. 1	<b>PackingMode</b>
0 .. 1	<b>NumberOfUnits</b>
<b>0 .. 1</b>	<b>SealIds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Seal</b>
1 .. 1	xs:sequence
0 .. 1	<b>SealId</b>
0 .. 1	<b>SealParty</b>
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>FreeText</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
<b>0 .. 1</b>	<b>TransportMovement</b>
1 .. 1	xs:sequence
0 .. 1	<b>Code</b>
0 .. 1	<b>Description</b>
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Measurement</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Measure</b>
<b>0 .. 1</b>	<b>Dimensions</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Dimension</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Length</b>
0 .. 1	<b>Width</b>
0 .. 1	<b>Height</b>
<b>0 .. 1</b>	<b>Shipments</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Shipment</b>
1 .. 1	xs:sequence
0 .. 1	<b>ShipmentId</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>TransportServices</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ServiceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>TransportService</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PriorityCode</b>
0 .. 1	<b>TransportService &lt;AdditionalServices&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>TransportService &lt;Insurance&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PackagingState</b>
0 .. 1	<b>CargoType</b>
0 .. 1	<b>MonetaryAmounts</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>MonetaryAmount</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	<b>Amount</b>
0 .. 1	<b>Currency</b>
0 .. 1	<b>FreeTextData</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>FreeText</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	<b>DescriptionCode</b>
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
0 .. 1	<b>ControlTotals</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ControlTotal</b>
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	<b>Quantity</b>
0 .. 1	<b>TermsOfDelivery</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
<b>0 .. 1</b>	<b>Terms</b>
1 .. 1	xs:sequence
0 .. 1	<b>TermCode</b>
0 .. 1	<b>CodeId</b>
<b>0 .. unbounded</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>
optional	<i>CustomFieldType</i>
<b>0 .. 1</b>	<b>Requirements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Requirement</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>GovernmentalRequirements</b>
1 .. 1	xs:sequence
0 .. 1	<b>TransportMovementCode</b>
0 .. 1	<b>InvolvementCode</b>
<b>0 .. 1</b>	<b>Documents</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Document</b>
1 .. 1	xs:sequence
0 .. 1	<b>DocumentCode</b>
0 .. 1	<b>DocumentCopies</b>
0 .. 1	<b>DocumentOriginals</b>
<b>0 .. 1</b>	<b>ChargeMethodology</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>PaymentInstructions</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>PaymentInstruction</b>
1 .. 1	xs:sequence
0 .. 1	<b>PaymentCode</b>
<b>0 .. 1</b>	<b>ChargeRates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ChargeRate</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Charge</b>
1 .. 1	xs:sequence
0 .. 1	<b>ChargeCode</b>
0 .. 1	<b>Description</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	<b>PaymentCode</b>
0 .. 1	<b>RateClass</b>
0 .. 1	<b>MonetaryAmounts</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>MonetaryAmount</b>
1 .. 1	<i>Type</i>
0 .. 1	xs:sequence
0 .. 1	<b>Amount</b>
0 .. 1	<b>Currency</b>
0 .. 1	<b>TransportStages</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>TransportStage</b>
1 .. 1	xs:sequence
0 .. 1 required	<b>Stage</b>
1 .. 1	<i>Type</i>
0 .. 1	xs:sequence
0 .. 1	<b>ModeOfTransport</b>
0 .. 1	<b>TransportId</b>
0 .. 1	<b>CarrierId</b>
0 .. 1	<b>CarrierName</b>
0 .. 1	<b>TransportType</b>
0 .. 1	<b>TransportMeansName</b>
0 .. 1	<b>TransportMeansNationality</b>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded required required	<b>Date</b>
1 .. 1	<i>Type</i>
0 .. 1	<i>Format</i>
0 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>Locations</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>Location</b>
1 .. 1	<i>Type</i>
1 .. 1	xs:sequence
1 .. unbounded	<b>LocationIdentification</b>
1 .. 1	<i>Type</i>
0 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
0 .. 1	<b>CodeDescriptions</b>
1 .. 1	xs:sequence
0 .. unbounded optional	<b>CodeDescription</b>
0 .. 1	<i>Type</i>
0 .. 1	<b>Parties</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Party</b>
1 .. 1	xs:sequence
0 .. 1	<b>PartyDetails</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
required	<i>Role</i>
optional	<i>AddressOverride</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Id</b>
0 .. 1	<b>Assignor</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>
0 .. 1	<b>AddressLine2</b>
0 .. 1	<b>AddressLine3</b>
0 .. 1	<b>CityName</b>
0 .. 1	<b>State</b>
0 .. 1	<b>PostCode</b>
0 .. 1	<b>CountryCode</b>
0 .. 1	<b>Locations</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>Location</b>
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
1 .. unbounded	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>LocationIdentifier</b>
0 .. unbounded	<b>Contact</b>
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Name</b>
0 .. 1	<b>Phone</b>
0 .. 1	<b>Mobile</b>
0 .. 1	<b>Fax</b>
0 .. 1	<b>Email</b>
0 .. 1	<b>GoodsItems</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>GoodsItem</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Item</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>ItemNumber</b>
0 .. 1	<b>PackageQty</b>
0 .. 1	<b>PackageType</b>
0 .. 1	<b>HandlingInstructions</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>HandlingInstruction</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>DescriptionCode</b>
0 .. 1	<b>Description</b>
0 .. 1	<b>RangeDetails</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Minimum</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	Maximum
0 .. 1	<b>Locations</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>Location</b>
1 .. 1	Type
1 .. 1	xs:sequence
1 .. unbounded	<b>LocationIdentification</b>
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>MonetaryAmounts</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>MonetaryAmount</b>
1 .. 1	Type
1 .. 1	xs:sequence
0 .. 1	<b>Amount</b>
0 .. 1	<b>Currency</b>
0 .. 1	<b>ProductIds</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>ProductId</b>
1 .. 1	Type
1 .. 1	xs:sequence
0 .. 1	<b>ItemId</b>
0 .. 1	<b>ItemType</b>
0 .. 1	<b>FreeTextData</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>FreeText</b>
1 .. 1	Type
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
0 .. 1	<b>Measurements</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>Measurement</b>
1 .. 1	Type
1 .. 1	Uom
0 .. 1	xs:sequence
0 .. 1	<b>Measure</b>
0 .. 1	<b>Dimensions</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>Dimension</b>
1 .. 1	Type
1 .. 1	Uom
1 .. 1	xs:sequence
0 .. 1	<b>Length</b>
0 .. 1	<b>Width</b>
0 .. 1	<b>Height</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	Type
<b>0 .. 1</b>	<b>Packagelds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Packageld</b>
1 .. 1	xs:sequence
1 .. 1	<b>InstructionCode</b>
<b>0 .. 1</b>	<b>Marks</b>
1 .. 1	xs:sequence
1 .. unbounded	<b>ShippingMark</b>
<b>0 .. unbounded</b>	<b>GoodsIdentities</b>
required	Type
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsIdentifier</b>
<b>0 .. 1</b>	<b>GoodsPlacementIds</b>
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsPlacementId</b>
<b>0 .. 1</b>	<b>DangerousGoodsDetails</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>DangerousGoodsDetail</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>DangerousGoods</b>
1 .. 1	xs:sequence
0 .. 1	<b>Regulation</b>
0 .. 1	<b>HazardClass</b>
0 .. 1	<b>AdditionalHazardClass</b>
0 .. 1	<b>HazardVersionId</b>
0 .. 1	<b>UNDGNumber</b>
0 .. 1	<b>FlashPointDescription</b>
0 .. 1	<b>FlashPointTemperature</b>
0 .. 1	FlashpointUom
0 .. 1	<b>DangerLevelCode</b>
0 .. 1	<b>EMSNumber</b>
0 .. 1	<b>MFAGNumber</b>
0 .. 1	<b>TremCardNumber</b>
0 .. 1	<b>UpperPlate</b>
0 .. 1	<b>LowerPlate</b>
<b>0 .. 1</b>	<b>Labels</b>
1 .. 1	xs:sequence
1 .. 4	<b>Label</b>
0 .. 1	<b>TunnelCode</b>
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>FreeText</b>
required	Type
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Measurement</b>
1 .. 1	Type
0 .. 1	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
<b>0 .. 1</b>	<b>EquipmentUnits</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>EquipmentUnit</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>EquipmentType</b>
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	PackingMode
0 .. 1	NumberOfUnits
<b>0 .. 1</b>	<b>SealIds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Seal</b>
1 .. 1	xs:sequence
0 .. 1	SealId
0 .. 1	SealParty
<b>0 .. 1</b>	<b>TransportMovement</b>
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



## Guideline

Element/Attribute	Annotation
<b>DSV_TransportMessage</b>	<p><b>Type</b> dsv_transportmessage:DSV_TransportMessage</p> <p><b>General Notes</b> Release notes version 1.4 2021-04-30 Dates in /DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dates added to handle Container Dates.</p> <p><b>General Notes</b> Release notest version 1.5 Additional locations in /DSV_TransportMessage/Transport/TransportStages/TransportStage/Locations References in /DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/References</p> <p><b>General Notes</b> Release notes version 1.8 Enable /DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Measurements Enable /DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dimensions</p>
xs:sequence <b>Header</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> sharedelements:Header</p> <p><b>General Notes</b> MESSAGE HEADER</p> <p><b>Examples</b>            &lt;Header&gt;              &lt;Messageld&gt;12485236&lt;/Messageld&gt;              &lt;SenderId&gt;SenderIdentification&lt;/SenderId&gt;              &lt;ReceiverId&gt;ReceiverIdentification&lt;/ReceiverId&gt;              &lt;DocumentDate Type="DocumentDate" Format="DateTime"&gt;                &lt;DateTime&gt;201902120000&lt;/DateTime&gt;              &lt;/DocumentDate&gt;              &lt;DocumentCode&gt;TransportMessage&lt;/DocumentCode&gt;              &lt;Function&gt;New&lt;/Function&gt;              &lt;Version&gt;1.0&lt;/Version&gt;            &lt;/Header&gt;</p>
xs:sequence <b>Messageld</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> xs:string</p> <p><b>General Notes</b> MESSAGE IDENTIFIER</p>
<b>SenderId</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> xs:string</p> <p><b>General Notes</b> SENDER IDENTIFICATION Mutually agreed</p>
<b>ReceiverId</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> xs:string</p> <p><b>General Notes</b> RECEIVER IDENTIFICATION Mutually agreed</p>
<b>DocumentDate</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> sharedelements:Date</p>
<i>Type</i>	<p><b>Type</b> xs:string</p> <p><b>Use</b> required</p> <p><b>General Notes</b> DOCUMENT / MESSAGE DATE TYPE</p>
<b>Applicable Codes</b>	
<b>DocumentDate</b>	Document / Message transmission date

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<i>Format</i>	Type xs:string Use required <b>General Notes</b> DOCUMENT / MESSAGE DATE FORMAT <b>Applicable Codes</b> Date CCYYMMDD DateTime CCYYMMDDHHMM
xs:sequence	
<b>DateTime</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DOCUMENT / MESSAGE DATE
<b>DocumentCode</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> DOCUMENT TYPE <b>Applicable Codes</b> BookingRequest Booking Request Message TransportMessage Transport Message Instruction
<b>Function</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> DOCUMENT/MESSAGE FUNCTION <b>Applicable Codes</b> Delete Delete/Cancel Shipment New New Shipment Update Update Shipment
<b>Version</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> MESSAGE VERSION <b>Applicable Codes</b> 1.0 Version 1.0
<b>Transport</b>	Occurrence 1 .. 1 Type transport:Transport
xs:sequence	
<b>TransportId</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> TRANSPORT / CONSOLIDATION IDENTIFIER <b>Examples</b> <TransportId>SampleTransportId</TransportId>
<b>Dates</b>	Occurrence 0 .. 1 Type transport:DateList <b>General Notes</b> TRANSPORT/CONSOLIDATION DATES <b>Examples</b> <Dates> <Date Type="IssueDate" Format="DateTime"> <DateTime>201902130900</DateTime> </Date> <Date Type="Collection" Format="Date"> <DateTime>20190220</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTimeInterval"> <DateTime>201903021200-201903021700</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation										
<b>Date</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Date										
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORT/CONSOLIDATION DATE TYPE <b>Applicable Codes</b> <table> <tr> <td><b>Collection</b></td><td>Collection date/time, earliest (=234 in D10B)</td></tr> <tr> <td><b>DeliveryRequested</b></td><td>Delivery Requested (=2 in D10B)</td></tr> <tr> <td><b>IssueDate</b></td><td>Issue date (=137 in D10B)</td></tr> <tr> <td><b>RequestedCollection</b></td><td>Requested Collection Date (=ZRC in D10B)</td></tr> <tr> <td><b>RequestedDelivery</b></td><td>Requested Delivery Date (=ZRD in D10B)</td></tr> </table>	<b>Collection</b>	Collection date/time, earliest (=234 in D10B)	<b>DeliveryRequested</b>	Delivery Requested (=2 in D10B)	<b>IssueDate</b>	Issue date (=137 in D10B)	<b>RequestedCollection</b>	Requested Collection Date (=ZRC in D10B)	<b>RequestedDelivery</b>	Requested Delivery Date (=ZRD in D10B)
<b>Collection</b>	Collection date/time, earliest (=234 in D10B)										
<b>DeliveryRequested</b>	Delivery Requested (=2 in D10B)										
<b>IssueDate</b>	Issue date (=137 in D10B)										
<b>RequestedCollection</b>	Requested Collection Date (=ZRC in D10B)										
<b>RequestedDelivery</b>	Requested Delivery Date (=ZRD in D10B)										
<i>Format</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORT/CONSOLIDATION DATE FORMAT <b>Applicable Codes</b> <table> <tr> <td><b>Date</b></td><td>YYYYMMDD</td></tr> <tr> <td><b>DateTime</b></td><td>YYYYMMDDHHMM</td></tr> <tr> <td><b>DateTimeInterval</b></td><td>YYYYMMDDHHMM- YYYYMMDDHHMM</td></tr> </table>	<b>Date</b>	YYYYMMDD	<b>DateTime</b>	YYYYMMDDHHMM	<b>DateTimeInterval</b>	YYYYMMDDHHMM- YYYYMMDDHHMM				
<b>Date</b>	YYYYMMDD										
<b>DateTime</b>	YYYYMMDDHHMM										
<b>DateTimeInterval</b>	YYYYMMDDHHMM- YYYYMMDDHHMM										
xs:sequence											
<b>DateTime</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION DATE/TIME										
<b>FreeTextData</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:FreeTextList <b>General Notes</b> TRANSPORT/CONSOLIDATION FREE TEXT <b>Examples</b> <FreeTextData> <FreeText Type="DeliveryInstructions"> <TextLine1>DeliveryInstructions Text Line 1</TextLine1> <TextLine2>DeliveryInstructions Text Line 2</TextLine2> <TextLine3>DeliveryInstructions Text Line 3</TextLine3> <TextLine4>DeliveryInstructions Text Line 4</TextLine4> <TextLine5>DeliveryInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="HandlingInstructions"> <TextLine1>Handling Instructions Text Line 1</TextLine1> </FreeText> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Instructions Text Line 1</TextLine1> </FreeText> </FreeTextData>										
xs:sequence											
<b>FreeText</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:FreeText										
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORT/CONSOLIDATION FREE TEXT TYPE <b>Applicable Codes</b> <table> <tr> <td><b>DeliveryInstrSpecific</b></td><td>Delivery Instructions (Road specific for split lines)</td></tr> <tr> <td><b>DeliveryInstructions</b></td><td>Delivery Instructions</td></tr> <tr> <td><b>GeneralInformation</b></td><td>General Information</td></tr> </table>	<b>DeliveryInstrSpecific</b>	Delivery Instructions (Road specific for split lines)	<b>DeliveryInstructions</b>	Delivery Instructions	<b>GeneralInformation</b>	General Information				
<b>DeliveryInstrSpecific</b>	Delivery Instructions (Road specific for split lines)										
<b>DeliveryInstructions</b>	Delivery Instructions										
<b>GeneralInformation</b>	General Information										

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>GoodsDescription</b> Goods Description <b>HandlingInstructions</b> Handling Instructions <b>PickupInstructions</b> Pickup Instructions <b>ReportInformation</b> Report Information <b>SpecialHandling</b> Special Handling details <b>SpecialInstructions</b> Special Instructions
	<b>Occurrence</b> 1 .. 1 <b>xs:sequence</b>
<b>DescriptionCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FREE TEXT DESCRIPTION CODE Use to be agreed
<b>TextLine1</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FREE TEXT LINE 1 Max. length 1024
<b>TextLine2</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FREE TEXT LINE 2 Max. length 1024
<b>TextLine3</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FREE TEXT LINE 3 Max. length 1024
<b>TextLine4</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FREE TEXT LINE 4 Max. length 1024
<b>TextLine5</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FREE TEXT LINE 5 Max. length 1024
<b>ControlTotals</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:ControlTotalList <b>General Notes</b> TRANSPORT/CONSOLIDATION CONTROL TOTALS <b>Examples</b> <pre> &lt;ControlTotals&gt;   &lt;ControlTotal Type="NumberOfPackages"&gt;     &lt;Quantity&gt;20&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="GrossWeight" Uom="KGM"&gt;     &lt;Quantity&gt;101.01&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="Volume" Uom="MTQ"&gt;     &lt;Quantity&gt;2&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="LoadingMeters" Uom="MTR"&gt;     &lt;Quantity&gt;12&lt;/Quantity&gt;   &lt;/ControlTotal&gt;   &lt;ControlTotal Type="PalletSpaces" Uom="PLL"&gt;     &lt;Quantity&gt;10&lt;/Quantity&gt;   &lt;/ControlTotal&gt; &lt;/ControlTotals&gt;           </pre>
<b>xs:sequence</b>	<b>Occurrence</b> 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																
<b>ControlTotal</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:ControlTotal																
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORT/CONSOLIDATION CONTROL TOTAL TYPE																
	<b>Applicable Codes</b> <table> <tr> <td><b>GrossWeight</b></td><td>Gross Weight</td></tr> <tr> <td><b>LoadingMeters</b></td><td>Loading Meters</td></tr> <tr> <td><b>NumberOfPackages</b></td><td>Number of Packages</td></tr> <tr> <td><b>PalletSpaces</b></td><td>Pallet Spaces</td></tr> <tr> <td><b>TotalNumberOfShipments</b></td><td>Total number of shipments</td></tr> <tr> <td><b>Volume</b></td><td>Volume</td></tr> </table>	<b>GrossWeight</b>	Gross Weight	<b>LoadingMeters</b>	Loading Meters	<b>NumberOfPackages</b>	Number of Packages	<b>PalletSpaces</b>	Pallet Spaces	<b>TotalNumberOfShipments</b>	Total number of shipments	<b>Volume</b>	Volume				
<b>GrossWeight</b>	Gross Weight																
<b>LoadingMeters</b>	Loading Meters																
<b>NumberOfPackages</b>	Number of Packages																
<b>PalletSpaces</b>	Pallet Spaces																
<b>TotalNumberOfShipments</b>	Total number of shipments																
<b>Volume</b>	Volume																
<i>Uom</i>	<b>Type</b> xs:string <b>General Notes</b> QUANTITY UNIT OF MEASURE  GrossWeight: KGM required LoadingMeters: MTR required NumberOfPackages: PCE required PalletSpaces: PLL, HPL or KPL required Volume: MTQ required																
	<b>Applicable Codes</b> <table> <tr> <td><b>HPL</b></td><td>Half Pallets</td></tr> <tr> <td><b>KGM</b></td><td>Kilograms</td></tr> <tr> <td><b>KPL</b></td><td>Quarter Pallets</td></tr> <tr> <td><b>MTQ</b></td><td>Cubic meters</td></tr> <tr> <td><b>MTR</b></td><td>Loading meters</td></tr> <tr> <td><b>PCE</b></td><td>Pieces</td></tr> <tr> <td><b>PKG</b></td><td>Packages</td></tr> <tr> <td><b>PLL</b></td><td>Pallets</td></tr> </table>	<b>HPL</b>	Half Pallets	<b>KGM</b>	Kilograms	<b>KPL</b>	Quarter Pallets	<b>MTQ</b>	Cubic meters	<b>MTR</b>	Loading meters	<b>PCE</b>	Pieces	<b>PKG</b>	Packages	<b>PLL</b>	Pallets
<b>HPL</b>	Half Pallets																
<b>KGM</b>	Kilograms																
<b>KPL</b>	Quarter Pallets																
<b>MTQ</b>	Cubic meters																
<b>MTR</b>	Loading meters																
<b>PCE</b>	Pieces																
<b>PKG</b>	Packages																
<b>PLL</b>	Pallets																
xs:sequence																	
<b>Quantity</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION QUANTITY																
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:ReferenceGroupList <b>General Notes</b> TRANSPORT/CONSOLIDATION REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="CargoManifestNo">123456789</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="MotorVehicleId" Identifier="DK">DSV123</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ShipperReference">ShpRef1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsigneeReference">ConsRef1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="AirWayBill">AirWayBillnumber</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="HouseWayBill">HouseWayBillnumber</Reference>																

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																																																		
	<b>Examples</b> </ReferenceGroup> <ReferenceGroup> <Reference Type="MasterBill">MasterBillnumber</Reference> </ReferenceGroup> </References>																																																		
xs:sequence	Occurrence 1 .. 1																																																		
<b>ReferenceGroup</b>	Occurrence 0 .. unbounded																																																		
	Type transport:ReferenceGroup																																																		
xs:sequence	Occurrence 1 .. 1																																																		
<b>Reference</b>	Occurrence 0 .. 1																																																		
	Type sharedelements:Reference																																																		
	<b>General Notes</b> TRANSPORT/CONSOLIDATION REFERENCE																																																		
Type	Type xs:string																																																		
	Use required																																																		
	<b>General Notes</b> TRANSPORT/CONSOLIDATION REFERENCE TYPE																																																		
	Predefined Types listed, additional reference types to be agreed																																																		
	<b>Applicable Codes</b> <table> <tr><td><b>AgentsReference</b></td><td>Agent's reference</td></tr> <tr><td><b>AirWayBill</b></td><td>Air waybill number</td></tr> <tr><td><b>BookingReference</b></td><td>Booking Reference</td></tr> <tr><td><b>CargoManifestNo</b></td><td>Cargo manifest number, Transport Id</td></tr> <tr><td><b>ConsigneeOrderNumber</b></td><td>Consignee's order number</td></tr> <tr><td><b>ConsigneeReference</b></td><td>Consignee Reference</td></tr> <tr><td><b>ConsignmentId</b></td><td>Consignment id, carrier assigned</td></tr> <tr><td><b>CustomerAccountCode</b></td><td>Customer Account Code</td></tr> <tr><td><b>DeliveryAgreement</b></td><td>Delivery Agreement</td></tr> <tr><td><b>DocumentReference</b></td><td>Document Reference</td></tr> <tr><td><b>GINCNumber</b></td><td>Waybill number, GINC</td></tr> <tr><td><b>HouseBill</b></td><td>House bill of lading number</td></tr> <tr><td><b>HouseWayBill</b></td><td>House waybill number</td></tr> <tr><td><b>MasterAirWayBill</b></td><td>Master air waybill number</td></tr> <tr><td><b>MasterBill</b></td><td>Master bill of lading number</td></tr> <tr><td><b>MotorVehicleId</b></td><td>Motor vehicle identification number</td></tr> <tr><td><b>OnSightAuthorizationCode</b></td><td>On sight authorization code</td></tr> <tr><td><b>OrderReference</b></td><td>Order Reference</td></tr> <tr><td><b>RoadWaybill</b></td><td>Road Waybill number, SIS</td></tr> <tr><td><b>ShipmentReference</b></td><td>Shipment reference number</td></tr> <tr><td><b>ShipperReference</b></td><td>Shipper Reference</td></tr> <tr><td><b>StatusText</b></td><td>DSV status codes for Road</td></tr> <tr><td><b>TrafficFrom</b></td><td>Traffic From</td></tr> <tr><td><b>TransportInstructionNumber</b></td><td>Transport instruction number</td></tr> <tr><td><b>VesselId</b></td><td>Vessel identifier</td></tr> </table>	<b>AgentsReference</b>	Agent's reference	<b>AirWayBill</b>	Air waybill number	<b>BookingReference</b>	Booking Reference	<b>CargoManifestNo</b>	Cargo manifest number, Transport Id	<b>ConsigneeOrderNumber</b>	Consignee's order number	<b>ConsigneeReference</b>	Consignee Reference	<b>ConsignmentId</b>	Consignment id, carrier assigned	<b>CustomerAccountCode</b>	Customer Account Code	<b>DeliveryAgreement</b>	Delivery Agreement	<b>DocumentReference</b>	Document Reference	<b>GINCNumber</b>	Waybill number, GINC	<b>HouseBill</b>	House bill of lading number	<b>HouseWayBill</b>	House waybill number	<b>MasterAirWayBill</b>	Master air waybill number	<b>MasterBill</b>	Master bill of lading number	<b>MotorVehicleId</b>	Motor vehicle identification number	<b>OnSightAuthorizationCode</b>	On sight authorization code	<b>OrderReference</b>	Order Reference	<b>RoadWaybill</b>	Road Waybill number, SIS	<b>ShipmentReference</b>	Shipment reference number	<b>ShipperReference</b>	Shipper Reference	<b>StatusText</b>	DSV status codes for Road	<b>TrafficFrom</b>	Traffic From	<b>TransportInstructionNumber</b>	Transport instruction number	<b>VesselId</b>	Vessel identifier
<b>AgentsReference</b>	Agent's reference																																																		
<b>AirWayBill</b>	Air waybill number																																																		
<b>BookingReference</b>	Booking Reference																																																		
<b>CargoManifestNo</b>	Cargo manifest number, Transport Id																																																		
<b>ConsigneeOrderNumber</b>	Consignee's order number																																																		
<b>ConsigneeReference</b>	Consignee Reference																																																		
<b>ConsignmentId</b>	Consignment id, carrier assigned																																																		
<b>CustomerAccountCode</b>	Customer Account Code																																																		
<b>DeliveryAgreement</b>	Delivery Agreement																																																		
<b>DocumentReference</b>	Document Reference																																																		
<b>GINCNumber</b>	Waybill number, GINC																																																		
<b>HouseBill</b>	House bill of lading number																																																		
<b>HouseWayBill</b>	House waybill number																																																		
<b>MasterAirWayBill</b>	Master air waybill number																																																		
<b>MasterBill</b>	Master bill of lading number																																																		
<b>MotorVehicleId</b>	Motor vehicle identification number																																																		
<b>OnSightAuthorizationCode</b>	On sight authorization code																																																		
<b>OrderReference</b>	Order Reference																																																		
<b>RoadWaybill</b>	Road Waybill number, SIS																																																		
<b>ShipmentReference</b>	Shipment reference number																																																		
<b>ShipperReference</b>	Shipper Reference																																																		
<b>StatusText</b>	DSV status codes for Road																																																		
<b>TrafficFrom</b>	Traffic From																																																		
<b>TransportInstructionNumber</b>	Transport instruction number																																																		
<b>VesselId</b>	Vessel identifier																																																		
Identifier	Type xs:string																																																		
	Use optional																																																		
	<b>General Notes</b> TRANSPORT/CONSOLIDATION REFERENCE IDENTIFIER																																																		
	When MotorVehicleId is provided in: / DSV_TransportMessage/Transport/References/ ReferenceGroup/Reference/@Type, CountryCode should be provided in /DSV_TransportMessage/Transport/ References/ReferenceGroup/Reference/Identifier																																																		
CustomFieldType	Type xs:string																																																		
	Use optional																																																		

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> CUSTOM FIELD TYPE Use to be agreed
<b>Requirements</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:RequirementsList <b>General Notes</b> GOVERNMENTAL AND DOCUMENT REQUIREMENTS  <b>Examples</b> Example for Road: <Requirements> <Requirement> <GovernmentalRequirements> <TransportMovementCode>Export</TransportMovementCode> </GovernmentalRequirements> <Documents> <Document> <DocumentCode>T5</DocumentCode> </Document> </Documents> </Requirement> </Requirements>  Example for Air&Sea: <Requirements> <Requirement> <GovernmentalRequirements> <TransportMovementCode>Transit</TransportMovementCode> </GovernmentalRequirements> <Documents> <Document> <DocumentCode>OBL</DocumentCode> <DocumentCopies>3</DocumentCopies> <DocumentOriginals>2</DocumentOriginals> </Document> </Documents> </Requirement> </Requirements>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Requirement</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> transport:Requirement
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>GovernmentalRequirements</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:GovernmentalRequirements <b>General Notes</b> GOVERNMENTAL REQUIREMENTS
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TransportMovementCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MOVEMENT TYPE  <b>Applicable Codes</b> Export Import Transit
<b>InvolvementCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> INVOLVEMENT CODE  <b>Applicable Codes</b> Completed

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div> <div>Documents</div> <div>xs:sequence</div> <div>Document</div> <div>xs:sequence</div> <div>DocumentCode</div> <div>DocumentCopies</div> <div>DocumentOriginals</div> </div>	<b>Applicable Codes</b> <b>NotApplicable</b> <b>Occurrence</b> 0 .. 1 <b>Type</b> transport:DocumentList <b>General Notes</b> TRANSPORTATION DOCUMENT
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Document
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORTATION DOCUMENT TYPE
	<b>Applicable Codes</b> <b>NMT</b> Non-negotiable maritime transport document <b>OBL</b> Bill of lading original <b>T1</b> Despatch note model T1 <b>T2</b> Despatch note model T2 <b>T2L</b> Despatch note model T2L <b>T5</b> Control document T5
	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORTATION DOCUMENT COPIES
	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORTATION DOCUMENT ORIGINALS
	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:TransportStageList <b>General Notes</b> TRANSPORT/CONSOLIDATION TRANSPORT STAGES
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> transport:TransportStage
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Stage <b>General Notes</b> TRANSPORTATION STAGE
	<b>Examples</b> <Stage Type="MainCarriage"> <ModeOfTransport>Road</ModeOfTransport> </Stage>  <Stage Type="MainCarriage"> <ModeOfTransport>Air</ModeOfTransport> </Stage>  <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> </Stage>  <Stage Type="PlannedLeg1" > <ModeOfTransport>Sea</ModeOfTransport> <TransportId>01234</TransportId> <CarrierId>123456</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType>

Bold = Element, *Italic* = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <TransportMeansName>Shipping line</TransportMeansName> <TransportMeansNationality>US</TransportMeansNationality> </Stage>
Type	Type xs:string Use required <b>General Notes</b> TRANSPORTATION STAGE TYPE <b>Applicable Codes</b> <b>MainCarriage</b> Main type of transportation <b>PlannedLeg1</b> Main carriage - first carrier <b>PlannedLeg2</b> Main carriage - second carrier <b>PlannedLeg3</b> Main carriage - third carrier <b>PlannedLeg4</b> Main carriage - fourth carrier <b>PlannedLeg5</b> Main carriage - fifth carrier
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> MODE OF TRANSPORTATION <b>Applicable Codes</b> <b>Air</b> Air transportation <b>Rail</b> Rail transportation <b>Road</b> Road transportation <b>Sea</b> Sea transportation
ModeOfTransport	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT ID
TransportId	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> CARRIER ID
CarrierId	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> CARRIER NAME
CarrierName	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT TYPE <b>Applicable Codes</b> <b>Main</b>
TransportType	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORTMEANS NAME
TransportMeansName	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORTMEANS NATIONALITY
TransportMeansNationality	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION TRANSPORTATION DATES <b>Examples</b> <Dates> <Date Type="Collection" Format="DateTime"> <DateTime>201803160900</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTime">
Dates	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <DateTime>201803200900</DateTime> </Date> <Date Type="EstimatedDeparture" Format="DateTime"> <DateTime>201902251000</DateTime> </Date> <Date Type="EstimatedArrival" Format="DateTime"> <DateTime>201903011600</DateTime> </Date> <Date Type="ScheduledDeparture" Format="DateTime"> <DateTime>201903200800</DateTime> </Date> <Date Type="ScheduledArrival" Format="DateTime"> <DateTime>201903231200</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
<b>Date</b>	Occurrence 0 .. unbounded shared elements: Date
Type	Type xs:string Use required
	<b>General Notes</b> TRANSPORT/CONSOLIDATION TRANSPORTATION DATE TYPE
	<b>Road Notes</b> For Road different Date Types can be used: "ActualTransportDeparture" or "ScheduledTransportDeparture" can be used for Pickup date. "ScheduledTransportArrival" can be used for Delivery date.
	<b>Applicable Codes</b>
	<b>ActualTransportDeparture</b> Transport means departure date time, actual (=136 in D10B)
	<b>Collection</b> Collection date/time, earliest (=234 in D10B)
	<b>DeliveryRequested</b> Delivery Requested (=2 in D10B)
	<b>EstimatedArrival</b> Estimated Time of Arrival (=132 in D10B)
	<b>EstimatedDeparture</b> Estimated Time of Departure (=133 in D10B)
	<b>ScheduledArrival</b> Scheduled Time of Arrival (=232 in D10B)
	<b>ScheduledDeparture</b> Scheduled Time of Departure (=189 in D10B)
	<b>ScheduledTransportArrival</b> Transport means arrival date/time, scheduled (=ZTA in D10B)
	<b>ScheduledTransportDeparture</b> Transport means departure date/time, scheduled (=ZTD in D10B)
Format	Type xs:string Use required
	<b>General Notes</b> TRANSPORT/CONSOLIDATION TRANSPORTATION DATE FORMAT
	<b>Applicable Codes</b>
	<b>Date</b> CCYYMMDD
	<b>DateTime</b> CCYYMMDDHHMM
	<b>DateTimeInterval</b> CCYYMMDDHHMM-CCYYMMDDHHMM
xs:sequence	Occurrence 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																																						
<b>DateTime</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION TRANSPORTATION DATE/TIME																																						
<b>TransportServices</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:TransportServiceList <b>General Notes</b> TRANSPORT SERVICES REQUIRED  First occurrence to be Main Service Required Additional services required to be provided in subsequent occurrences  <b>Examples</b> <TransportServices> <TransportService> <ServiceCode>LTL</ServiceCode> <PriorityCode>Normal</PriorityCode> </TransportService> <TransportService> <ServiceCode>Insurance</ServiceCode> <PackagingState>Packed</PackagingState> <CargoType>1</CargoType> </TransportService> </TransportServices>																																						
xs:sequence <b>TransportService</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:TransportService <b>General Notes</b> MAIN SERVICE																																						
xs:sequence <b>ServiceCode</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT SERVICE CODE  <table> <tr> <th colspan="2">Applicable Codes</th></tr> <tr> <td><b>Courier</b></td><td>Main Service: Courier</td></tr> <tr> <td><b>DPD</b></td><td>Main Service: Deutsche Paket Dienst</td></tr> <tr> <td><b>DSVXpressDocument</b></td><td>Main Service: DSV Xpress Document</td></tr> <tr> <td><b>DSVXpressEnvelope</b></td><td>Main Service: DSV Xpress Envelope</td></tr> <tr> <td><b>DSVXpressParcels</b></td><td>Main Service: DSV Xpress Parcels</td></tr> <tr> <td><b>DailyPallet</b></td><td>Main Service: Daily Pallet Service</td></tr> <tr> <td><b>FCL</b></td><td>Main Service: Full Container Load</td></tr> <tr> <td><b>FTL</b></td><td>Main Service: Full Truck Load</td></tr> <tr> <td><b>HangingGarment</b></td><td>Main Service: Hanging Garment</td></tr> <tr> <td><b>IATA</b></td><td>Main Service: IATA bill</td></tr> <tr> <td><b>LCL</b></td><td>Main Service: Less than full Container Load</td></tr> <tr> <td><b>LSE</b></td><td>Main Service: Loose Cargo</td></tr> <tr> <td><b>LTL</b></td><td>Main Service: Less than full Truck Load</td></tr> <tr> <td><b>LongGoods</b></td><td>Main Service: Long Goods</td></tr> <tr> <td><b>Parcels</b></td><td>Main Service: Parcels</td></tr> <tr> <td><b>ReverseLogistics</b></td><td>Main Service: Reverse Logistics Service</td></tr> <tr> <td><b>SemiTruckLoad</b></td><td>Main Service: Semi Truck Load Service (STL)</td></tr> <tr> <td><b>SpecialFullTruck</b></td><td>Main Service: Special Full Truck Load</td></tr> </table>	Applicable Codes		<b>Courier</b>	Main Service: Courier	<b>DPD</b>	Main Service: Deutsche Paket Dienst	<b>DSVXpressDocument</b>	Main Service: DSV Xpress Document	<b>DSVXpressEnvelope</b>	Main Service: DSV Xpress Envelope	<b>DSVXpressParcels</b>	Main Service: DSV Xpress Parcels	<b>DailyPallet</b>	Main Service: Daily Pallet Service	<b>FCL</b>	Main Service: Full Container Load	<b>FTL</b>	Main Service: Full Truck Load	<b>HangingGarment</b>	Main Service: Hanging Garment	<b>IATA</b>	Main Service: IATA bill	<b>LCL</b>	Main Service: Less than full Container Load	<b>LSE</b>	Main Service: Loose Cargo	<b>LTL</b>	Main Service: Less than full Truck Load	<b>LongGoods</b>	Main Service: Long Goods	<b>Parcels</b>	Main Service: Parcels	<b>ReverseLogistics</b>	Main Service: Reverse Logistics Service	<b>SemiTruckLoad</b>	Main Service: Semi Truck Load Service (STL)	<b>SpecialFullTruck</b>	Main Service: Special Full Truck Load
Applicable Codes																																							
<b>Courier</b>	Main Service: Courier																																						
<b>DPD</b>	Main Service: Deutsche Paket Dienst																																						
<b>DSVXpressDocument</b>	Main Service: DSV Xpress Document																																						
<b>DSVXpressEnvelope</b>	Main Service: DSV Xpress Envelope																																						
<b>DSVXpressParcels</b>	Main Service: DSV Xpress Parcels																																						
<b>DailyPallet</b>	Main Service: Daily Pallet Service																																						
<b>FCL</b>	Main Service: Full Container Load																																						
<b>FTL</b>	Main Service: Full Truck Load																																						
<b>HangingGarment</b>	Main Service: Hanging Garment																																						
<b>IATA</b>	Main Service: IATA bill																																						
<b>LCL</b>	Main Service: Less than full Container Load																																						
<b>LSE</b>	Main Service: Loose Cargo																																						
<b>LTL</b>	Main Service: Less than full Truck Load																																						
<b>LongGoods</b>	Main Service: Long Goods																																						
<b>Parcels</b>	Main Service: Parcels																																						
<b>ReverseLogistics</b>	Main Service: Reverse Logistics Service																																						
<b>SemiTruckLoad</b>	Main Service: Semi Truck Load Service (STL)																																						
<b>SpecialFullTruck</b>	Main Service: Special Full Truck Load																																						
<b>PriorityCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PRIORITY CODE																																						

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Only required for Main Service (First TransportService)
	<b>Applicable Codes</b>
	<b>Express</b> Express Service
	<b>HighSpeed</b> High Speed Service
	<b>Normal</b> Normal Service
<b>TransportService &lt;AdditionalServices&gt;</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> sharedelements:TransportService
	<b>General Notes</b> ADDITIONAL SERVICES
<b>xs:sequence</b>	<b>Occurrence</b> 1 .. 1
<b>ServiceCode</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORT SERVICE CODE
	<b>Applicable Codes</b>
	<b>Before10</b> Additional Service: Before 10:00
	<b>Before10Parcel</b> Additional Service: Before 10:00 Parcel
	<b>Before12</b> Additional Service: Before 12:00
	<b>Before16</b> Additional Service: Before 16:00
	<b>Before7</b> Additional Service: Before 07:00
	<b>Crane</b> Additional Service: Crane Required
	<b>ECO</b> Additional Service: Economy
	<b>HAZ</b> Additional Service: Hazardous Cargo
	<b>InNightProduct</b> Additional Service: InNight Product
	<b>Installation</b> Additional Service: Installation
	<b>Insurance</b> Additional Service: Insurance
	<b>LabelCharge</b> Additional Service: Label Charge
	<b>Lift</b> Additional Service: Tail Lift Required
	<b>No Handling</b> Additional Service: No Handling
	<b>Notification</b> Additional Service: Notification
	<b>OMEX</b> Additional Service: OM Ex Service
	<b>PersonalDeliveryService</b> Additional Service: Personal Delivery
	<b>PreAdvice</b> Additional Service: Pre-Advice
	<b>Return</b> Additional Service: Return Cargo
	<b>ePallet</b> Additional Service: ePallet
	<b>eParcel</b> Additional Service: eParcel
<b>TransportService &lt;Insurance&gt;</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> sharedelements:TransportService
	<b>General Notes</b> INSURANCE SERVICE
<b>xs:sequence</b>	<b>Occurrence</b> 1 .. 1
<b>ServiceCode</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORT SERVICE CODE
	<b>Applicable Codes</b>
	<b>Insurance</b> Additional Service: Insurance
<b>PackagingState</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORT PACKAGING STATE
	<b>Applicable Codes</b>
	<b>Packed</b> Packed
	<b>Unpacked</b> Unpacked
<b>CargoType</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORT CARGOTYPE
	<b>Applicable Codes</b>
	<b>1</b> Ordinary new commercial goods

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b>
	<b>2</b> Used trading goods
	<b>3</b> Personal belongings and furniture
	<b>4</b> Porcelain / Glass / Light bulbs and other fragile goods
	<b>5</b> Marble
<b>Locations</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> transport:LocationList</p> <p><b>General Notes</b> DSV ORIGINATING / BOOKING OFFICE</p> <p>Values provided to be mutually agreed</p> <p><b>Examples</b></p> <p>For Air &amp; Sea shipments:</p> <pre>&lt;Locations&gt;   &lt;Location Type="DSVOrigin"&gt;     &lt;LocationIdentification Type="DSVBranch"&gt;       &lt;LocationIdentifier&gt;HOR&lt;/LocationIdentifier&gt;     &lt;/LocationIdentification&gt;     &lt;LocationIdentification Type="DSVDepartment"&gt;       &lt;LocationIdentifier&gt;FEA&lt;/LocationIdentifier&gt;     &lt;/LocationIdentification&gt;     &lt;LocationIdentification Type="ISOCountry"&gt;       &lt;LocationIdentifier&gt;DK&lt;/LocationIdentifier&gt;     &lt;/LocationIdentification&gt;   &lt;/Location&gt; &lt;/Locations&gt;</pre> <p>For Road shipments:</p> <pre>&lt;Locations&gt;   &lt;Location Type="DSVOrigin"&gt;     &lt;LocationIdentification Type="DSVBookingOffice"&gt;       &lt;LocationIdentifier&gt;DKHOR&lt;/LocationIdentifier&gt;     &lt;/LocationIdentification&gt;   &lt;/Location&gt; &lt;/Locations&gt;</pre>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<p><b>Occurrence</b> 0 .. unbounded</p> <p><b>Type</b> sharedelements:Location</p>
Type	<p><b>Type</b> xs:string</p> <p><b>Use</b> required</p> <p><b>General Notes</b> LOCATION TYPE</p>
	<b>Applicable Codes</b>
	<b>DSVOrigin</b> DSV Originating / Booking Office
	<b>Departure</b> Place of Departure
	<b>Destination</b> Place of Destination
	<b>PlaceOfLoading</b> Place of Loading
	<b>PlaceOfUnloading</b> Place of Unloading
	<b>PortOfEntry</b> Port Of Entry
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<p><b>Occurrence</b> 1 .. unbounded</p> <p><b>Type</b> sharedelements:LocationIdentification</p>
Type	<p><b>General Notes</b> LOCATION IDENTIFICATION</p> <p><b>Type</b> xs:string</p> <p><b>General Notes</b> LOCATION IDENTIFIER TYPE</p>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>Applicable Codes</b>	
<b>DSVBookingOffice</b>	DSV Booking office (for Road freight only)
<b>DSVBranch</b>	DSV Branch (For Air, Sea & Rail transport only)
<b>DSVDestinationOffice</b>	DSV Destination office (for Road freight only)
<b>IATA</b>	IATA airport code
<b>ISOCountry</b>	ISO Country Code
<b>PostCode</b>	Post / zip code (for Road freight only)
<b>UN</b>	UN Location code
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentifier</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LOCATION IDENTIFIER
<b>LocationName</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LOCATION NAME
<b>Parties</b>	Occurrence 0 .. 1 Type transport:PartiesList <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTIES INFORMATION
xs:sequence	Occurrence 1 .. 1
<b>Party</b>	Occurrence 0 .. unbounded Type transport:Party
xs:sequence	Occurrence 1 .. 1
<b>PartyDetails</b>	Occurrence 0 .. 1 Type sharedelements:PartyDetails <b>General Notes</b> PARTY DETAILS
<b>Examples</b>	
<PartyDetails Role="ShipFrom"> <Id>ShipFromID</Id> <Assignor>Consignor</Assignor> <PartyName>ShipFrom Name</PartyName> <AddressLine1>ShipFrom Addr Line 1</AddressLine1> <AddressLine2>ShipFrom Addr Line 2</AddressLine2> <AddressLine3>ShipFrom Addr Line 3</AddressLine3> <CityName>ShipFrom City</CityName> <State>State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails> <PartyDetails Role="Carrier" AddressOverride="true"> <Id>123456789</Id> <Assignor>DSV</Assignor> <PartyName>DSV Air & Sea GmbH</PartyName> <AddressLine1>Luetticher Str 12</AddressLine1> <CityName>Troisdorf</CityName> <PostCode>53842</PostCode> <CountryCode>DE</CountryCode> </PartyDetails> </Party>	
<b>Role</b>	Type xs:string Use required <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY ROLE

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Applicable Codes</b>	
<b>Carrier</b>	Carrier
<b>Consolidator</b>	Consolidator
<b>Deconsolidator</b>	Deconsolidator
<b>DeliveryLocalCartage</b>	Delivery Haulier
<b>Driver</b>	Driver
<b>FreightForwarder</b>	Freight Forwarder
<b>FreightPayer</b>	Freight Payer
<b>Notify</b>	Notify Party
<b>OrderingCustomer</b>	Ordering Customer
<b>PickupLocalCartage</b>	Pickup Haulier
<b>ShipFrom</b>	Ship from
<b>ShipTo</b>	Ship To
<b>Supplier</b>	Supplier
<i>AddressOverride</i>	Type xs:boolean Default false Use optional <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY ADDRESS OVERRIDE
xs:sequence	Occurrence 1 .. 1
<b>Id</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY IDENTIFIER
<b>Assignor</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY IDENTIFIER ASSIGNOR
<b>Applicable Codes</b>	
<b>Consignor</b>	Consignor assigned
<b>DSV</b>	DSV assigned
<b>GS1</b>	GS1 assigned
<b>PartyName</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY NAME
<b>AddressLine1</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY ADDRESS LINE 1
<b>AddressLine2</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY ADDRESS LINE 2
<b>AddressLine3</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY ADDRESS LINE 3
<b>CityName</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY CITY NAME
<b>State</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY STATE / PROVINCE

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation						
<b>PostCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY POSTAL / ZIP CODE						
<b>CountryCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY ISO COUNTRY CODE						
<b>Contact</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Contact <b>General Notes</b> TRANSPORT/CONSOLIDATION PARTY CONTACT DETAILS  <b>Examples</b> <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>						
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> CONTACT PARTY TYPE  <b>Applicable Codes</b> <table> <tr> <td><b>Driver</b></td><td>Driver Contact</td></tr> <tr> <td><b>GoodsReceivingContact</b></td><td>Party Goods Receiving Contact</td></tr> <tr> <td><b>InformationContact</b></td><td>Party Information Contact</td></tr> </table>	<b>Driver</b>	Driver Contact	<b>GoodsReceivingContact</b>	Party Goods Receiving Contact	<b>InformationContact</b>	Party Information Contact
<b>Driver</b>	Driver Contact						
<b>GoodsReceivingContact</b>	Party Goods Receiving Contact						
<b>InformationContact</b>	Party Information Contact						
xs:sequence							
<b>Name</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT NAME						
<b>Phone</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT TELEPHONE NUMBER						
<b>Mobile</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT MOBILE NUMBER						
<b>Fax</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT FAX NUMBER						
<b>Email</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT E-MAIL ADDRESS						
<b>CodeDescriptions</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:CodeDescriptionList <b>General Notes</b> TRANSPORT/CONSOLIDATION CODE DESCRIPTIONS Use to be agreed. Type= "BookingStatus"  CNF for Confirmed PLN for Planned						

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation								
	<b>Examples</b> <CodeDescriptions> <CodeDescription type="BookingStatus">CNF</CodeDescription> </CodeDescriptions>  <CodeDescriptions> <CodeDescription type="BookingStatus">PLN</CodeDescription> </CodeDescriptions>								
xs:sequence									
<b>CodeDescription</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:CodeDescription <b>General Notes</b> TRANSPORT/CONSOLIDATION CODE DESCRIPTION								
Type	<b>Type</b> xs:string <b>Use</b> optional <b>General Notes</b> TRANSPORT/CONSOLIDATION CODE DESCRIPTION TYPE Use to be agreed. Type= "BookingStatus"  CNF for Confirmed PLN for Planned								
	<b>Examples</b> <CodeDescriptions> <CodeDescription type="BookingStatus">CNF</CodeDescription> </CodeDescriptions>  <CodeDescriptions> <CodeDescription type="BookingStatus">PLN</CodeDescription> </CodeDescriptions>								
	<b>Applicable Codes</b> <table> <tr> <th>BookingStatus</th><th>Booking status</th></tr> <tr> <td><b>Occurrence</b> 0 .. 1</td><td></td></tr> <tr> <td><b>Type</b> transport:EquipmentUnitsList</td><td></td></tr> <tr> <td><b>General Notes</b> TRANSPORT/CONSOLIDATION EQUIPMENT UNITS</td><td></td></tr> </table>	BookingStatus	Booking status	<b>Occurrence</b> 0 .. 1		<b>Type</b> transport:EquipmentUnitsList		<b>General Notes</b> TRANSPORT/CONSOLIDATION EQUIPMENT UNITS	
BookingStatus	Booking status								
<b>Occurrence</b> 0 .. 1									
<b>Type</b> transport:EquipmentUnitsList									
<b>General Notes</b> TRANSPORT/CONSOLIDATION EQUIPMENT UNITS									
xs:sequence									
<b>EquipmentUnit</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> transport:EquipmentUnit <b>General Notes</b> EQUIPMENT UNIT DETAILS								
	<b>Examples</b> For containerized sea freight: EquipmentUnits> <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>CSLU2007542</UnitId> <SizeTypeCode>20GP</SizeTypeCode> <ISOCODE>22G0</ISOCODE> <PackingMode>1</PackingMode> </EquipmentType> <NumberOfUnits>1</NumberOfUnits> <TransportMovement> <Code>CY/CY</Code> <Description>Container Yard to Container Yard</Description> </TransportMovement> </EquipmentUnit>								

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> </EquipmentUnits>  <EquipmentUnits> <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>ABCD1234567</UnitId> <SizeTypeCode>45G1</SizeTypeCode> <ISOCODE>45G0</ISOCODE> <PackingMode>FCL</PackingMode> </EquipmentType> <SealIds> <Seal> <SealId>123456</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds> <FreeTextData> <FreeText Type="EquipmentDescription"> <TextLine1>45 feet closed top</TextLine1> <TextLine2>Description2</TextLine2> </FreeText> </FreeTextData> </EquipmentUnit> For palletized road freight:  <EquipmentUnit> <EquipmentType> <Type>EFP</Type> </EquipmentType> <NumberOfUnits>3</NumberOfUnits> </EquipmentUnit>
xs:sequence	<b>Occurrence</b> 1 .. 1 <b>EquipmentType</b> <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:EquipmentType <b>General Notes</b> EQUIPMENT TYPE INFORMATION
xs:sequence	<b>Occurrence</b> 1 .. 1 <b>Type</b> <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EQUIPMENT TYPE  <b>Applicable Codes</b> <b>Container</b> Shipping Container <b>EFP</b> Euro Flat Pallet <b>EUR</b> Euro Pallet <b>Trailer</b> Trailer Road
UnitId	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER
SizeTypeCode	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container  <b>Applicable Codes</b> <b>20FR</b> 20 ft flatrack <b>20GP</b> 20 ft general purpose

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b>
	20HC 20 ft high cube
	20NOR 20 ft non-operating reefer
	20OT 20ft open top
	20OT_SO 20 ft shippers own container
	20RE 20 ft reefer
	40FR 40 ft flatrack
	40GP 40 ft general purpose
	40HC 40 ft high cube
	40HC_FR 40 ft high cube
	40HC_OT 40 ft high cube open top
	40NOR 40 ft high cube, self powered reefer
	40OT 40 ft open top
	40RE 40 ft reefer
	40REHC 40 ft high cube reefer
	45FR 45 ft flatrack
	45GPHC 45 ft high cube pallet wid
	45HC 45 ft high cube
	45REHC 45 ft high cube reefer
	<b>ISOCode</b>
	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> CONTAINER ISOCode
	<b>Applicable Codes</b>
	22G0 20 ft General Purpose
	22G1 20 ft Reefer
	22P1 20 ft Flatrack
	22R0 20 ft Non-operating Reefer
	22R1 20 ft Reefer
	22U0 20 ft Shippers own container
	22U1 20 ft Open top
	24G0 20 ft High Cube
	42G0 40 ft General Purpose
	42G1 40 ft General Purpose
	42P1 40 ft Flatrack
	42R1 40 ft Reefer
	42U1 40 ft Open top
	45G0 40 ft High Cube
	45G1 40 ft High Cube
	45P8 40 ft High Cube
	45R0 40 ft High Cube Non-operating Reefer
	45R1 40 ft High Cube Reefer
	45R9 40 ft High Cube, self powered Reefer
	45U1 40 ft High Cube Open top
	L5G0 45 ft High Cube
	L5P0 45 ft Flatrack
	L5R0 45 ft High Cube Reefer
	LEG3 45 ft High Cube pallet wid
	<b>PackingMode</b>
	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> CONTAINER PACKINGMODE
	<b>NumberOfUnits</b>
	Occurrence 0 .. 1
	Type xs:decimal
	<b>General Notes</b> NUMBER OF UNITS For Road freight pallets
	<b>Seallds</b>
	Occurrence 0 .. 1
	Type transport:SealList
	<b>Examples</b> <Seallds>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <Seal> <SealId>123456</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds>
xs:sequence	Occurrence 1 .. 1
<b>Seal</b>	Occurrence 0 .. unbounded Type sharedelements:Seal <b>General Notes</b> SEAL INFORMATION FOR SHIPPING CONTAINERS
xs:sequence	Occurrence 1 .. 1
<b>SealId</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SEAL NUMBER
<b>SealParty</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SEALING PARTY
	<b>Applicable Codes</b>
	<b>Shipper</b> Shipper
<b>FreeTextData</b>	Occurrence 0 .. 1 Type transport:FreeTextList <b>General Notes</b> EQUIPMENT FREE TEXT
	<b>Examples</b> <FreeTextData> <FreeText Type="EquipmentDescription"> <TextLine1>Equipment description 1</TextLine1> <TextLine2>Description2</TextLine2> </FreeText> </FreeTextData>
xs:sequence	Occurrence 1 .. 1
<b>FreeText</b>	Occurrence 0 .. unbounded Type sharedelements:FreeText
Type	Type xs:string Use required <b>General Notes</b> EQUIPMENT FREE TEXT TYPE
	<b>Applicable Codes</b>
	<b>EquipmentDescription</b> Equipment Description
xs:sequence	Occurrence 1 .. 1
<b>TextLine1</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT DESCRIPTION FREE TEXT LINE 1
<b>TextLine2</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT DESCRIPTION FREE TEXT LINE 2
<b>TransportMovement</b>	Occurrence 0 .. 1 Type sharedelements:TransportMovement <b>General Notes</b> TRANSPORT MOVEMENT
xs:sequence	Occurrence 1 .. 1
<b>Code</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MOVEMENT CODE

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>CFS/CFS</b> Container Freight Station to Container Freight Station <b>CFS/CY</b> Container Freight Station to Container Yard <b>CFS/DR</b> Container Freight Station to Door <b>CY/CFS</b> Container Yard to Container Freight Station <b>CY/CY</b> Container Yard to Container Yard <b>CY/DR</b> Container Yard to Door <b>DR/CFS</b> Door to Container Freight Station <b>DR/CY</b> Door to Container Yard <b>DR/DR</b> Door to Door <b>FCL/FCL</b> FCL/FCL <b>FCL/LCL</b> FCL/LCL <b>LCL/FCL</b> LCL/FCL <b>LCL/LCL</b> LCL/LCL <b>RO/RO</b> Roll On Roll Off
Description	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MOVEMENT DESCRIPTION
Dates	<b>Occurrence</b> 0 .. 1 <b>Type</b> transport:DateList <b>General Notes</b> EQUIPMENT DATES used for Container  <b>Examples</b> <Dates> <Date Type="ActualArrival" Format="DateTimeSec" > <DateTime>20200422095519</DateTime> </Date> <Date Type="ActualCollection" Format="DateTimeInterval" > <DateTime>202004220955-202004231055</DateTime> </Date> <Date Type="FCLWharfGateOut" Format="DateTimeSec" > <DateTime>20200422095519</DateTime> </Date> <Date Type="EmptyRequiredBy" Format="DateTimeSec" > <DateTime>202004231055</DateTime> </Date> <Date Type="EmptyReturnedBy" Format="DateTimeSec" > <DateTime>202004231055</DateTime> </Date> </Dates>
xs:sequence	
Date	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Date
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> EQUIPMENT DATE TYPE
	<b>Applicable Codes</b> <b>ActualCollection</b> Collection date/time, latest <b>ActualDelivery</b> Delivery date/time, actual <b>ArrivalSlotDateTime</b> Arrival slot date/time <b>CollectionSlot</b> Slot date/time, collection <b>ContainerParkEmptyReturnGateIn</b> Container park empty return gate in <b>DeliverySlot</b> Slot date/time, delivery <b>DepartureSlotDateTime</b> Departure slot date/time

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>EmptyReadyForReturn</b> Empty ready for return <b>EmptyRequiredBy</b> Empty required by <b>EmptyReturnedBy</b> Empty returned by <b>EstimatedCollection</b> Collection date/time, earliest <b>EstimatedDelivery</b> Delivery date/time, earliest <b>EstimatedFullPickup</b> Estimated equipment pick-up date/time, planned <b>FCLUnloadFromVessel</b> FCL unload from vessel <b>FCLWharfGateIn</b> FCL wharf gate in <b>FCLWharfGateOut</b> FCL wharf gate out <b>ScheduledCollection</b> Goods collection or pick-up date/time, planned <b>ScheduledDelivery</b> Delivery date/time, 1st schedule
<i>Format</i>	Type xs:string Use required <b>General Notes</b> EQUIPMENT DATE FORMAT
	<b>Applicable Codes</b> <b>Date</b> YYYYMMDD <b>DateTime</b> YYYYMMDDHHMM <b>DateTimeInterval</b> YYYYMMDDHHMM-YYYYMMDDHHMM <b>DateTimeSec</b> YYYYMMDDHHMMSS
xs:sequence	
<b>DateTime</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT DATE/TIME
<b>Measurements</b>	<b>Occurrence</b> 0 .. 1 Type transport:MeasurementsList <b>General Notes</b> EQUIPMENT MEASUREMENTS
xs:sequence	
<b>Measurement</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded Type sharedelements:Measurement
<i>Type</i>	Type xs:string Use required <b>General Notes</b> MEASUREMENT TYPE
	<b>Applicable Codes</b> <b>DunnageWeight</b> Equipment Dunnage Weight <b>TareWeight</b> Equipment Tare Weight <b>Weight</b> Equipment Weight
<i>Uom</i>	Type xs:string <b>General Notes</b> EQUIPMENT MEASUREMENT UNIT OF MEASURE
	<b>Applicable Codes</b> <b>KGM</b> Kilograms
xs:sequence	
<b>Measure</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT MEASURE
<b>Dimensions</b>	<b>Occurrence</b> 0 .. 1 Type transport:DimensionsList <b>General Notes</b> EQUIPMENT DIMENSIONS
xs:sequence	
<b>Dimension</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded Type sharedelements:Dimension

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<i>Type</i>	Type xs:string Use required <b>General Notes</b> DIMENSION TYPE
	<b>Applicable Codes</b> <b>Equipment</b> Equipment Dimensions
<i>Uom</i>	Type xs:string <b>General Notes</b> EQUIPMENT DIMENSION UNIT OF MEASURE
	<b>Applicable Codes</b> <b>MTR</b> Meters
xs:sequence	Occurrence 1 .. 1
<b>Length</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT LENGTH
<b>Width</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT WIDTH
<b>Height</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT HEIGHT
<b>Shipments</b>	Occurrence 0 .. 1 Type transport:ShipmentList
xs:sequence	Occurrence 1 .. 1
<b>Shipment</b>	Occurrence 0 .. unbounded Type shipment:Shipment <b>General Notes</b> SHIPMENT DETAILS
xs:sequence	Occurrence 1 .. 1
<b>ShipmentId</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPMENT IDENTIFIER
	<b>Examples</b> <ShipmentId>1234567890</ShipmentId>
<b>Dates</b>	Occurrence 0 .. 1 Type shipment:DateList <b>General Notes</b> SHIPMENT DATES
	<b>Examples</b> <Dates> <Date Type="Collection" Format="DateTime"> <DateTime>201902201600</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTimeInterval"> <DateTime>201903021200-201903021700</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
<b>Date</b>	Occurrence 0 .. unbounded Type sharedelements:Date
<i>Type</i>	Type xs:string Use required <b>General Notes</b> SHIPMENT DATE TYPE
	For Road different Date Types can be use: "ActualTransportDeparture" or

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																						
	<p>"ScheduledTransportDeparture" can be used for Pickup date. "ScheduledTransportArrival" can be used for Delivery date.</p>																						
	<p><b>Applicable Codes</b></p> <table> <tr> <td><b>ActualTransportDeparture</b></td><td>Transport means departure date time, actual (=136 in D10B)</td></tr> <tr> <td><b>Collection</b></td><td>Collection date/time, earliest (=234 in D10B)</td></tr> <tr> <td><b>DeliveryRequested</b></td><td>Delivery Requested (=2 in D10B)</td></tr> <tr> <td><b>EstimatedArrival</b></td><td>Estimated Time of Arrival (=132 in D10B)</td></tr> <tr> <td><b>EstimatedDeparture</b></td><td>Estimated Time of Departure (=133 in D10B)</td></tr> <tr> <td><b>RequestedCollection</b></td><td>Requested Collection Date (=ZRC in D10B)</td></tr> <tr> <td><b>RequestedDelivery</b></td><td>Requested Collection Date (=ZRD in D10B)</td></tr> <tr> <td><b>ScheduledArrival</b></td><td>Scheduled Time of Arrival (=232 in D10B)</td></tr> <tr> <td><b>ScheduledDeparture</b></td><td>Scheduled Time of Departure (=189 in D10B)</td></tr> <tr> <td><b>ScheduledTransportArrival</b></td><td>Transport means arrival date/time, scheduled (=ZTA in D10B)</td></tr> <tr> <td><b>ScheduledTransportDeparture</b></td><td>Transport means departure date/time, scheduled (=ZTD in D10B)</td></tr> </table>	<b>ActualTransportDeparture</b>	Transport means departure date time, actual (=136 in D10B)	<b>Collection</b>	Collection date/time, earliest (=234 in D10B)	<b>DeliveryRequested</b>	Delivery Requested (=2 in D10B)	<b>EstimatedArrival</b>	Estimated Time of Arrival (=132 in D10B)	<b>EstimatedDeparture</b>	Estimated Time of Departure (=133 in D10B)	<b>RequestedCollection</b>	Requested Collection Date (=ZRC in D10B)	<b>RequestedDelivery</b>	Requested Collection Date (=ZRD in D10B)	<b>ScheduledArrival</b>	Scheduled Time of Arrival (=232 in D10B)	<b>ScheduledDeparture</b>	Scheduled Time of Departure (=189 in D10B)	<b>ScheduledTransportArrival</b>	Transport means arrival date/time, scheduled (=ZTA in D10B)	<b>ScheduledTransportDeparture</b>	Transport means departure date/time, scheduled (=ZTD in D10B)
<b>ActualTransportDeparture</b>	Transport means departure date time, actual (=136 in D10B)																						
<b>Collection</b>	Collection date/time, earliest (=234 in D10B)																						
<b>DeliveryRequested</b>	Delivery Requested (=2 in D10B)																						
<b>EstimatedArrival</b>	Estimated Time of Arrival (=132 in D10B)																						
<b>EstimatedDeparture</b>	Estimated Time of Departure (=133 in D10B)																						
<b>RequestedCollection</b>	Requested Collection Date (=ZRC in D10B)																						
<b>RequestedDelivery</b>	Requested Collection Date (=ZRD in D10B)																						
<b>ScheduledArrival</b>	Scheduled Time of Arrival (=232 in D10B)																						
<b>ScheduledDeparture</b>	Scheduled Time of Departure (=189 in D10B)																						
<b>ScheduledTransportArrival</b>	Transport means arrival date/time, scheduled (=ZTA in D10B)																						
<b>ScheduledTransportDeparture</b>	Transport means departure date/time, scheduled (=ZTD in D10B)																						
<i>Format</i>	<p>Type xs:string Use required <b>General Notes</b> SHIPMENT DATE FORMAT</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Date</b></td><td>YYYYMMDD</td></tr> <tr> <td><b>DateTime</b></td><td>YYYYMMDDHHMM</td></tr> <tr> <td><b>DateTimeInterval</b></td><td>YYYYMMDDHHMM- YYYYMMDDHHMM</td></tr> </table>	<b>Date</b>	YYYYMMDD	<b>DateTime</b>	YYYYMMDDHHMM	<b>DateTimeInterval</b>	YYYYMMDDHHMM- YYYYMMDDHHMM																
<b>Date</b>	YYYYMMDD																						
<b>DateTime</b>	YYYYMMDDHHMM																						
<b>DateTimeInterval</b>	YYYYMMDDHHMM- YYYYMMDDHHMM																						
xs:sequence <b>DateTime</b>	<p>Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPMENT DATE/TIME</p>																						
<b>TransportServices</b>	<p>Occurrence 0 .. 1 Type shipment:ServiceGroupList <b>General Notes</b> TRANSPORT SERVICES REQUIRED</p> <p>First occurrence to be Main Service Required Additional services required to be provided in subsequent occurrences</p> <p><b>Examples</b></p> <pre> &lt;TransportServices&gt;   &lt;TransportService&gt;     &lt;ServiceCode&gt;LTL&lt;/ServiceCode&gt;     &lt;PriorityCode&gt;Normal&lt;/PriorityCode&gt;   &lt;/TransportService&gt;   &lt;TransportService&gt;     &lt;ServiceCode&gt;Insurance&lt;/ServiceCode&gt;     &lt;PackagingState&gt;Packed&lt;/PackagingState&gt;     &lt;CargoType&gt;1&lt;/CargoType&gt;   &lt;/TransportService&gt; &lt;/TransportServices&gt; </pre>																						
xs:sequence	Occurrence 1 .. 1																						

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																																				
<b>ServiceGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ServiceGroup																																				
xs:sequence	<b>Occurrence</b> 1 .. 1																																				
<b>TransportService</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:TransportService <b>General Notes</b> MAIN SERVICE																																				
xs:sequence	<b>Occurrence</b> 1 .. 1																																				
<b>ServiceCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TYPE OF SERVICE REQUIRED <b>Applicable Codes</b> <table> <tr><td><b>Courier</b></td><td>Main Service: Courier</td></tr> <tr><td><b>DPD</b></td><td>Main Service: Deutsche Paket Dienst</td></tr> <tr><td><b>DSVXpressDocument</b></td><td>Main Service: DSV Xpress Document</td></tr> <tr><td><b>DSVXpressEnvelope</b></td><td>Main Service: DSV Xpress Envelope</td></tr> <tr><td><b>DSVXpressParcels</b></td><td>Main Service: DSV Xpress Parcels</td></tr> <tr><td><b>DailyPallet</b></td><td>Main Service: Daily Pallet Service</td></tr> <tr><td><b>FCL</b></td><td>Main Service: Full Container Load</td></tr> <tr><td><b>FTL</b></td><td>Main Service: Full Truck Load</td></tr> <tr><td><b>HangingGarment</b></td><td>Main Service: Hanging Garment</td></tr> <tr><td><b>IATA</b></td><td>Main Service: IATA bill</td></tr> <tr><td><b>LCL</b></td><td>Main Service: Less than full Container Load</td></tr> <tr><td><b>LSE</b></td><td>Main Service: Loose Cargo</td></tr> <tr><td><b>LTL</b></td><td>Main Service: Less than full Truck Load</td></tr> <tr><td><b>LongGoods</b></td><td>Main Service: Long Goods</td></tr> <tr><td><b>Parcels</b></td><td>Main Service: Parcels</td></tr> <tr><td><b>ReverseLogistics</b></td><td>Main Service: Reverse Logistics Service</td></tr> <tr><td><b>SemiTruckLoad</b></td><td>Main Service: Semi Truck Load Service (STL)</td></tr> <tr><td><b>SpecialFullTruck</b></td><td>Main Service: Special Full Truck Load</td></tr> </table>	<b>Courier</b>	Main Service: Courier	<b>DPD</b>	Main Service: Deutsche Paket Dienst	<b>DSVXpressDocument</b>	Main Service: DSV Xpress Document	<b>DSVXpressEnvelope</b>	Main Service: DSV Xpress Envelope	<b>DSVXpressParcels</b>	Main Service: DSV Xpress Parcels	<b>DailyPallet</b>	Main Service: Daily Pallet Service	<b>FCL</b>	Main Service: Full Container Load	<b>FTL</b>	Main Service: Full Truck Load	<b>HangingGarment</b>	Main Service: Hanging Garment	<b>IATA</b>	Main Service: IATA bill	<b>LCL</b>	Main Service: Less than full Container Load	<b>LSE</b>	Main Service: Loose Cargo	<b>LTL</b>	Main Service: Less than full Truck Load	<b>LongGoods</b>	Main Service: Long Goods	<b>Parcels</b>	Main Service: Parcels	<b>ReverseLogistics</b>	Main Service: Reverse Logistics Service	<b>SemiTruckLoad</b>	Main Service: Semi Truck Load Service (STL)	<b>SpecialFullTruck</b>	Main Service: Special Full Truck Load
<b>Courier</b>	Main Service: Courier																																				
<b>DPD</b>	Main Service: Deutsche Paket Dienst																																				
<b>DSVXpressDocument</b>	Main Service: DSV Xpress Document																																				
<b>DSVXpressEnvelope</b>	Main Service: DSV Xpress Envelope																																				
<b>DSVXpressParcels</b>	Main Service: DSV Xpress Parcels																																				
<b>DailyPallet</b>	Main Service: Daily Pallet Service																																				
<b>FCL</b>	Main Service: Full Container Load																																				
<b>FTL</b>	Main Service: Full Truck Load																																				
<b>HangingGarment</b>	Main Service: Hanging Garment																																				
<b>IATA</b>	Main Service: IATA bill																																				
<b>LCL</b>	Main Service: Less than full Container Load																																				
<b>LSE</b>	Main Service: Loose Cargo																																				
<b>LTL</b>	Main Service: Less than full Truck Load																																				
<b>LongGoods</b>	Main Service: Long Goods																																				
<b>Parcels</b>	Main Service: Parcels																																				
<b>ReverseLogistics</b>	Main Service: Reverse Logistics Service																																				
<b>SemiTruckLoad</b>	Main Service: Semi Truck Load Service (STL)																																				
<b>SpecialFullTruck</b>	Main Service: Special Full Truck Load																																				
<b>PriorityCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SERVICE PRIORITY CODE Only required for Main Service (First TransportService) <b>Applicable Codes</b> <table> <tr><td><b>Express</b></td><td>Express Service</td></tr> <tr><td><b>HighSpeed</b></td><td>High Speed Service</td></tr> <tr><td><b>Normal</b></td><td>Normal Service</td></tr> </table>	<b>Express</b>	Express Service	<b>HighSpeed</b>	High Speed Service	<b>Normal</b>	Normal Service																														
<b>Express</b>	Express Service																																				
<b>HighSpeed</b>	High Speed Service																																				
<b>Normal</b>	Normal Service																																				
<b>TransportService &lt;AdditionalServices&gt;</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:TransportService <b>General Notes</b> ADDITIONAL SERVICES																																				
xs:sequence	<b>Occurrence</b> 1 .. 1																																				
<b>ServiceCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TYPE OF SERVICE REQUIRED <b>Applicable Codes</b> <table> <tr><td><b>Before10</b></td><td>Additional Service: Before 10:00</td></tr> <tr><td><b>Before10Parcel</b></td><td>Additional Service: Before 10:00 Parcel</td></tr> <tr><td><b>Before12</b></td><td>Additional Service: Before 12:00</td></tr> <tr><td><b>Before16</b></td><td>Additional Service: Before 16:00</td></tr> <tr><td><b>Before7</b></td><td>Additional Service: Before 07:00</td></tr> <tr><td><b>Crane</b></td><td>Additional Service: Crane Required</td></tr> </table>	<b>Before10</b>	Additional Service: Before 10:00	<b>Before10Parcel</b>	Additional Service: Before 10:00 Parcel	<b>Before12</b>	Additional Service: Before 12:00	<b>Before16</b>	Additional Service: Before 16:00	<b>Before7</b>	Additional Service: Before 07:00	<b>Crane</b>	Additional Service: Crane Required																								
<b>Before10</b>	Additional Service: Before 10:00																																				
<b>Before10Parcel</b>	Additional Service: Before 10:00 Parcel																																				
<b>Before12</b>	Additional Service: Before 12:00																																				
<b>Before16</b>	Additional Service: Before 16:00																																				
<b>Before7</b>	Additional Service: Before 07:00																																				
<b>Crane</b>	Additional Service: Crane Required																																				

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>ECO</b> Additional Service: Economy <b>HAZ</b> Additional Service: Hazardous Cargo <b>InNightProduct</b> Additional Service: InNight Product <b>Installation</b> Additional Service: Installation <b>LabelCharge</b> Additional Service: Label Charge <b>Lift</b> Additional Service: Tail Lift Required <b>No Handling</b> Additional Service: No Handling <b>Notification</b> Additional Service: Notification <b>OMEX</b> Additional Service: OM Ex Service <b>PersonalDeliveryService</b> Additional Service: Personal Delivery <b>PreAdvice</b> Additional Service: Pre-Advice <b>Return</b> Additional Service: Return Cargo <b>ePallet</b> Additional Service: ePallet <b>eParcel</b> Additional Service: eParcel
<b>TransportService &lt;Insurance&gt;</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:TransportService <b>General Notes</b> INSURANCE SERVICE
xs:sequence <b>ServiceCode</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TYPE OF SERVICE REQUIRED
<b>PackagingState</b>	<b>Applicable Codes</b> <b>Insurance</b> Additional Service: Insurance <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PACKAGING STATE Only required for Insurance Service
<b>CargoType</b>	<b>Applicable Codes</b> <b>Packed</b> Packed Goods <b>Unpacked</b> Unpacked Goods <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARGO TYPE Only required for Insurance Service
<b>MonetaryAmounts</b>	<b>Applicable Codes</b> <b>1</b> Ordinary new commercial goods <b>2</b> Used trading goods and/or unpacked goods <b>3</b> High Risk goods <b>4</b> Fragile goods: Furniture, marble, ceramics, art, antiques etc. <b>5</b> Household goods and motor vehicles <b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:MonetaryAmountList <b>General Notes</b> SHIPMENT MONETARY AMOUNTS MonetaryAmounts for "InsuranceValues" should be used in combination with TransportServiceCode "Insurance"
	<b>Examples</b> <MonetaryAmounts> <MonetaryAmount Type="COD"> <Amount>2203.03</Amount> <Currency>SEK</Currency> </MonetaryAmount>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>Examples</b> <MonetaryAmount Type="InsuranceValue"> <Amount>1000.01</Amount> <Currency>USD</Currency> </MonetaryAmount> <MonetaryAmount Type="InvoiceValue"> <Amount>1001.02</Amount> <Currency>EUR</Currency> </MonetaryAmount> </MonetaryAmounts>	
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>MonetaryAmount</b>	<b>Occurrence</b> 0 .. unbounded
Type	sharedelements:MonetaryAmount
Type	xs:string
Use	required
<b>General Notes</b>	MONETARY AMOUNT TYPE
<b>Applicable Codes</b> <b>COD</b> Cash On Delivery Amount <b>InsuranceValue</b> Insurance Value (Required for Insurance Service) <b>InvoiceValue</b> Invoice Value	
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Amount</b>	<b>Occurrence</b> 0 .. 1
Type	xs:string
<b>General Notes</b>	MONETARY AMOUNT
<b>Currency</b>	<b>Occurrence</b> 0 .. 1
Type	xs:string
<b>General Notes</b>	MONETARY AMOUNT ISO CURRENCY CODE
<b>FreeTextData</b>	<b>Occurrence</b> 0 .. 1
Type	shipment:FreeTextList
<b>General Notes</b>	SHIPMENT FREE TEXT
<b>Examples</b> <FreeTextData> <FreeText Type="DeliveryInstructions"> <TextLine1>DeliveryInstructions Text Line 1</TextLine1> <TextLine2>DeliveryInstructions Text Line 2</TextLine2> <TextLine3>DeliveryInstructions Text Line 3</TextLine3> <TextLine4>DeliveryInstructions Text Line 4</TextLine4> <TextLine5>DeliveryInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="HandlingInstructions"> <TextLine1>Handling Instructions Text Line 1</TextLine1> </FreeText> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Instructions Text Line 1</TextLine1> </FreeText> </FreeTextData>	
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded
Type	sharedelements:FreeText
Type	xs:string
Use	required
<b>General Notes</b>	FREE TEXT TYPE
<b>Applicable Codes</b> <b>DeliveryInstructions</b> Shipment Delivery Instructions	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b>
	<b>GoodsDescription</b> Shipment Goods Description <b>HandlingInstructions</b> Shipment Handling Instructions <b>IDS</b> Shipment IDS information <b>MarksAndNumbers</b> Marks and Numbers <b>PickupInstructions</b> Shipment Pickup Instructions <b>ReportInformation</b> Shipment Report Information <b>SpecialHandling</b> Shipment Special Handling details <b>SpecialInstructions</b> Shipment Special Instructions
xs:sequence	Occurrence 1 .. 1
<b>DescriptionCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT DESCRIPTION CODE  Use to be agreed
<b>TextLine1</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 1 Max. length 1024
<b>TextLine2</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 2 Max. length 1024
<b>TextLine3</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 3 Max. length 1024
<b>TextLine4</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 4 Max. length 1024
<b>TextLine5</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 5 Max. length 1024
<b>ControlTotals</b>	Occurrence 0 .. 1 Type shipment:ControlTotalList <b>General Notes</b> SHIPMENT CONTROL TOTALS  <b>Examples</b> <ControlTotals> <ControlTotal Type="NumberOfPackages"> <Quantity>20</Quantity> </ControlTotal> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>101.01</Quantity> </ControlTotal> <ControlTotal Type="Volume" Uom="MTQ"> <Quantity>2</Quantity> </ControlTotal> <ControlTotal Type="LoadingMeters" Uom="MTR"> <Quantity>12</Quantity> </ControlTotal> <ControlTotal Type="PalletSpaces" Uom="PLL"> <Quantity>10</Quantity> </ControlTotal>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> </ControlTotals>
xs:sequence <b>ControlTotal</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedElements:ControlTotal <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> CONTROL TOTAL TYPE
Type	
	<b>Applicable Codes</b> <b>GrossWeight</b> Shipment Gross Weight <b>LoadingMeters</b> Shipment Loading Meters <b>NumberOfPackages</b> Shipment Number of Packages <b>PalletSpaces</b> Shipment Pallet Spaces <b>Volume</b> Shipment Volume
Uom	<b>Type</b> xs:string <b>General Notes</b> QUANTITY UNIT OF MEASURE
	<b>Applicable Codes</b> <b>KGM</b> Kilograms <b>MTQ</b> Cubic meters <b>MTR</b> Loading meters <b>PCE</b> Pieces <b>PKG</b> Packages
xs:sequence <b>Quantity</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SHIPMENT QUANTITY
<b>TermsOfDelivery</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:TermsGroup <b>General Notes</b> TERMS OF DELIVERY
	<b>Examples</b> <TermsOfDelivery> <Terms> <TermCode>CIP</TermCode> <CodeId>IncoTerms</CodeId> </Terms> <Location Type="NamedPlace"> <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </TermsOfDelivery> <TermsOfDelivery> <Terms> <TermCode>DDU</TermCode> <CodeId>CombiTerms</CodeId> </Terms> <Location Type="NamedPlace"> <LocationIdentification Type="UN"> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </TermsOfDelivery>
xs:sequence	<b>Occurrence</b> 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Terms</b>	Occurrence 0 .. 1 Type sharedelements:Terms
xs:sequence	Occurrence 1 .. 1
<b>TermCode</b>	Occurrence 0 .. 1 Type xs:string
	<b>General Notes</b> TERM CODE IncoTerms required for Road, below values are supported: Incoterms 2020 Code Description CFR Cost and Freight CIF Cost Insurance Freight CIP Carriage and Insurance Paid to CPT Carriage Paid To DAP Delivered at Place DDP Delivered Duty Paid DPU Delivered at Place unloaded EXW EX Works FAS Free Alongside Ship FCA Free Carrier FOB Free On Board  Older Incoterms Code Description DAF Delivered at Frontier DAT Delivered at Terminal DDU Delivered Duty Unpaid DEQ Ex Quay DES Ex Ship
	<b>Applicable Codes</b>
<b>001</b>	EXW - Ex works (CombiTerms)
<b>005</b>	FCA - Free Carrier (CombiTerms)
<b>012</b>	CPT - Carriage Paid To (CombiTerms)
<b>013</b>	CIP- Carriage and Insurance Paid to (CombiTerms)
<b>018</b>	DAF - Delivered at Frontier (CombiTerms)
<b>021</b>	DDP - Delivered Duty Paid (CombiTerms)
<b>022</b>	DDU - Delivered Duty Unpaid (CombiTerms)
<b>CFR</b>	Cost and Freight (IncoTerms 2020)
<b>CIF</b>	Cost Insurance Freight (IncoTerms 2020)
<b>CIP</b>	Carriage and Insurance Paid to (IncoTerms 2020)
<b>CPT</b>	Carriage Paid To (IncoTerms 2020)
<b>DAF</b>	Delivered at Frontier (older IncoTerms)
<b>DAP</b>	Delivered at Place (IncoTerms 2020)
<b>DAT</b>	Delivered at Terminal (older IncoTerms)
<b>DDP</b>	Delivered Duty Paid (IncoTerms 2020)
<b>DDU</b>	Delivered Duty Unpaid (older IncoTerms)
<b>DEQ</b>	Ex Quay (older IncoTerms)
<b>DES</b>	Ex Ship (older IncoTerms)
<b>DPU</b>	Delivered at Place unloaded (IncoTerms 2020)
<b>EXW</b>	EXW - Ex works (IncoTerms)

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>CodeId</b>	<b>Applicable Codes</b>
	<b>FAS</b> Free Alongside Ship (IncoTerms 2020)
	<b>FCA</b> Free Carrier (IncoTerms 2020)
	<b>FOB</b> Free On Board (IncoTerms 2020)
<b>Location</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TYPE OF TERM CODE
	<b>Applicable Codes</b>
<b>Type</b>	<b>CombiTerms</b> Combi Terms
	<b>IncoTerms</b> INCO Terms
	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> sharedelements:Location
<b>xs:sequence</b>	<b>General Notes</b> Term city required for Road
	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TERM NAMED PLACE
<b>LocationIdentification</b>	<b>Applicable Codes</b>
	<b>NamedPlace</b> Term Named Place
	<b>Occurrence</b> 1 .. 1
	<b>Occurrence</b> 1 .. unbounded
<b>Type</b>	<b>Type</b> sharedelements:LocationIdentification
	<b>Type</b> xs:string
	<b>General Notes</b> LOCATION IDENTIFIER TYPE
	<b>Applicable Codes</b>
<b>LocationIdentifier</b>	<b>Name</b> Only Location Name provided
	<b>UN</b> UN Location Code
	<b>Occurrence</b> 1 .. 1
	<b>Occurrence</b> 0 .. 1
<b>LocationName</b>	<b>Type</b> xs:string
	<b>General Notes</b> LOCATION IDENTIFIER
	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
<b>References</b>	<b>General Notes</b> LOCATION NAME
	<b>Occurrence</b> 0 .. 1
	<b>Type</b> shipment:ReferenceGroupList
	<b>General Notes</b> SHIPMENT REFERENCES
<b>ReferenceGroup</b>	<b>Examples</b>
	<References>
	<ReferenceGroup>
	<Reference Type="ShipperReference">ShpRef1</Reference>
<b>xs:sequence</b>	</ReferenceGroup>
	<ReferenceGroup>
	<Reference Type="ConsigneeReference">ConsRef1</Reference>
	</ReferenceGroup>
<b>ReferenceGroup</b>	<ReferenceGroup>
	<Reference Type="RoadWaybill">1234569870</Reference>
	</ReferenceGroup>
	</References>
<b>ReferenceGroup</b>	<b>Occurrence</b> 1 .. 1
	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> shipment:ReferenceGroup
	<b>General Notes</b> SHIPMENT REFERENCE

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div>Reference</div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>sharedelements:Reference</div> </div> <div> <div>General Notes</div> <div>SHIPMENT REFERENCE</div> </div>
<div> <div>Type</div> </div>	<div> <div>Type</div> <div>xs:string</div> </div> <div> <div>Use</div> <div>required</div> </div> <div> <div>General Notes</div> <div>SHIPMENT REFERENCE TYPE</div> </div> <div> <div>Predefined Types listed, additional reference types to be agreed</div> </div> <div> <div>Applicable Codes</div> <div> <div>AgentsReference</div> <div>Agent's reference</div> </div> <div> <div>AirWayBill</div> <div>Air waybill number</div> </div> <div> <div>BookingReference</div> <div>Booking Reference</div> </div> <div> <div>CargoManifestNo</div> <div>Cargo manifest number, Transport Id</div> </div> <div> <div>ConsigneeOrderNumber</div> <div>Consignee's order number</div> </div> <div> <div>ConsigneeReference</div> <div>Consignee Reference</div> </div> <div> <div>ConsignmentId</div> <div>Consignment id, carrier assigned</div> </div> <div> <div>CustomField</div> <div>Custom Field (Use to be agreed)</div> </div> <div> <div>CustomerAccountCode</div> <div>Customer Account Code</div> </div> <div> <div>DeliveryAgreement</div> <div>Delivery Agreement</div> </div> <div> <div>DocumentReference</div> <div>Document Reference</div> </div> <div> <div>GINCNumber</div> <div>Waybill number, GINC</div> </div> <div> <div>HouseBill</div> <div>House bill of lading number</div> </div> <div> <div>HouseWayBill</div> <div>House waybill number</div> </div> <div> <div>MasterAirWayBill</div> <div>Master air waybill number</div> </div> <div> <div>MasterBill</div> <div>Master bill of lading number</div> </div> <div> <div>OnSightAuthorizationCode</div> <div>On sight authorization code</div> </div> <div> <div>OrderReference</div> <div>Order Reference</div> </div> <div> <div>RoadWaybill</div> <div>Road Waybill Number</div> </div> <div> <div>ShipmentReference</div> <div>Shipment reference number</div> </div> <div> <div>ShipperReference</div> <div>Shipper Reference</div> </div> <div> <div>StatusText</div> <div>DSV status codes for Road</div> </div> <div> <div>TrafficFrom</div> <div>Traffic From</div> </div> <div> <div>TransportInstructionNumber</div> <div>Transport instruction number</div> </div> <div> <div>VesselId</div> <div>Vessel identifier</div> </div> </div>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> </Requirements> Example for Air&Sea: <Requirements> <Requirement> <GovernmentalRequirements> <TransportMovementCode>Transit</TransportMovementCode> </GovernmentalRequirements> <Documents> <Document> <DocumentCode>OBL</DocumentCode> <DocumentCopies>3</DocumentCopies> <DocumentOriginals>2</DocumentOriginals> </Document> </Documents> </Requirement> </Requirements>
xs:sequence	Occurrence 1 .. 1
<b>Requirement</b>	Occurrence 0 .. unbounded Type shipment:Requirement
xs:sequence	Occurrence 1 .. 1
<b>GovernmentalRequirements</b>	Occurrence 0 .. 1 Type sharedelements:GovernmentalRequirements <b>General Notes</b> SHIPMENT GOVERNMENTAL REQUIREMENTS
xs:sequence	Occurrence 1 .. 1
<b>TransportMovementCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MOVEMENT TYPE
	<b>Applicable Codes</b>
	Export
	Import
	Transit
<b>InvolvementCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> INVOLVEMENT CODE
	<b>Applicable Codes</b>
	Completed
	NotApplicable
<b>Documents</b>	Occurrence 0 .. 1 Type shipment:DocumentList <b>General Notes</b> TRANSPORTATION DOCUMENT
xs:sequence	Occurrence 1 .. 1
<b>Document</b>	Occurrence 0 .. unbounded Type sharedelements:Document
xs:sequence	Occurrence 1 .. 1
<b>DocumentCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> ROAD TRANSPORTATION DOCUMENT TYPE
	<b>Applicable Codes</b>
	NMT Non-negotiable Maritime Transport document
	OBL Original Bill of Lading
	T1 Despatch note model T1
	T2 Despatch note model T2
	T2L Despatch note model T2L

Bold = Element, Italic = Attribute, Grey = Group

**DSV\_STD\_XML\_TRANSPORTMESSAGE\_V1\_IN; 17-PROD\_Rele**      Issue date: 2023-05-30      Print date: 2023-05-30  
 Generated by GEFEG.FX      Page: 50 /

Element/Attribute	Annotation
	<b>Examples</b> </ChargeRates>
xs:sequence <b>ChargeRate</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ChargeList <b>General Notes</b> CHARGE RATE
xs:sequence <b>Charge</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Charge <b>General Notes</b> CHARGE DETAILS
xs:sequence <b>ChargeCode</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CHARGE CODE Mutually agreed
<b>Description</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CHARGE DESCRIPTION Mutually agreed
<b>PaymentCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> RESPONSIBLE PARTY FOR PAYMENT
	<b>Applicable Codes</b>
	<b>Consignee</b> Consignee <b>Consignor</b> Consignor <b>Delivery</b> Delivery Party <b>Despatch</b> Despatch Party
<b>RateClass</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> AGREEMENT IDENTIFIER To be mutually agreed (Agreement in place)
<b>MonetaryAmounts</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:MonetaryAmountList <b>General Notes</b> MONETARY AMOUNTS
xs:sequence <b>MonetaryAmount</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:MonetaryAmount <b>General Notes</b> CHARGE MONETARY AMOUNT
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> MONETARY AMOUNT TYPE
	<b>Applicable Codes</b>
	<b>Charge</b> Monetary Amount for Charge
xs:sequence <b>Amount</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MONETARY AMOUNT
<b>Currency</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MONETARY AMOUNT ISO CURRENCY CODE

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>TransportStages</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:TransportStageList <b>General Notes</b> SHIPMENT TRANSPORT STAGES
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TransportStage</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:TransportStage
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Stage</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Stage <b>General Notes</b> TRANSPORTATION STAGE  <b>Examples</b> <Stage Type="MainCarriage"> <ModeOfTransport>Road</ModeOfTransport> </Stage>  <Stage Type="MainCarriage"> <ModeOfTransport>Air</ModeOfTransport> </Stage>  <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> </Stage>
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION STAGE TYPE  <b>Applicable Codes</b> <b>MainCarriage</b> Main type of transportation
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ModeOfTransport</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MODE OF TRANSPORTATION  <b>Applicable Codes</b> <b>Air</b> Air transportation <b>Rail</b> Rail transportation <b>Road</b> Road transportation <b>Sea</b> Sea transportation
<b>TransportId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT ID
<b>CarrierId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER ID
<b>CarrierName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER NAME
<b>TransportType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT TYPE
<b>TransportMeansName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORTMEANS NAME
<b>TransportMeansNationality</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																		
	<b>General Notes</b> TRANSPORTMEANS NATIONALITY <hr/> <b>Dates</b> <hr/> <b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:DateList <b>General Notes</b> TRANSPORTATION STAGE DATES <b>Examples</b> <Dates> <Date Type="Collection" Format="DateTime"> <DateTime>201803160900</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTime"> <DateTime>201803200900</DateTime> </Date> <Date Type="EstimatedDeparture" Format="DateTime"> <DateTime>201902251000</DateTime> </Date> <Date Type="EstimatedArrival" Format="DateTime"> <DateTime>201903011600</DateTime> </Date> <Date Type="ScheduledDeparture" Format="DateTime"> <DateTime>201903200800</DateTime> </Date> <Date Type="ScheduledArrival" Format="DateTime"> <DateTime>201903231200</DateTime> </Date> </Dates>																		
xs:sequence	<b>Occurrence</b> 1 .. 1																		
<b>Date</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Date <hr/> <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION DATE TYPE <p>For Road different Date Types can be use:  "ActualTransportDeparture" or  "ScheduledTransportDeparture" can be used for Pickup  date. "ScheduledTransportArrival" can be used for Delivery  date.</p>																		
<b>Type</b>																			
	<b>Applicable Codes</b> <table> <tr> <td><b>ActualTransportDeparture</b></td><td>Transport means departure date time, actual (=136 in D10B)</td></tr> <tr> <td><b>Collection</b></td><td>Collection date/time, earliest (=234 in D10B)</td></tr> <tr> <td><b>DeliveryRequested</b></td><td>Delivery Requested (=2 in D10B)</td></tr> <tr> <td><b>EstimatedArrival</b></td><td>Estimated Time of Arrival (=132 in D10B)</td></tr> <tr> <td><b>EstimatedDeparture</b></td><td>Estimated Time of Departure (=133 in D10B)</td></tr> <tr> <td><b>ScheduledArrival</b></td><td>Scheduled Time of Arrival (=232 in D10B)</td></tr> <tr> <td><b>ScheduledDeparture</b></td><td>Scheduled Time of Departure (=189 in D10B)</td></tr> <tr> <td><b>ScheduledTransportArrival</b></td><td>Transport means arrival date/time, scheduled (=ZTA in D10B)</td></tr> <tr> <td><b>ScheduledTransportDeparture</b></td><td>Transport means departure date/time, scheduled (=ZTD in D10B)</td></tr> </table>	<b>ActualTransportDeparture</b>	Transport means departure date time, actual (=136 in D10B)	<b>Collection</b>	Collection date/time, earliest (=234 in D10B)	<b>DeliveryRequested</b>	Delivery Requested (=2 in D10B)	<b>EstimatedArrival</b>	Estimated Time of Arrival (=132 in D10B)	<b>EstimatedDeparture</b>	Estimated Time of Departure (=133 in D10B)	<b>ScheduledArrival</b>	Scheduled Time of Arrival (=232 in D10B)	<b>ScheduledDeparture</b>	Scheduled Time of Departure (=189 in D10B)	<b>ScheduledTransportArrival</b>	Transport means arrival date/time, scheduled (=ZTA in D10B)	<b>ScheduledTransportDeparture</b>	Transport means departure date/time, scheduled (=ZTD in D10B)
<b>ActualTransportDeparture</b>	Transport means departure date time, actual (=136 in D10B)																		
<b>Collection</b>	Collection date/time, earliest (=234 in D10B)																		
<b>DeliveryRequested</b>	Delivery Requested (=2 in D10B)																		
<b>EstimatedArrival</b>	Estimated Time of Arrival (=132 in D10B)																		
<b>EstimatedDeparture</b>	Estimated Time of Departure (=133 in D10B)																		
<b>ScheduledArrival</b>	Scheduled Time of Arrival (=232 in D10B)																		
<b>ScheduledDeparture</b>	Scheduled Time of Departure (=189 in D10B)																		
<b>ScheduledTransportArrival</b>	Transport means arrival date/time, scheduled (=ZTA in D10B)																		
<b>ScheduledTransportDeparture</b>	Transport means departure date/time, scheduled (=ZTD in D10B)																		
<b>Format</b>	<b>Type</b> xs:string <b>Use</b> required																		

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> TRANSPORTATION DATE FORMAT <b>Applicable Codes</b> <b>Date</b> CCYYMMDD <b>DateTime</b> CCYYMMDDHHMM <b>DateTimeInterval</b> CCYYMMDDHHMM-CCYYMMDDHHMM
xs:sequence <b>DateTime</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORTATION DATE/TIME
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> TRANSPORTATION LOCATIONS  <b>Examples</b> <Locations> <Location Type="Departure"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>Horsens</LocationName> </LocationIdentification> </Location> <Location Type="Destination"> <LocationIdentification Type="UN"> <LocationIdentifier>ZAJNB</LocationIdentifier> <LocationName>Johannesburg</LocationName> </LocationIdentification> </Location> </Locations>
xs:sequence <b>Location</b>  <i>Type</i>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION LOCATION TYPE <b>Applicable Codes</b> <b>Departure</b> Departure Location <b>Destination</b> Destination Location
xs:sequence <b>LocationIdentification</b>  <i>Type</i>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification <b>General Notes</b> LOCATION IDENTIFICATION <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE <b>Applicable Codes</b> <b>DSVBookingOffice</b> DSV Booking office (for Road freight only) <b>DSVDestinationOffice</b> DSV Destination office (for Road freight only) <b>IATA</b> IATA airport code <b>ISOCountry</b> ISO Country Code <b>PostCode</b> Post / zip code (for Road freight only) <b>UN</b> UN Location code
xs:sequence <b>LocationIdentifier</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> LOCATION IDENTIFIER
LocationName	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION NAME
CodeDescriptions	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:CodeDescriptionList <b>General Notes</b> TRANSPORTATION STAGE CODE DESCRIPTIONS Use to be agreed. Type= "BookingStatus"  CNF for Confirmed PLN for Planned  <b>Examples</b> <CodeDescriptions> <CodeDescription type="BookingStatus">CNF</CodeDescription> </CodeDescriptions>  <CodeDescriptions> <CodeDescription type="BookingStatus">PLN</CodeDescription> </CodeDescriptions>
xs:sequence	<b>Occurrence</b> 1 .. 1
CodeDescription	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:CodeDescription <b>General Notes</b> TRANSPORTATION STAGE CODE DESCRIPTION
Type	<b>Type</b> xs:string <b>Use</b> optional <b>General Notes</b> TRANSPORTATION STAGE CODE DESCRIPTION TYPE Use to be agreed. Type= "BookingStatus"  CNF for Confirmed PLN for Planned
	<b>Applicable Codes</b>
	<b>BookingStatus</b> BookingStatus
Parties	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:PartiesList <b>General Notes</b> SHIPMENT PARTY INFORMATION
xs:sequence	<b>Occurrence</b> 1 .. 1
Party	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:Party
xs:sequence	<b>Occurrence</b> 1 .. 1
PartyDetails	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:PartyDetails <b>General Notes</b> PARTY DETAILS  <b>Examples</b> <PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <Assignor>Consignor</Assignor> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																														
	<b>Examples</b> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>  <PartyDetails Role="Consignor" AddressOverride="true"> <Id>0007852992</Id> <Assignor>Consignor</Assignor> <PartyName>DSV Air & Sea GmbH</PartyName> <AddressLine1>Luetticher Str 12</AddressLine1> <CityName>Troisdorf</CityName> <PostCode>53842</PostCode> <CountryCode>DE</CountryCode> </PartyDetails>																														
Role	Type xs:string Use required <b>General Notes</b> PARTY ROLE  <b>Applicable Codes</b> <table> <tr><td><b>Carrier</b></td><td>Carrier Party</td></tr> <tr><td><b>Consignee</b></td><td>Consignee Party</td></tr> <tr><td><b>Consignor</b></td><td>Consignor Party</td></tr> <tr><td><b>Delivery</b></td><td>Delivery Party</td></tr> <tr><td><b>DeliveryAgent</b></td><td>Delivery Agent</td></tr> <tr><td><b>DeliveryLocalCartage</b></td><td>Delivery Haulier</td></tr> <tr><td><b>Despatch</b></td><td>Despatch Party</td></tr> <tr><td><b>Forwarder</b></td><td>Forwarder</td></tr> <tr><td><b>FreightForwarder</b></td><td>Freight Forwarder</td></tr> <tr><td><b>FreightPayer</b></td><td>Freight/charges Payer</td></tr> <tr><td><b>Notify</b></td><td>Notify Party</td></tr> <tr><td><b>OrderingCustomer</b></td><td>Ordering Customer</td></tr> <tr><td><b>PickupAgent</b></td><td>Pickup Agent</td></tr> <tr><td><b>PickupLocalCartage</b></td><td>Pickup Haulier</td></tr> <tr><td><b>Supplier</b></td><td>Supplier</td></tr> </table>	<b>Carrier</b>	Carrier Party	<b>Consignee</b>	Consignee Party	<b>Consignor</b>	Consignor Party	<b>Delivery</b>	Delivery Party	<b>DeliveryAgent</b>	Delivery Agent	<b>DeliveryLocalCartage</b>	Delivery Haulier	<b>Despatch</b>	Despatch Party	<b>Forwarder</b>	Forwarder	<b>FreightForwarder</b>	Freight Forwarder	<b>FreightPayer</b>	Freight/charges Payer	<b>Notify</b>	Notify Party	<b>OrderingCustomer</b>	Ordering Customer	<b>PickupAgent</b>	Pickup Agent	<b>PickupLocalCartage</b>	Pickup Haulier	<b>Supplier</b>	Supplier
<b>Carrier</b>	Carrier Party																														
<b>Consignee</b>	Consignee Party																														
<b>Consignor</b>	Consignor Party																														
<b>Delivery</b>	Delivery Party																														
<b>DeliveryAgent</b>	Delivery Agent																														
<b>DeliveryLocalCartage</b>	Delivery Haulier																														
<b>Despatch</b>	Despatch Party																														
<b>Forwarder</b>	Forwarder																														
<b>FreightForwarder</b>	Freight Forwarder																														
<b>FreightPayer</b>	Freight/charges Payer																														
<b>Notify</b>	Notify Party																														
<b>OrderingCustomer</b>	Ordering Customer																														
<b>PickupAgent</b>	Pickup Agent																														
<b>PickupLocalCartage</b>	Pickup Haulier																														
<b>Supplier</b>	Supplier																														
AddressOverride	Type xs:boolean Default false Use optional <b>General Notes</b> PARTY ADDRESS OVERRIDE																														
xs:sequence	Occurrence 1 .. 1																														
Id	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY IDENTIFIER																														
Assignor	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY IDENTIFIER ASSIGNOR  <b>Road Notes</b> DSV assigned only to be used when agreed  <b>Applicable Codes</b> <table> <tr><td><b>Consignor</b></td><td>Consignor assigned</td></tr> <tr><td><b>DSV</b></td><td>DSV assigned</td></tr> <tr><td><b>GS1</b></td><td>GS1 assigned</td></tr> </table>	<b>Consignor</b>	Consignor assigned	<b>DSV</b>	DSV assigned	<b>GS1</b>	GS1 assigned																								
<b>Consignor</b>	Consignor assigned																														
<b>DSV</b>	DSV assigned																														
<b>GS1</b>	GS1 assigned																														
PartyName	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY NAME Party Name required for Road																														

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>AddressLine1</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 1 Street and Number required for Road P.o box not allowed in connection with PartyRole = "Despatch" and "Delivery"
<b>AddressLine2</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 2 For additional address info for Road - Gate or building
<b>AddressLine3</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 3
<b>CityName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CITY NAME City required for Road
<b>State</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY STATE OR PROVINCE
<b>PostCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY POST OR ZIP CODE Postal Code required for Road
<b>CountryCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY LOCATION ISO COUNTRY CODE Country code required for Road
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> PHYSICAL LOCATION  <b>Examples</b> <Locations> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PHYSICAL LOCATION TYPE  <b>Applicable Codes</b> <b>PhysicalLocation</b> Physical Location
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification <b>General Notes</b> PHYSICAL LOCATION IDENTIFICATION
<i>Type</i>	<b>Type</b> xs:string

Bold = Element, *Italic* = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> PHYSICAL LOCATION IDENTIFIER TYPE
	<b>Applicable Codes</b>
	UN UN Location Code
xs:sequence <b>LocationIdentifier</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PHYSICAL LOCATION IDENTIFIER
<b>Contact</b>	Occurrence 0 .. unbounded Type sharedelements:Contact <b>General Notes</b> PARTY CONTACT DETAILS  <b>Examples</b> <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required <b>General Notes</b> PARTY CONTACT TYPE
	<b>Applicable Codes</b>
	InformationContact Party Information Contact
xs:sequence <b>Name</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT NAME
<b>Phone</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT PHONE NUMBER
<b>Mobile</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT MOBILE NUMBER
<b>Fax</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT FAX NUMBER
<b>Email</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT E-MAIL ADDRESS
<b>GoodsItems</b>	Occurrence 0 .. 1 Type shipment:GoodsItemList <b>General Notes</b> GOODS LINE ITEMS
xs:sequence <b>GoodsItem</b>	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type shipment:GoodsItem
xs:sequence <b>Item</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type sharedelements:Item <b>General Notes</b> GOODS ITEM DETAILS  <b>Examples</b> <Item>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																																										
	<b>Examples</b> <ItemNumber>1</ItemNumber> <PackageQty>20</PackageQty> <PackageType>PKG</PackageType> </Item>																																										
xs:sequence	<b>Occurrence</b> 1 .. 1																																										
<b>ItemNumber</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM NUMBER																																										
<b>PackageQty</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM PACKAGE QUANTITY Package quantity required for Road																																										
<b>PackageType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM PACKAGE TYPE Package type required for Road  Only below package types supported for Road  <table> <thead> <tr> <th>Code</th><th>Description</th></tr> </thead> <tbody> <tr><td>BAG</td><td>Bag</td></tr> <tr><td>CAN</td><td>Can</td></tr> <tr><td>CAS</td><td>Case</td></tr> <tr><td>CLL</td><td>Colli</td></tr> <tr><td>CON</td><td>Pallet Container</td></tr> <tr><td>CRT</td><td>Crate</td></tr> <tr><td>CTN</td><td>Carton</td></tr> <tr><td>DRM</td><td>Drum</td></tr> <tr><td>EUR</td><td>Euro Pallet</td></tr> <tr><td>GIB</td><td>Gitter Box</td></tr> <tr><td>HPL</td><td>Half Pallet</td></tr> <tr><td>IBC</td><td>IBC container</td></tr> <tr><td>IPL</td><td>Industry Pallet</td></tr> <tr><td>JCN</td><td>Jerry Can</td></tr> <tr><td>LOAD</td><td>Load</td></tr> <tr><td>PLL</td><td>Pallet</td></tr> <tr><td>PLT</td><td>Pallet Unspecified</td></tr> <tr><td>PXL</td><td>Pallet Extra Large</td></tr> <tr><td>QPL</td><td>Quarter Pallet</td></tr> <tr><td>UPL</td><td>Odd Size Pallet</td></tr> </tbody> </table>	Code	Description	BAG	Bag	CAN	Can	CAS	Case	CLL	Colli	CON	Pallet Container	CRT	Crate	CTN	Carton	DRM	Drum	EUR	Euro Pallet	GIB	Gitter Box	HPL	Half Pallet	IBC	IBC container	IPL	Industry Pallet	JCN	Jerry Can	LOAD	Load	PLL	Pallet	PLT	Pallet Unspecified	PXL	Pallet Extra Large	QPL	Quarter Pallet	UPL	Odd Size Pallet
Code	Description																																										
BAG	Bag																																										
CAN	Can																																										
CAS	Case																																										
CLL	Colli																																										
CON	Pallet Container																																										
CRT	Crate																																										
CTN	Carton																																										
DRM	Drum																																										
EUR	Euro Pallet																																										
GIB	Gitter Box																																										
HPL	Half Pallet																																										
IBC	IBC container																																										
IPL	Industry Pallet																																										
JCN	Jerry Can																																										
LOAD	Load																																										
PLL	Pallet																																										
PLT	Pallet Unspecified																																										
PXL	Pallet Extra Large																																										
QPL	Quarter Pallet																																										
UPL	Odd Size Pallet																																										
<b>Applicable Codes</b>																																											
<b>BAG</b>	Bag																																										
<b>CAN</b>	Can																																										
<b>CAS</b>	Case																																										
<b>CLL</b>	Colli																																										
<b>CON</b>	Pallet Container																																										
<b>CRT</b>	Crate																																										
<b>CTN</b>	Carton																																										
<b>DRM</b>	Drum																																										
<b>EUR</b>	Euro Pallet																																										
<b>GIB</b>	Gitter Box																																										
<b>HPL</b>	Half Pallet																																										
<b>IBC</b>	IBC Container																																										
<b>IPL</b>	Industry Pallet																																										
<b>JCN</b>	Jerry Can																																										
<b>LOAD</b>	Load																																										
<b>PLL</b>	Pallet																																										

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>PLT</b> Pallet Unspecified <b>PXL</b> Pallet Extra Large <b>QPL</b> Quarter Pallet <b>UPL</b> Odd Size Pallet
<b>HandlingInstructions</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:HandlingInstructions <b>General Notes</b> LINE ITEM HANDLING INSTRUCTION Used for Freight Stacked Cargo  <b>Examples</b> <HandlingInstructions> <HandlingInstruction> <DescriptionCode>Stacked</DescriptionCode> <Description>1</Description> </HandlingInstruction> </HandlingInstructions>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>HandlingInstruction</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:HandlingInstruction
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>DescriptionCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HANDLING DESCRIPTION CODE
<b>Description</b>	<b>Applicable Codes</b> <b>Stacked</b> Stacked Cargo <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HANDLING DESCRIPTION Number of stacked units
<b>RangeDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:RangeDetails <b>General Notes</b> LINE ITEM TEMPERATURE RANGE  <b>Examples</b> <RangeDetails Type="Allowance" Uom="CEL"> <Minimum>-5</Minimum> <Maximum>5</Maximum> </RangeDetails>
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TEMPERATURE RANGE TYPE
<b>Uom</b>	<b>Applicable Codes</b> <b>Allowance</b> Temperature Range Allowance <b>Type</b> xs:string <b>General Notes</b> TEMPERATURE RANGE UNIT OF MEASURE
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Minimum</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MINIMUM TEMPERATAURE
<b>Maximum</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> MAXIMUM TEMPERATURE
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:LocationList <b>General Notes</b> LINE ITEM COUNTRY OF ORIGIN <b>Examples</b> <Locations> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Location <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> LOCATION TYPE <b>Applicable Codes</b> <b>CountryOfOrigin</b> Line item Country of Origin
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> sharedelements:LocationIdentification <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE <b>Applicable Codes</b> <b>ISOCountry</b> ISO Country Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER ISO Country Code for Country of Origin
<b>MonetaryAmounts</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:MonetaryAmountList <b>General Notes</b> LINE ITEM MONETARY AMOUNTS <b>Examples</b> <MonetaryAmounts> <MonetaryAmount Type="LineInvoiceValue"> <Amount>100.01</Amount> <Currency>DKK</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>MonetaryAmount</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:MonetaryAmount <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> MONETARY AMOUNT TYPE <b>Applicable Codes</b> <b>LineInvoiceValue</b> Line Item Invoice Value
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Amount</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>Currency</b>	<b>General Notes</b> MONETARY AMOUNT <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MONETARY AMOUNT ISO CURRENCY CODE
<b>ProductIds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:ProductIdsList <b>General Notes</b> LINE ITEM PRODUCT IDENTIFICATION  <b>Examples</b> <ProductIds> <ProductId Type="ProductId"> <ItemId>35079090</ItemId> <ItemType>HarmonizedCode</ItemType> </ProductId> </ProductIds>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ProductId</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:ProductId
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PRODUCT IDENTIFICATION TYPE  <b>Applicable Codes</b> <b>ProductId</b> Product Identification
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ItemId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PRODUCT IDENTIFICATION
<b>ItemType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PRODUCT IDENTIFIER TYPE  <b>Applicable Codes</b> <b>HarmonizedCode</b> Harmonized Tariff Code
<b>FreeTextData</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:FreeTextList <b>General Notes</b> LINE ITEM FREE TEXT  <b>Examples</b> <FreeTextData> <FreeText Type="GoodsDescription"> <TextLine1>Goods Description Line</TextLine1> </FreeText> <FreeText Type="AdditionalDetails"> <TextLine1>Additional Details Line</TextLine1> </FreeText> </FreeTextData>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:FreeText
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> FREE TEXT TYPE  <b>Applicable Codes</b> <b>AdditionalDetails</b> Line Item Additional Details <b>GoodsDescription</b> Line Item Goods Description

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div> <div>TextLine1</div> <div>TextLine2</div> <div>TextLine3</div> <div>TextLine4</div> <div>TextLine5</div> </div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>FREE TEXT LINE 1 Max. length 1024</div> </div>
<div> <div>TextLine2</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>FREE TEXT LINE 2 Max. length 1024</div> </div>
<div> <div>TextLine3</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>FREE TEXT LINE 3 Max. length 1024</div> </div>
<div> <div>TextLine4</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>FREE TEXT LINE 4 Max. length 1024</div> </div>
<div> <div>TextLine5</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>FREE TEXT LINE 5 Max. length 1024</div> </div>
<div> <div>Measurements</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>shipment:MeasurementsList</div> </div> <div> <div>General Notes</div> <div>LINE ITEM MEASUREMENTS</div> </div> <div> <div>Examples</div> <div> <pre> &lt;Measurements&gt;   &lt;Measurement Type="GrossWeight" Uom="KGM"&gt;     &lt;Measure&gt;10.03&lt;/Measure&gt;   &lt;/Measurement&gt;   &lt;Measurement Type="NetWeight" Uom="KGM"&gt;     &lt;Measure&gt;8.03&lt;/Measure&gt;   &lt;/Measurement&gt;   &lt;Measurement Type="Volume" Uom="MTQ"&gt;     &lt;Measure&gt;2.03&lt;/Measure&gt;   &lt;/Measurement&gt;   &lt;Measurement Type="LoadingMeters" Uom="MTR"&gt;     &lt;Measure&gt;2.05&lt;/Measure&gt;   &lt;/Measurement&gt;   &lt;Measurement Type="PalletSpaces" Uom="PLL"&gt;     &lt;Measure&gt;5&lt;/Measure&gt;   &lt;/Measurement&gt; &lt;/Measurements&gt; </pre> </div> </div>
<div> <div>xs:sequence</div> <div> <div>Measurement</div> <div>Type</div> </div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. unbounded</div> </div> <div> <div>Type</div> <div>sharedelements:Measurement</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>Use</div> <div>required</div> </div> <div> <div>General Notes</div> <div>MEASUREMENT TYPE Gross weight and Loading meter or Cubic meter required for Road</div> </div>
<div> <div>Applicable Codes</div> <div> <div>GrossWeight</div> <div>LoadingMeters</div> <div>NetWeight</div> <div>PalletSpaces</div> </div> <div> <div>Line Item Gross Weight</div> <div>Line Item Loading Meters</div> <div>Line Item Net Weight</div> <div>Line Item Pallet Spaces</div> </div> </div>	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b>
	<b>Volume</b> Line Item Volume
<i>Uom</i>	Type xs:string
	<b>General Notes</b> MEASUREMENT UNIT OF MEASURE (Required)
	<b>Applicable Codes</b>
	<b>KGM</b> Kilograms
	<b>MTQ</b> Cubic Meters
	<b>MTR</b> Loading Meters
	<b>PLL</b> Pallets
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>Measure</b>	<b>Occurrence</b> 0 .. 1
	Type xs:string
	<b>General Notes</b> MEASUREMENT VALUE
<b>Dimensions</b>	<b>Occurrence</b> 0 .. 1
	Type shipment:DimensionsList
	<b>General Notes</b> LINE ITEM DIMENSIONS Dimensions (LxWxH) required for Road
	<b>Examples</b>
	<Dimensions>
	<Dimension Type="Gross" Uom="MTR">
	<Length>0.6</Length>
	<Width>0.2</Width>
	<Height>0.8</Height>
	</Dimension>
	</Dimensions>
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>Dimension</b>	<b>Occurrence</b> 0 .. unbounded
	Type sharedelements:Dimension
<i>Type</i>	Type xs:string
	Use required
	<b>General Notes</b> DIMENSION TYPE
	<b>Applicable Codes</b>
	<b>Gross</b> Line Item Gross Dimensions
<i>Uom</i>	Type xs:string
	<b>General Notes</b> DIMENSIONS UNIT OF MEASURE
	<b>Applicable Codes</b>
	<b>CMT</b> Centimeters
	<b>MTR</b> Meters
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>Length</b>	<b>Occurrence</b> 0 .. 1
	Type xs:string
	<b>General Notes</b> DIMENSION - LENGTH
<b>Width</b>	<b>Occurrence</b> 0 .. 1
	Type xs:string
	<b>General Notes</b> DIMENSION - WIDTH
<b>Height</b>	<b>Occurrence</b> 0 .. 1
	Type xs:string
	<b>General Notes</b> DIMENSION - HEIGHT
<b>References</b>	<b>Occurrence</b> 0 .. 1
	Type shipment:ReferenceGroupList
	<b>General Notes</b> GOODS ITEM REFERENCES

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div><b>ReferenceGroup</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:ReferenceGroup
<div> <div>xs:sequence</div> <div><b>Reference</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Reference <b>General Notes</b> REFERENCE
<div> <div>Type</div> </div>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> REFERENCE TYPE
<b>Applicable Codes</b>	
<b>PackListLineId</b>	Pack List Line Identifier
<b>Packagelds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:Packagelds <b>General Notes</b> PACKAGE IDENTIFICATION AND MARKINGS  <b>Examples</b> <Packagelds> <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Package1</ShippingMark> <ShippingMark>Package2</ShippingMark> <ShippingMark>Package3</ShippingMark> </Marks> </Packageld> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>
<div> <div>xs:sequence</div> <div><b>Packageld</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Packageld <b>General Notes</b> PACKAGE MARKS & NUMBERS
<div> <div>xs:sequence</div> <div><b>InstructionCode</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> PACKAGE MARKS TYPE
<b>Applicable Codes</b>	
<b>PackageMarks</b>	Package Marks and Numbers
<b>Marks</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:Marks
<div> <div>xs:sequence</div> <div><b>ShippingMark</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> PACKAGE MARK
<b>GoodsIdentities</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:GoodsIdentity

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> PACKAGE BAR CODES
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required
	<b>General Notes</b> TYPE OF IDENTIFIER
	<b>Applicable Codes</b>
	<b>SSCC</b> Serial Shipping Container Code
	<b>SerialNumber</b> Package/Pallet Serial Number
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>GoodsIdentifier</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> GOODS IDENTIFIER SSCC codes should not include the leading "00" qualifier, length of value should be 18 characters
<b>GoodsPlacementIds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:GoodsPlacementIds <b>General Notes</b> GOODS PLACEMENT For containerized Sea Freight, container number the line item is packed in
	<b>Examples</b> <GoodsPlacementIds> <GoodsPlacementId>ABCD1234567</GoodsPlacementId> </GoodsPlacementIds>
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>GoodsPlacementId</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER
<b>DangerousGoodsDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:DangerousGoodsDetailList <b>General Notes</b> DANGEROUS / HAZARDOUS GOODS DETAILS  Only include if line item contains dangerous/hazardous cargo
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>DangerousGoodsDetail</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:DangerousGoodsDetail
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>DangerousGoods</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:DangerousGoods <b>General Notes</b> DANGEROUS GOODS INFORMATION  <b>Examples</b> <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>192.00</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>1850</UpperPlate>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <LowerPlate>0001</LowerPlate> <Labels> <Label>Label 1</Label> </Labels> <TunnelCode>3</TunnelCode> </DangerousGoods>
xs:sequence <b>Regulation</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DANGEROUS GOODS REGULATION TYPE Required when dangerous goods for Road <b>Applicable Codes</b> <b>ADR</b> European Road Agreement <b>IMO</b> IMO IMDG
<b>HazardClass</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HAZARDOUS CLASS
<b>AdditionalHazardClass</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> ADDITIONAL HAZARDOUS CLASS / SUBRISK
<b>HazardVersionId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HAZARDOUS VERSION ID Required when dangerous goods for Road
<b>UNDGNumber</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> UNDG NUMBER Required when dangerous goods for Road
<b>FlashPointDescription</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> FLASH POINT DESCRIPTION
<b>FlashPointTemperature</b> <i>FlashpointUom</i>	<b>Occurrence</b> 0 .. 1 <b>Type</b> extension (xs:string) <b>General Notes</b> FLASHPOINT TEMPERATURE Integer value only
	<b>Type</b> xs:string <b>General Notes</b> FLASHPOINT TEMPERATURE UNIT OF MEASURE <b>Applicable Codes</b> <b>CEL</b> Celsius <b>FAH</b> Fahrenheit
<b>DangerLevelCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DANGER LEVEL CODE / PACKING GROUP Required when dangerous goods for Road <b>Applicable Codes</b> <b>I</b> Packing Group I - Great danger <b>II</b> Packing Group II - Medium danger <b>III</b> Packing Group III - Minor danger
<b>EMSNumber</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EMERGENCY SCHEDULE NUMBER

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute		Annotation
MFAGNumber	Occurrence	0 .. 1
	Type	xs:string
		<b>General Notes</b> MEDICAL FIRST AID GUIDE
TremCardNumber	Occurrence	0 .. 1
	Type	xs:string
		<b>General Notes</b> TREMCARD NUMBER
UpperPlate	Occurrence	0 .. 1
	Type	xs:string
		<b>General Notes</b> ORANGE HAZARD PLACARD UPPER PLATE
LowerPlate	Occurrence	0 .. 1
	Type	xs:string
		<b>General Notes</b> ORANGE HAZARD PLACARD LOWER PLATE
Labels	Occurrence	0 .. 1
	<b>General Notes</b> HAZARDOUS LABELS	
xs:sequence	Occurrence	1 .. 1
Label	Occurrence	1 .. 4
	Type	xs:string
		<b>General Notes</b> HAZARDOUS LABEL
TunnelCode	Occurrence	0 .. 1
	Type	xs:string
		<b>General Notes</b> TUNNEL CODE Required when dangerous goods for Road
FreeTextData	Occurrence	0 .. 1
	Type	shipment:FreeTextList
		<b>General Notes</b> DANGEROUS GOODS FREE TEXT
		<b>Examples</b>
		<pre> &lt;FreeTextData&gt;   &lt;FreeText Type="MarinePollutant"&gt;     &lt;TextLine&gt;MP&lt;/TextLine&gt;   &lt;/FreeText&gt;   &lt;FreeText Type="ProperShippingName"&gt;     &lt;TextLine&gt;Proper Shipping Name&lt;/TextLine&gt;   &lt;/FreeText&gt;   &lt;FreeText Type="TechnicalName"&gt;     &lt;TextLine&gt;Technical Name&lt;/TextLine&gt;   &lt;/FreeText&gt;   &lt;FreeText Type="DGAdditionalInfo"&gt;     &lt;TextLine&gt;DG Additional Info Line&lt;/TextLine&gt;   &lt;/FreeText&gt; &lt;/FreeTextData&gt; </pre>
xs:sequence	Occurrence	1 .. 1
FreeText	Occurrence	0 .. unbounded
	Type	sharedelements:FreeText
Type	Type	xs:string
	Use	required
		<b>General Notes</b> FREE TEXT TYPE
<b>Applicable Codes</b>		
<b>DGAdditionalInfo</b>		Additional Dangerous Goods Information
<b>MarinePollutant</b>		Marine Pollutant
<b>ProperShippingName</b>		Dangerous Goods Proper Shipping Name
<b>TechnicalName</b>		Dangerous Goods Technical Name

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div>xs:sequence</div> <div>TextLine1</div>	<div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> DG FREE TEXT LINE 1 Max. length 1024
TextLine2	<div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> DG FREE TEXT LINE 2 Max. length 1024
TextLine3	<div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> DG FREE TEXT LINE 3 Max. length 1024
TextLine4	<div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> DG FREE TEXT LINE 4 Max. length 1024
TextLine5	<div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> DG FREE TEXT LINE 5 Max. length 1024
Measurements	<div>Occurrence</div> 0 .. 1 <div>Type</div> shipment:MeasurementsList <div>General Notes</div> DANGEROUS GOODS MEASUREMENTS  <div>Examples</div> <div>&lt;Measurements&gt;</div> <div>  &lt;Measurement Type="NetNetWeight" Uom="KGM"&gt;</div> <div>    &lt;Measure&gt;5.01&lt;/Measure&gt;</div> <div>  &lt;/Measurement&gt;</div> <div>  &lt;Measurement Type="ExplosiveWeight" Uom="KGM"&gt;</div> <div>    &lt;Measure&gt;2.02&lt;/Measure&gt;</div> <div>  &lt;/Measurement&gt;</div> <div>  &lt;Measurement Type="PalletSpaces" Uom="PLL"&gt;</div> <div>    &lt;Measure&gt;3&lt;/Measure&gt;</div> <div>  &lt;/Measurement&gt;</div> <div>  &lt;Measurement Type="NumberOfPackages" Uom="PKG"&gt;</div> <div>    &lt;Measure&gt;3&lt;/Measure&gt;</div> <div>  &lt;/Measurement&gt;</div> <div>  &lt;Measurement Type="Volume" Uom="MTQ"&gt;</div> <div>    &lt;Measure&gt;2.002&lt;/Measure&gt;</div> <div>  &lt;/Measurement&gt;</div> <div>&lt;/Measurements&gt;</div>
<div>xs:sequence</div> <div>Measurement</div>	<div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. unbounded <div>Type</div> sharedelements:Measurement
Type	<div>Type</div> xs:string <div>Use</div> required <div>General Notes</div> MEASUREMENT TYPE  <div>Applicable Codes</div> <div>ExplosiveWeight</div> Dangerous Goods Explosive Weight <div>NetNetWeight</div> Dangerous Goods Net Weight <div>NumberOfPackages</div> Number of Dangerous Goods Packages <div>PalletSpaces</div> Number of Dangerous Goods Palletspaces

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>Volume</b> Dangerous Goods Volume <b>Type</b> xs:string <b>General Notes</b> MEASUREMENT UNIT OF MEASURE (Required)
<i>Uom</i>	
xs:sequence	
<b>Measure</b>	<b>Applicable Codes</b> <b>KGM</b> Kilograms <b>PCE</b> Pieces <b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MEASURE
<b>EquipmentUnits</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:EquipmentUnitsList <b>General Notes</b> EQUIPMENT INFORMATION
xs:sequence	
<b>EquipmentUnit</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> shipment:EquipmentUnit <b>General Notes</b> EQUIPMENT UNIT DETAILS  <b>Examples</b> For containerized sea freight:  <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;Container&lt;/Type&gt;     &lt;UnitId&gt;ABCD1234567&lt;/UnitId&gt;     &lt;SizeTypeCode&gt;40GP&lt;/SizeTypeCode&gt;   &lt;/EquipmentType&gt;   &lt;SealIds&gt;     &lt;Seal&gt;       &lt;SealId&gt;Seal1&lt;/SealId&gt;       &lt;SealParty&gt;Shipper&lt;/SealParty&gt;     &lt;/Seal&gt;   &lt;/SealIds&gt; &lt;/EquipmentUnit&gt;           </pre> For palletized road freight:  <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;EFP&lt;/Type&gt;   &lt;/EquipmentType&gt;   &lt;NumberOfUnits&gt;3&lt;/NumberOfUnits&gt; &lt;/EquipmentUnit&gt;           </pre>
xs:sequence	
<b>EquipmentType</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:EquipmentType <b>General Notes</b> EQUIPMENT TYPE INFORMATION
xs:sequence	
<b>Type</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EQUIPMENT TYPE  <b>Applicable Codes</b> <b>Container</b> Shipping Container <b>EFP</b> Euro Flat Pallet

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>UnitId</b>	<b>Applicable Codes</b>
	EUR Euro Pallet Trailer Trailer Road
<b>SizeTypeCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER
	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container
<b>ISOCode</b>	<b>Applicable Codes</b>
	20FR 20 ft flatrack 20GP 20 ft general purpose 20HC 20 ft high cube 20NOR 20 ft non-operating reefer 20OT 20ft open top 20OT_SO 20 ft shippers own container 20RE 20 ft reefer 40FR 40 ft flatrack 40GP 40 ft general purpose 40HC 40 ft high cube 40HC_FR 40 ft high cube 40HC_OT 40 ft high cube open top 40NOR 40 ft high cube, self powered reefer 40OT 40 ft open top 40RE 40 ft reefer 40REHC 40 ft high cube reefer 45FR 45 ft flatrack 45GPHC 45 ft high cube pallet wid 45HC 45 ft high cube 45REHC 45 ft high cube reefer
	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPPING CONTAINER ISO CODE
	<b>Applicable Codes</b>
	22G0 20 ft General Purpose 22G1 20 ft Reefer 22P1 20 ft Flatrack 22R0 20 ft Non-operating Reefer 22R1 20 ft Reefer 22U0 20 ft Shippers own container 22U1 20 ft Open top 24G0 20 ft High Cube 42G0 40 ft General Purpose 42G1 40 ft General Purpose 42P1 40 ft Flatrack 42R1 40 ft Reefer 42U1 40 ft Open top 45G0 40 ft High Cube 45G1 40 ft High Cube 45P8 40 ft High Cube 45R0 40 ft High Cube Non-operating Reefer 45R1 40 ft High Cube Reefer 45R9 40 ft High Cube, self powered Reefer 45U1 40 ft High Cube Open top L5G0 45 ft High Cube L5P0 45 ft Flatrack L5R0 45 ft High Cube Reefer LEG3 45 ft High Cube pallet wid

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>PackingMode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CONTAINER PACKINGMODE
<b>NumberOfUnits</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:decimal <b>General Notes</b> NUMBER OF UNITS For EUR freight pallets
<b>SealIds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shipment:SealList <b>General Notes</b> SEAL IDS
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Seal</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> sharedelements:Seal <b>General Notes</b> SEAL INFORMATION FOR SHIPPING CONTAINERS  <b>Examples</b> <SealIds> <Seal> <SealId>Seal1</SealId> <SealParty>Shipper</SealParty> </Seal> </SealIds>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>SealId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SEAL NUMBER
<b>SealParty</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SEALING PARTY  <b>Applicable Codes</b> <b>Shipper</b> Shipper Sealing Party
<b>TransportMovement</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> sharedelements:TransportMovement <b>General Notes</b> TRANSPORT MOVEMENT
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Code</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MOVEMENT CODE  <b>Applicable Codes</b> <b>CFS/CFS</b> Container Freight Station to Container Freight Station <b>CFS/CY</b> Container Freight Station to Container Yard <b>CFS/DR</b> Container Freight Station to Door <b>CY/CFS</b> Container Yard to Container Freight Station <b>CY/CY</b> Container Yard to Container Yard <b>CY/DR</b> Container Yard to Door <b>DR/CFS</b> Door to Container Freight Station <b>DR/CY</b> Door to Container Yard <b>DR/DR</b> Door to Door <b>FCL/FCL</b> FCL/FCL <b>FCL/LCL</b> FCL/LCL <b>LCL/FCL</b> LCL/FCL <b>LCL/LCL</b> LCL/LCL

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute		Annotation	
<div></div> <div>Description</div>	<div></div>	Applicable Codes	
		RO/RO	Roll On Roll Off
		Occurrence	0 .. 1
		Type	xs:string
		General Notes	TRANSPORT MOVEMENT DESCRIPTION

Bold = Element, Italic = Attribute, Grey = Group