



Message Implementation Guideline

## **DSV\_TransportMessage**

Model: DSV XML TRANSPORT outbound\_V2\_Release\_v2.  
0\_20230601  
Issue date: 2023-05-31  
Author: DSV A/S, EDI



## Change Log

No	Changes	
01	Date (YYYY-MM-DD)	2019-10-22
	Author	DSV A/S, EDI
	CRQ	
	<b>Tag</b>	<b>TermsOfDelivery</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/TermsOfDelivery
	Change Description	DSV Example Notes updated with IncoTerms. Codes for IncoTerms and CombiTerms added in Codeld.
02	Date (YYYY-MM-DD)	2019-12-02
	Author	DSV A/S, EDI
	CRQ	
	<b>Tag</b>	<b>HandlingInstructions</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/HandlingInstructions
	Change Description	DSV Example Notes updated for DescriptionCode and Description. Code for Stacked added in DescriptionCode.
03	Date (YYYY-MM-DD)	2021-04-21
	Author	DSV Panalpina A/S, EDI
	CRQ	
	<b>Tag</b>	<b>EquipmentUnits</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits
	Change Description	Enabled Dates in /DSV_TransportMessage/Transport/EquipmentUnits for Container dates.
04	Date (YYYY-MM-DD)	2021-05-10
	Author	DSV A/S, EDI
	CRQ	v1.4
	<b>Tag</b>	<b>Dates</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Dates
	Change Description	Enabled Dates for Equipments.
05	Date (YYYY-MM-DD)	2021-05-10
	Author	DSV A/S, EDI
	CRQ	v1.4
	<b>Tag</b>	<b>ControlTotals</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/ControlTotals
	Change Description	Enabled NumberOfInnerPackages for Shipments.
06	Date (YYYY-MM-DD)	2021-05-10
	Author	DSV A/S, EDI
	CRQ	v1.4
	<b>Tag</b>	<b>References</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Parties/Party/References
	Change Description	Enabled References for Parties in Shipments.
07	Date (YYYY-MM-DD)	2021-05-10
	Author	DSV A/S, EDI
	CRQ	
	<b>Tag</b>	<b>References</b>
	Path	DSV_TransportMessage/Transport/TransportStages/TransportStage/Parties/Party/References



## Change Log

No	Changes	
	Change Description	Enabled References for Parties in TransportStages.
08	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>Type</b>
	Path	DSV_TransportMessage/Transport/FreeTextData/FreeText/@Type
	Change Description	Enabled "TransportInstructions" as FreeText@Type.
09	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>Type</b>
	Path	DSV_TransportMessage/Transport/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "WorkCategory" as Reference@Type.
10	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>Type</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "WorkCategory" as Reference@Type.
11	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>GoodsItems</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems
	Change Description	There can be a second repeat of GoodsItem group with ItemNumber= "0", which will contain information populated for Solutions transport messages.
12	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>Type</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/FreeTextData/FreeText/@Type
	Change Description	Enabled "SaidToContain" as FreeTextType
13	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>Type</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/Dimensions/Dimension/@Type
	Change Description	Enabled "GoodsItemsDimensions" as Dimension@Type.
14	Date (YYYY-MM-DD)	2021-09-21
	Author	DSV A/S, EDI
	CRQ	v1.6
	<b>Tag</b>	<b>Type</b>
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/GoodsItems/GoodsItem/



## Change Log

No	Changes	
	Change Description	References/ReferenceGroup/Reference/@Type Enabled "WorkCategory" as Reference@Type.
15	Date (YYYY-MM-DD) Author CRQ <b>Tag</b> Path	2021-09-21 DSV A/S, EDI v1.6 <b>Type</b> DSV_TransportMessage/Transport/Shipments/Shipment/GoodItems/GoodItem/ DangerousGoodsDetails/DangerousGoodsDetail/FreeTextData/FreeText/@Type
	Change Description	Enabled "UNPackagingCode", "ClassificationCode" as FreeTextType
16	Date (YYYY-MM-DD) Author CRQ <b>Tag</b> Path	2021-09-21 DSV A/S, EDI v1.6 <b>GoodItem &lt;PackageList&gt;</b> DSV_TransportMessage/Transport/Shipments/Shipment/GoodItems/GoodItem
	Change Description	There can be a second repeat of GoodItem group with ItemNumber= "0", which will contain information populated for Solutions transport messages.
17	Date (YYYY-MM-DD) Author CRQ <b>Tag</b> Path	2021-09-21 DSV A/S, EDI v1.6 <b>Type</b> DSV_TransportMessage/Transport/Shipments/Shipment/GoodItems/GoodItem/ Dimensions/Dimension/@Type
	Change Description	Enabled "GoodItemsDimensions" as Dimension@Type.
18	Date (YYYY-MM-DD) Author CRQ <b>Tag</b> Path	2021-11-29 DSV A/S, EDI v1.7 <b>Type</b> DSV_TransportMessage/Transport/References/ReferenceGroup/Reference/@Type
	Change Description	Enabled "PaymentType" as Reference@Type
19	Date (YYYY-MM-DD) Author CRQ <b>Tag</b> Path	2021-11-29 DSV A/S, EDI v1.7 <b>References</b> DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/References
	Change Description	Enabled Equipment References
20	Date (YYYY-MM-DD) Author CRQ <b>Tag</b> Path	2021-11-29 DSV A/S, EDI v1.7 <b>TemperatureControl</b> DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/ TemperatureControl
	Change Description	Enabled EquipmentUnit/TemperatureControl
21	Date (YYYY-MM-DD) Author CRQ <b>Tag</b>	2021-11-29 DSV A/S, EDI v1.7 <b>ItemType</b>



## Change Log

No	Changes	
	Path	DSV_TransportMessage/Transport/Shipments/Shipment/Goodsltems/Goodsltem/Productlds/Productld/ItemType
	Change Description	Enabled ItemType CommodityCode
22	Date (YYYY-MM-DD)	2022-11-08
	Author	DSV A/S
	CRQ	v1.7
	Tag	<b>Measurements</b>
	Path	DSV_TransportMessage/Transport/EquipmentUnits/EquipmentUnit/Measurements
23	Change Description	Enabled EquipmentUnit/Measurements for Container Weights
	Date (YYYY-MM-DD)	2023-05-18
	Author	DSV A&S EDI
	CRQ	v2.0
	Tag	<b>DSV_TransportMessage</b>
	Path	DSV_TransportMessage
	Change Description	Schema Upgrade to DSV_TransportMessage V2 - /Locations/Location to /Locations/LocationGroup/Location - /EquipmentUnit/TransportMovement to /EquipmentUnit/TransportMovements/TransportMovement - /TermsOfDelivery/Terms/TermCode to /TermsOfDelivery/Terms/TermsCode - /HandlingInstructions/HandlingInstruction/DescriptionCode to /HandlingInstructions/HandlingInstruction/Code  Additions: /Transport/EquipmentUnits/EquipmentUnit/Parties /Shipments/Shipment/EquipmentUnits/EquipmentUnit/Parties

## Structure

Occurrence	Element/Attribute
	<b>DSV_TransportMessage</b>
1 .. 1	xs:sequence
1 .. 1	<b>Header</b>
1 .. 1	xs:sequence
1 .. 1	<b>MessageId</b>
1 .. 1	<b>SenderId</b>
1 .. 1	<b>ReceiverId</b>
1 .. 1	<b>DocumentDate</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
1 .. 1	<b>DocumentCode</b>
1 .. 1	<b>Function</b>
1 .. 1	<b>Version</b>
1 .. 1	<b>Transport</b>
1 .. 1	xs:sequence
1 .. 1	<b>TransportId</b>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>FreeTextData</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>FreeText</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
0 .. 1	<b>ControlTotals</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ControlTotal</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Quantity</b>
0 .. 1	<b>References</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
optional	<i>CustomFieldType</i>
<b>0 .. 1</b>	<b>TransportStages</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>TransportStage</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Stage</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>ModeOfTransport</b>
0 .. 1	<b>TransportId</b>
0 .. 1	<b>CarrierId</b>
0 .. 1	<b>CarrierName</b>
0 .. 1	<b>TransportType</b>
0 .. 1	<b>TransportMeansName</b>
0 .. 1	<b>TransportMeansNationality</b>
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
<b>0 .. 1</b>	<b>TransportServices</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>TransportService</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PriorityCode</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
1 .. 1	<i>Type</i>
0 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
<b>0 .. 1</b>	<b>Parties</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Party</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>PartyDetails</b>
required	<i>Role</i>
1 .. 1	xs:sequence
0 .. 1	<b>Id</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
0 .. 1	AddressLine2
0 .. 1	AddressLine3
0 .. 1	CityName
0 .. 1	State
0 .. 1	PostCode
0 .. 1	CountryCode
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	Type
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	Type
	xs:sequence
1 .. 1	LocationIdentifier
0 .. 1	
<b>0 .. unbounded</b>	<b>Contact</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Fax
0 .. 1	Email
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
<b>0 .. 1</b>	<b>EquipmentUnits</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>EquipmentUnit</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>EquipmentType</b>
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	PackingMode
0 .. 1	NumberOfUnits
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Measurement</b>
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group





Occurrence	Element/Attribute
0 .. 1	<b>SealIds</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Seal</b>
1 .. 1	xs:sequence
0 .. 1	<b>SealId</b>
0 .. 1	<b>SealParty</b>
0 .. 1	<b>References</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>TransportMovements</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>TransportMovement</b>
1 .. 1	xs:sequence
0 .. 1	<b>Code</b>
0 .. 1	<b>Description</b>
0 .. 1	<b>TemperatureControl</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Fixed</b>
0 .. 1	<b>HumidityPercentage</b>
0 .. 1	<b>Parties</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Party</b>
1 .. 1	xs:sequence
0 .. 1	<b>PartyDetails</b>
required	<i>Role</i>
1 .. 1	xs:sequence
0 .. 1	<b>Id</b>
0 .. 1	<b>Assignor</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>
0 .. 1	<b>AddressLine2</b>
0 .. 1	<b>AddressLine3</b>
0 .. 1	<b>CityName</b>
0 .. 1	<b>State</b>
0 .. 1	<b>PostCode</b>
0 .. 1	<b>CountryCode</b>
0 .. 1	<b>Shipments</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
<b>0 .. unbounded</b>	<b>Shipment</b>
1 .. 1	xs:sequence
0 .. 1	<b>ShipmentId</b>
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Date</b>
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
<b>0 .. 1</b>	<b>TransportServices</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ServiceGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>TransportService</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
0 .. 1	<b>PriorityCode</b>
<b>0 .. 1</b>	<b>TransportService &lt;AdditionalServices&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
<b>0 .. 1</b>	<b>TransportService &lt;Road BDS AdditionalServices&gt;</b>
1 .. 1	xs:sequence
0 .. 1	<b>ServiceCode</b>
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>FreeText</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
<b>0 .. 1</b>	<b>ControlTotals</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ControlTotal</b>
required	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	<b>Quantity</b>
<b>0 .. 1</b>	<b>TermsOfDelivery</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Terms</b>
1 .. 1	xs:sequence
0 .. 1	<b>TermsCode</b>
0 .. 1	<b>CodeId</b>
<b>0 .. unbounded</b>	<b>Location</b>
required	Type
	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
1 .. 1	
1 .. unbounded	<b>LocationIdentification</b>
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	<b>LocationIdentifier</b>
0 .. 1	<b>LocationName</b>
0 .. 1	<b>References</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>ReferenceGroup</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Reference</b>
required	<i>Type</i>
optional	<i>CustomFieldType</i>
0 .. 1	<b>Requirements</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>Requirement</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>GovernmentalRequirements</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>TransportMovementCode</b>
0 .. 1	<b>InvolvementCode</b>
0 .. 1	<b>Documents</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>Document</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>DocumentCode</b>
0 .. 1	<b>DocumentCopies</b>
0 .. 1	<b>DocumentOriginals</b>
0 .. 1	<b>ChargeMethodology</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>PaymentInstructions</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>PaymentInstruction</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>PaymentCode</b>
0 .. 1	<b>TransportStages</b>
1 .. 1	<i>xs:sequence</i>
0 .. unbounded	<b>TransportStage</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Stage</b>
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>ModeOfTransport</b>
0 .. 1	<b>TransportId</b>
0 .. 1	<b>CarrierId</b>
0 .. 1	<b>CarrierName</b>
0 .. 1	<b>TransportType</b>
0 .. 1	<b>TransportMeansName</b>
0 .. 1	<b>TransportMeansNationality</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Date</b>
required	Type
required	Format
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>DateTime</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	Type
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	Type
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>LocationIdentifier</b>
<b>0 .. 1</b>	<b>LocationName</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Reference</b>
required	Type
<b>0 .. 1</b>	<b>Parties</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Party</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>PartyDetails</b>
required	Role
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Id</b>
<b>0 .. 1</b>	<b>PartyName</b>
<b>0 .. 1</b>	<b>AddressLine1</b>
<b>0 .. 1</b>	<b>AddressLine2</b>
<b>0 .. 1</b>	<b>AddressLine3</b>
<b>0 .. 1</b>	<b>CityName</b>
<b>0 .. 1</b>	<b>State</b>
<b>0 .. 1</b>	<b>PostCode</b>
<b>0 .. 1</b>	<b>CountryCode</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	Type
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>LocationIdentifier</b>
required	<b>Contact</b>
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Name</b>
0 .. 1	<b>Phone</b>
0 .. 1	<b>Mobile</b>
0 .. 1	<b>Fax</b>
0 .. 1	<b>Email</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Reference</b>
required	<i>Type</i>
<b>0 .. 1</b>	<b>GoodsItems</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>GoodsItem</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. 1</b>	<b>Item</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>ItemNumber</b>
0 .. 1	<b>PackageQty</b>
0 .. 1	<b>PackageType</b>
<b>0 .. 1</b>	<b>HandlingInstructions</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>HandlingInstruction</b>
1 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Code</b>
0 .. 1	<b>Description</b>
<b>0 .. 1</b>	<b>RangeDetails</b>
required	<i>Type</i>
1 .. 1	<i>Uom</i>
0 .. 1	<i>xs:sequence</i>
0 .. 1	<b>Minimum</b>
0 .. 1	<b>Maximum</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	<i>xs:sequence</i>
<b>0 .. 1</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	<i>xs:sequence</i>
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
1 .. 1	<i>Type</i>
0 .. 1	<i>xs:sequence</i>
<b>0 .. 1</b>	<b>LocationIdentifier</b>
<b>0 .. 1</b>	<b>MonetaryAmounts</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>MonetaryAmount</b>
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	Amount
0 .. 1	Currency
<b>0 .. 1</b>	<b>ProductIds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>ProductId</b>
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	ItemId
0 .. 1	ItemType
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>FreeText</b>
1 .. 1	Type
0 .. 1	xs:sequence
0 .. 1	DescriptionCode
0 .. 1	TextLine1
0 .. 1	TextLine2
0 .. 1	TextLine3
0 .. 1	TextLine4
0 .. 1	TextLine5
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Measurement</b>
1 .. 1	Type
0 .. 1	Uom
0 .. 1	xs:sequence
0 .. 1	Measure
<b>0 .. 1</b>	<b>Dimensions</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Dimension</b>
1 .. 1	Type
0 .. 1	Uom
0 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	NumberOfUnits
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
<b>0 .. 1</b>	<b>Packagelds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Packageld</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
1 .. 1	xs:sequence
1 .. 1	<b>InstructionCode</b>
<b>0 .. 1</b>	<b>Marks</b>
1 .. 1	xs:sequence
1 .. unbounded	<b>ShippingMark</b>
<b>0 .. unbounded</b>	<b>GoodsIdentities</b>
required	<i>Type</i>
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsIdentifier</b>
<b>0 .. 1</b>	<b>GoodsPlacementIds</b>
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsPlacementId</b>
<b>0 .. 1</b>	<b>DangerousGoodsDetails</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>DangerousGoodsDetail</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>DangerousGoods</b>
1 .. 1	xs:sequence
0 .. 1	<b>Regulation</b>
0 .. 1	<b>HazardClass</b>
0 .. 1	<b>AdditionalHazardClass</b>
0 .. 1	<b>HazardVersionId</b>
0 .. 1	<b>UNDGNumber</b>
0 .. 1	<b>FlashPointDescription</b>
0 .. 1	<b>FlashPointTemperature</b>
	<i>FlashpointUom</i>
0 .. 1	<b>DangerLevelCode</b>
0 .. 1	<b>EMSNumber</b>
0 .. 1	<b>MFAGNumber</b>
0 .. 1	<b>TremCardNumber</b>
0 .. 1	<b>UpperPlate</b>
0 .. 1	<b>LowerPlate</b>
<b>0 .. 1</b>	<b>Labels</b>
1 .. 1	xs:sequence
1 .. 4	<b>Label</b>
0 .. 1	<b>PackingInstruction</b>
0 .. 1	<b>TransportMeansCode</b>
0 .. 1	<b>TunnelCode</b>
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>FreeText</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
<b>0 .. unbounded</b> required	<b>Measurement</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Measure</b>
<b>0 .. unbounded</b>	<b>GoodsItem &lt;PackageList&gt;</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Item</b>
1 .. 1	xs:sequence
0 .. 1	<b>ItemNumber</b>
0 .. 1	<b>PackageQty</b>
0 .. 1	<b>PackageType</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	<i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>LocationIdentifier</b>
<b>0 .. 1</b>	<b>Measurements</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Measurement</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Measure</b>
<b>0 .. 1</b>	<b>Dimensions</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>Dimension</b>
	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Length</b>
0 .. 1	<b>Width</b>
0 .. 1	<b>Height</b>
0 .. 1	<b>NumberOfUnits</b>
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	<b>Reference</b>
required	<i>Type</i>
<b>0 .. 1</b>	<b>Packagelds</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>GoodsIdentities</b>
	<i>Type</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group





Occurrence	Element/Attribute
1 .. 1	xs:sequence
1 .. unbounded	<b>GoodsIdentifier</b>
0 .. 1	<b>EquipmentUnits</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>EquipmentUnit</b>
1 .. 1	xs:sequence
0 .. 1	<b>EquipmentType</b>
1 .. 1	xs:sequence
0 .. 1	<b>Type</b>
0 .. 1	<b>UnitId</b>
0 .. 1	<b>SizeTypeCode</b>
0 .. 1	<b>ISOCODE</b>
0 .. 1	<b>NumberOfUnits</b>
0 .. 1	<b>SealIds</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Seal</b>
1 .. 1	xs:sequence
0 .. 1	<b>SealId</b>
0 .. 1	<b>SealParty</b>
0 .. 1	<b>Parties</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Party</b>
1 .. 1	xs:sequence
0 .. 1	<b>PartyDetails</b>
required	<b>Role</b>
1 .. 1	xs:sequence
0 .. 1	<b>Id</b>
0 .. 1	<b>Assignor</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>
0 .. 1	<b>AddressLine2</b>
0 .. 1	<b>AddressLine3</b>
0 .. 1	<b>CityName</b>
0 .. 1	<b>State</b>
0 .. 1	<b>PostCode</b>
0 .. 1	<b>CountryCode</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



## Guideline

Element/Attribute	Annotation
<b>DSV_TransportMessage</b>	
xs:sequence	Occurrence 1 .. 1
<b>Header</b>	Occurrence 1 .. 1 Type Header <b>General Notes</b> MESSAGE HEADER  <b>Examples</b> <Header> <Messageld>12485236</Messageld> <SenderId>SenderIdentification</SenderId> <ReceiverId>ReceiverIdentification</ReceiverId> <DocumentDate Type="DocumentDate" Format="DateTime"> <DateTime>201902121300</DateTime> </DocumentDate> <DocumentCode>TransportMessage</DocumentCode> <Function>New</Function> <Version>1.0</Version> </Header>
xs:sequence	Occurrence 1 .. 1
<b>Messageld</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> MESSAGE IDENTIFIER
<b>SenderId</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> SENDER IDENTIFICATION Mutually agreed
<b>ReceiverId</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> RECEIVER IDENTIFICATION Mutually agreed
<b>DocumentDate</b>	Occurrence 1 .. 1 Type Date
<i>Type</i>	Type xs:string Use required <b>General Notes</b> DOCUMENT / MESSAGE DATE TYPE  <b>Applicable Codes</b>
<i>Format</i>	<b>IssueDate</b> Document Issued Date Type xs:string Use required <b>General Notes</b> DOCUMENT / MESSAGE DATE FORMAT  <b>Applicable Codes</b>
	<b>DateTime</b> CCYYMMDDHHMM <b>DateTimeSec</b> CCYYMMDDHHMMSS
xs:sequence	Occurrence 1 .. 1
<b>DateTime</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DOCUMENT / MESSAGE DATE/TIME
<b>DocumentCode</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> DOCUMENT TYPE  <b>Applicable Codes</b>
	<b>TransportMessage</b> Transport Message Instruction

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Function</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> DOCUMENT/MESSAGE FUNCTION <b>Applicable Codes</b> Delete Delete New New Update Update
<b>Version</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> MESSAGE VERSION
<b>Transport</b>	Occurrence 1 .. 1 Type Transport
xs:sequence	Occurrence 1 .. 1
<b>TransportId</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> TRANSPORT IDENTIFIER Waybill number or another reference to the message.
<b>Dates</b>	Occurrence 0 .. 1 Type DateList <b>General Notes</b> TRANSPORT DATES <b>Examples</b> <Dates> <Date Type="IssueDate" Format="DateTime"> <DateTime>201902130900</DateTime> </Date> </Dates>
xs:sequence	Occurrence 1 .. 1
<b>Date</b>	Occurrence 0 .. unbounded Type Date Type xs:string Use required <b>General Notes</b> DOCUMENT ISSUED DATE TYPE <b>Applicable Codes</b> IssueDate Document Issued Date
Type	Type xs:string
Use	required
<b>General Notes</b>	DOCUMENT ISSUED DATE TYPE
<b>Applicable Codes</b>	
IssueDate	Document Issued Date
Type	xs:string
Use	required
<b>General Notes</b>	DOCUMENT ISSUED DATE FORMAT
<b>Applicable Codes</b>	
DateTimeSec	CCYYMMDDHHMMss
xs:sequence	Occurrence 1 .. 1
<b>DateTime</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DOCUMENT ISSUED DATE
<b>FreeTextData</b>	Occurrence 0 .. 1 Type FreeTextList <b>General Notes</b> TRANSPORT FREE TEXT <b>Examples</b> <FreeTextData> <FreeText Type="DeliveryInstructions"> <TextLine1>DeliveryInstructions Text Line 1</TextLine1> <TextLine2>DeliveryInstructions Text Line 2</TextLine2> <TextLine3>DeliveryInstructions Text Line 3</TextLine3> <TextLine4>DeliveryInstructions Text Line 4</TextLine4> </FreeText> </FreeTextData>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation												
	<b>Examples</b> <TextLine5>DeliveryInstructions Text Line 5</TextLine5> </FreeText> <FreeText Type="HandlingInstructions"> <TextLine1>Handling Instructions Text Line 1</TextLine1> </FreeText> <FreeText Type="PickupInstructions"> <TextLine1>Pickup Instructions Text Line 1</TextLine1> </FreeText> </FreeTextData>												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded												
Type	<b>Type</b> FreeText												
	<b>Type</b> xs:string												
	<b>Use</b> required												
	<b>General Notes</b> TRANSPORT FREE TEXT TYPE												
	Predefined Types listed, additional FreeText types to be agreed												
	<b>Applicable Codes</b> <table> <tr> <td><b>DeliveryInstructions</b></td><td>Delivery Instructions</td></tr> <tr> <td><b>GeneralInformation</b></td><td>General information</td></tr> <tr> <td><b>PickupInstructions</b></td><td>Pickup Instructions</td></tr> <tr> <td><b>SpecialHandling</b></td><td>Special Handling</td></tr> <tr> <td><b>SpecialInstructions</b></td><td>Special Instructions</td></tr> <tr> <td><b>TransportInstructions</b></td><td>Transport instructions</td></tr> </table>	<b>DeliveryInstructions</b>	Delivery Instructions	<b>GeneralInformation</b>	General information	<b>PickupInstructions</b>	Pickup Instructions	<b>SpecialHandling</b>	Special Handling	<b>SpecialInstructions</b>	Special Instructions	<b>TransportInstructions</b>	Transport instructions
<b>DeliveryInstructions</b>	Delivery Instructions												
<b>GeneralInformation</b>	General information												
<b>PickupInstructions</b>	Pickup Instructions												
<b>SpecialHandling</b>	Special Handling												
<b>SpecialInstructions</b>	Special Instructions												
<b>TransportInstructions</b>	Transport instructions												
xs:sequence	<b>Occurrence</b> 1 .. 1												
<b>TextLine1</b>	<b>Occurrence</b> 0 .. 1												
	<b>Type</b> xs:string												
	<b>General Notes</b> TRANSPORT FREE TEXT LINE 1												
<b>TextLine2</b>	<b>Occurrence</b> 0 .. 1												
	<b>Type</b> xs:string												
	<b>General Notes</b> TRANSPORT FREE TEXT LINE 2												
<b>TextLine3</b>	<b>Occurrence</b> 0 .. 1												
	<b>Type</b> xs:string												
	<b>General Notes</b> TRANSPORT FREE TEXT LINE 3												
<b>TextLine4</b>	<b>Occurrence</b> 0 .. 1												
	<b>Type</b> xs:string												
	<b>General Notes</b> TRANSPORT FREE TEXT LINE 4												
<b>TextLine5</b>	<b>Occurrence</b> 0 .. 1												
	<b>Type</b> xs:string												
	<b>General Notes</b> TRANSPORT FREE TEXT LINE 5												
<b>ControlTotals</b>	<b>Occurrence</b> 0 .. 1												
	<b>Type</b> ControlTotalList												
	<b>General Notes</b> TRANSPORT CONTROL TOTALS												
	<b>Examples</b> <ControlTotals> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>101.01</Quantity> </ControlTotal> <ControlTotal Type="Volume" Uom="MTQ"> <Quantity>2</Quantity> </ControlTotal> <ControlTotal Type="LoadingMeters" Uom="MTR">												

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <Quantity>12</Quantity> </ControlTotal> <ControlTotal Type="TotalNumberOfConsignments"> <Quantity>3</Quantity> </ControlTotal> </ControlTotals>
xs:sequence	Occurrence 1 .. 1
<b>ControlTotal</b>	Occurrence 0 .. unbounded
Type	Type ControlTotal
Type	Type xs:string
Use	Use required
	<b>General Notes</b> CONTROL TOTAL TYPE
	<b>Applicable Codes</b>
	<b>ChargeableWeight</b> Chargeable Weight
	<b>GrossWeight</b> GrossWeight
	<b>LoadingMeters</b> Loading Meters
	<b>NumberOfPackages</b> NumberOfPackages
	<b>TotalNumberOfConsignments</b> Total number of consignments
	<b>Volume</b> Volume
Uom	Type xs:string
	<b>General Notes</b> QUANTITY UNIT OF MEASURE
	<b>Applicable Codes</b>
	<b>KGM</b> Kilogram
	<b>MTQ</b> Cubic meters
	<b>MTR</b> Meters
	<b>PCE</b> Pieces
xs:sequence	Occurrence 1 .. 1
<b>Quantity</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> TRANSPORT QUANTITY
<b>References</b>	Occurrence 0 .. 1
	Type ReferenceGroupList
	<b>General Notes</b> TRANSPORT REFERENCES
	<b>Examples</b>
	<References>
	<ReferenceGroup>
	<Reference Type="CargoManifestNo">CM1</Reference>
	</ReferenceGroup>
	<ReferenceGroup>
	<Reference Type="MasterBill">1234567890</Reference>
	</ReferenceGroup>
	<ReferenceGroup>
	<Reference Type="TransportInstructionNumber">TIN1</Reference>
	</ReferenceGroup>
	</References>
xs:sequence	Occurrence 1 .. 1
<b>ReferenceGroup</b>	Occurrence 0 .. unbounded
	Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
<b>Reference</b>	Occurrence 0 .. 1
	Type Reference
Type	Type xs:string
Use	Use required
	<b>General Notes</b> TRANSPORT REFERENCE TYPE

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	Predefined Types listed, additional reference types to be agreed
	<b>Applicable Codes</b> <b>BookingReference</b> Carrier Booking Reference <b>CargoManifestNo</b> Cargo manifest number, Transport Id <b>ContractNumber</b> Contract Number <b>ExternalReference</b> External reference customer reference number <b>MasterBill</b> Master bill of lading number <b>PaymentType</b> Payment Type <b>TransportInstructionNumber</b> Transport instruction number <b>WorkCategory</b> Work category
<i>CustomFieldType</i>	<b>Type</b> xs:string <b>Use</b> optional <b>General Notes</b> CUSTOM FIELD TYPE Use to be agreed
<b>TransportStages</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> TransportStageList <b>General Notes</b> TRANSPORT - TRANSPORT STAGES
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TransportStage</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> TransportStage
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Stage</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Stage <b>General Notes</b> TRANSPORTATION STAGE <b>Examples</b> <Stage Type="MainCarriage"> <ModeOfTransport>Road</ModeOfTransport> </Stage>  <Stage Type="MainCarriage"> <ModeOfTransport>Sea</ModeOfTransport> <TransportId>017W</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType> <TransportMeansName>Vessel Name</TransportMeansName> <TransportMeansNationality>PA</TransportMeansNationality> </Stage>  <Stage Type="MainCarriage"> <ModeOfTransport>Air</ModeOfTransport> <TransportId>LH123</TransportId> <CarrierId>61616161</CarrierId> <CarrierName>Carrier name</CarrierName> <TransportType>Main</TransportType> </Stage>
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION STAGE TYPE <b>Applicable Codes</b> <b>MainCarriage</b> Main-carriage transport <b>PlannedLeg1</b> Main carriage - first carrier

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div>ModeOfTransport</div> </div>	<b>Applicable Codes</b> <b>PlannedLeg2</b> Main carriage - second carrier <b>PlannedLeg3</b> Main carriage - third carrier <b>PlannedLeg4</b> Main carriage - fourth carrier <b>PlannedLeg5</b> Main carriage - fifth carrier
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MODE OF TRANSPORTATION
	<b>Applicable Codes</b> <b>Air</b> Air Transport <b>Rail</b> Rail Transport <b>Road</b> Road Transport <b>Sea</b> Sea Transport
	<b>TransportId</b> <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used
	<b>CarrierId</b> <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER IDENTIFICATION Air & Sea: DSV carrier identifier Road: Not used
CarrierName	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER NAME Road: Not used
TransportType	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT TYPE Road: Not used
TransportMeansName	<b>Applicable Codes</b> <b>Flight1</b> First flight <b>Flight2</b> Second flight <b>Flight3</b> Third flight <b>Flight4</b> Fourth flight <b>Main</b> Main Carriage <b>Other</b> Other
	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MEANS NAME Sea: Vessel Name Air & Road: Not used
TransportMeansNationality	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MEANS NATIONALITY Sea: Vessel flag Air & Road: Not used
Dates	<b>Occurrence</b> 0 .. 1 <b>Type</b> DateList <b>General Notes</b> TRANSPORTATION DATES  <b>Examples</b> <Dates>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <Date Type="EstimatedDeparture" Format="Date"> <DateTime>20190225</DateTime> </Date> <Date Type="EstimatedArrival" Format="DateTimeSec"> <DateTime>201903011200</DateTime> </Date> </Dates>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Date</b>	<b>Occurrence</b> 0 .. unbounded
<i>Type</i>	<b>Type</b> Date
	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TRANSPORTATION DATE TYPE
	<b>Applicable Codes</b>
	<b>ActualArrival</b> Transport means arrival date time, actual
	<b>ActualDeparture</b> Transport means departure date/time, actual
	<b>ScheduledArrival</b> Transport means arrival date/time, scheduled
	<b>ScheduledDeparture</b> Transport means departure date/time, scheduled
	<b>ScheduledTransportArrival</b> Transport means arrival date/time, scheduled
	<b>ScheduledTransportDeparture</b> Transport means departure date/time, scheduled
<i>Format</i>	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TRANSPORTATION DATE FORMAT
	<b>Applicable Codes</b>
	<b>DateTimeInterval</b> CCYYMMDDHHMM-CCYYMMDDHHMM
	<b>DateTimeSec</b> CCYYMMDDHHMMss
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>DateTime</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORTATION DATE/TIME
<b>TransportServices</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> TransportServiceList
	<b>General Notes</b> TRANSPORT SERVICES REQUIRED
	First occurrence will contain Main Service Additional services will be provided in subsequent occurrences
	<b>Examples</b> <TransportServices> <TransportService> <ServiceCode>Road_LTL</ServiceCode> <PriorityCode>Normal</PriorityCode> </TransportService> <TransportService> <ServiceCode>Before16</ServiceCode> </TransportService> </TransportServices>

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
<b>TransportService</b>	Occurrence 0 .. unbounded Type TransportService
xs:sequence	Occurrence 1 .. 1
<b>ServiceCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TYPE OF SERVICE REQUIRED
	<b>Applicable Codes</b>
	<b>Air_IATA</b> Air - IATA
	<b>Air_LSE</b> Air - LSE
	<b>Before10</b> Express 10:00
	<b>Before12</b> Express 12:00
	<b>Before16</b> Express 16:00
	<b>Before7</b> Express 07:00
	<b>Crane</b> Crane required loading or unloading or both
	<b>FCL</b> Full Container Load
	<b>FTL</b> Full Truckload
	<b>HAZ</b> Hazardous goods
	<b>InNightproduct</b> InNight product
	<b>LCL</b> Less Than Container Load
	<b>LSE</b> Air - LSE
	<b>LTL</b> Less Than Truckload
	<b>Lift</b> Tail lift
	<b>Notification</b> Notify
	<b>OMEX</b> Omex service goods
	<b>PersonalDeliveryService</b> Personal delivery service
	<b>PreAdvice</b> Pre-advice
	<b>ePallet</b> E-service pallet
	<b>eParcel</b> E-service parcel
<b>PriorityCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SERVICE PRIORITY CODE  Only provided for Main Service (First TransportService)
	<b>Applicable Codes</b>
	<b>Express</b> Express Service
	<b>HighSpeed</b> High Speed Service
	<b>Normal</b> Normal Service
<b>Locations</b>	Occurrence 0 .. 1 Type LocationGroupList <b>General Notes</b> TRANSPORTATION LOCATIONS
	<b>Examples</b> For Road Freight: <Locations> <Location Type="Departure"> <LocationIdentification Type="DSVBookingOffice"> <LocationIdentifier>SEMMA</LocationIdentifier> <LocationName>SEMMA</LocationName> </LocationIdentification> </Location> <Location Type="Destination"> <LocationIdentification Type="DSVDestinationOffice"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>DKHOR</LocationName> </LocationIdentification> </Location> </Locations>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Examples</b>  For Air & Sea Freight: <Locations> <Location Type="Departure"> <LocationIdentification Type="UN"> <LocationIdentifier>SEMMA</LocationIdentifier> <LocationName>Malmo</LocationName> </LocationIdentification> </Location> <Location Type="Destination"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>Horsens</LocationName> </LocationIdentification> </Location> </Locations>	
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationGroup</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> LocationGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> Location
<i>Type</i>	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TRANSPORTATION LOCATION TYPE
<b>Applicable Codes</b> <b>Departure</b> Place of Departure <b>Destination</b> Place of Destination <b>PlaceOfConsolidation</b> Place of Consolidation <b>PlaceOfDeconsolidation</b> Place of Deconsolidation <b>PlaceOfLoading</b> Place of Loading <b>PlaceOfUnloading</b> Place of Unloading	
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded
	<b>Type</b> LocationIdentification
	<b>General Notes</b> LOCATION IDENTIFICATION
<i>Type</i>	<b>Type</b> xs:string
	<b>General Notes</b> LOCATION IDENTIFIER TYPE
<b>Applicable Codes</b> <b>DSVBookingOffice</b> DSV Booking Office (Only used for CargoLink Road Freight) <b>DSVBranch</b> DSV Branch (Only used for Air, Sea & Rail) <b>DSVDepartment</b> DSV Department (Only used for Air, Sea & Rail) <b>IATA</b> IATA airport code <b>ISOCountry</b> Originating Country ISO Code (Only used for Air, Sea & Rail) <b>UN</b> UN Location code	
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> LOCATION IDENTIFIER
<b>LocationName</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Parties</b>	<b>General Notes</b> LOCATION NAME <b>Occurrence</b> 0 .. 1 <b>Type</b> PartiesList <b>General Notes</b> TRANSPORT PARTIES
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Party</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> Party
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>PartyDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> PartyDetails <b>General Notes</b> PARTY DETAILS  <b>Examples</b> <PartyDetails Role="ShipFrom"> <Id>ShipFromID</Id> <PartyName>Ship From Name</PartyName> <AddressLine1>Ship From Addr Line 1</AddressLine1> <AddressLine2>Ship From Addr Line 2</AddressLine2> <AddressLine3>Ship From Addr Line 3</AddressLine3> <CityName>Ship From City</CityName> <State>SF State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
<i>Role</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PARTY ROLE
<b>Applicable Codes</b>	
	Carrier
	Consolidator
	Creditor
	Deconsolidator
	DeliveryHaulier
	Freight Forwarder
	Pickup Haulier
	Ship From
	Ship To
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Id</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY IDENTIFIER
<b>PartyName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY NAME
<b>AddressLine1</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 1
<b>AddressLine2</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 2
<b>AddressLine3</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 3

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>CityName</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CITY NAME
<b>State</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY STATE OR PROVINCE
<b>PostCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY POSTAL OR ZIP CODE
<b>CountryCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY ISO COUNTRY CODE
<b>Locations</b>	Occurrence 0 .. 1 Type LocationGroupList <b>General Notes</b> PARTY PHYSICAL LOCATION  <b>Examples</b> <Locations> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	Occurrence 1 .. 1
<b>LocationGroup</b>	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
<b>Location</b>	Occurrence 0 .. 1 Type Location
<i>Type</i>	Type xs:string Use required <b>General Notes</b> PHYSICAL LOCATION TYPE  <b>Applicable Codes</b> <b>PhysicalLocation</b> Place of Physical Location
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentification</b>	Occurrence 1 .. unbounded Type LocationIdentification
<i>Type</i>	Type xs:string <b>General Notes</b> PHYSICAL LOCATION IDENTIFIER TYPE  <b>Applicable Codes</b> <b>UN</b> UN Location code
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentifier</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PHYSICAL LOCATION IDENTIFIER
<b>Contact</b>	Occurrence 0 .. unbounded Type Contact <b>General Notes</b> PARTY CONTACT DETAILS  <b>Examples</b> <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	Type xs:string Use required <b>General Notes</b> PARTY CONTACT TYPE
xs:sequence	<b>Applicable Codes</b> <b>InformationContact</b> Information Contact
Name	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT TELEPHONE NUMBER
Mobile	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT MOBILE NUMBER
Fax	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT FAX NUMBER
Email	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CONTACT EMAIL ADDRESS
References	Occurrence 0 .. 1 Type ReferenceGroupList <b>General Notes</b> PARTY REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="VATRegistrationNumber" >1234567890</ Reference> </ReferenceGroup> </References>
ReferenceGroup	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup
Reference	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference <b>General Notes</b> PARTY REFERENCE
Type	Type xs:string Use required <b>General Notes</b> PARTY REFERENCE TYPE  <b>Applicable Codes</b> <b>GovernmentBusinessCode</b> Government Business Code <b>GovernmentCorporationCode</b> Government Corporation Code <b>GovernmentVATCode</b> Government VAT Code <b>RFCTaxIdentificationNumber</b> RFC Tax Identification Number <b>VATRegistrationNumber</b> VAT Registration id number

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation								
<b>EquipmentUnits</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> EquipmentUnitList <b>General Notes</b> EQUIPMENT UNITS								
xs:sequence	<b>Occurrence</b> 1 .. 1								
<b>EquipmentUnit</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> EquipmentUnit <b>General Notes</b> EQUIPMENT UNIT DETAILS  <b>Examples</b> For EUR pallet road freight:  <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;EFP&lt;/Type&gt;   &lt;/EquipmentType&gt;   &lt;NumberOfUnits&gt;3&lt;/NumberOfUnits&gt; &lt;/EquipmentUnit&gt; </pre> For containerized sea freight:  <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;Container&lt;/Type&gt;     &lt;UnitId&gt;MSCU1234567&lt;/UnitId&gt;     &lt;SizeTypeCode&gt;40GP&lt;/SizeTypeCode&gt;   &lt;/EquipmentType&gt;   &lt;Measurements&gt;     &lt;Measurement Type="Weight" Uom="KGM"&gt;       &lt;Measure&gt;1001.01&lt;/Measure&gt;     &lt;/Measurement&gt;   &lt;/Measurements&gt;   &lt;SealIds&gt;     &lt;Seal&gt;       &lt;SealId&gt;Seal1&lt;/SealId&gt;       &lt;SealParty&gt;Shipper&lt;/SealParty&gt;     &lt;/Seal&gt;   &lt;/SealIds&gt; &lt;/EquipmentUnit&gt; </pre>								
xs:sequence	<b>Occurrence</b> 1 .. 1								
<b>EquipmentType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> EquipmentType <b>General Notes</b> EQUIPMENT TYPE INFORMATION								
xs:sequence	<b>Occurrence</b> 1 .. 1								
<b>Type</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EQUIPMENT TYPE  <b>Applicable Codes</b> <table> <tr> <td><b>Container</b></td><td>Container</td></tr> <tr> <td><b>EFP</b></td><td>Euro flat pallet</td></tr> <tr> <td><b>EUR</b></td><td>Euro pallet</td></tr> <tr> <td><b>Trailer</b></td><td>Trailer</td></tr> </table>	<b>Container</b>	Container	<b>EFP</b>	Euro flat pallet	<b>EUR</b>	Euro pallet	<b>Trailer</b>	Trailer
<b>Container</b>	Container								
<b>EFP</b>	Euro flat pallet								
<b>EUR</b>	Euro pallet								
<b>Trailer</b>	Trailer								
<b>UnitId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER								
<b>SizeTypeCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CONTAINER SIZE AND TYPE								

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	DSV specified Container Type for Shipping Container
	<b>Applicable Codes</b>
	20GP 20 ft General Purpose
	20RE 20 ft Reefer
	40GP 40 ft General Purpose
	40HC 40 ft High Cube
	40NOR 40 ft high Cube, self powered Reefer
	40RE 40 ft Reefer
	40REHC 40 ft High Cube Reefer
	45HC 45 ft High Cube General Purpose
ISOCode	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPPING CONTAINER ISO CODE
	<b>Applicable Codes</b>
	22G1 20 ft General purpose
	22P1 20 ft Platform
	22R1 20 ft Reefer
	22T1 20 ft Tanker
	22U1 20 ft Open-top
	42G1 40 ft General purpose
	42P1 40 ft Platform
	42R1 40 ft Reefer
	42T1 40 ft Tanker
	42U1 40 ft Open-top
	45G1 40 ft High cube, General purpose
	45R1 40 ft High cube Reefer
	45R9 40 ft High cube Self powered Reefer
	L5G0 45 ft High cube General purpose
PackingMode	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> EQUIPMENT PACKING MODE
	<b>Applicable Codes</b>
	BBK Break Bulk
	BCN Buyer's Consolidation
	FCL Full, single consignment
	GRP Groupage
	LCL Full, mixed consignment
	ROR Roll on/Roll off
NumberOfUnits	Occurrence 0 .. 1 Type xs:decimal <b>General Notes</b> NUMBER OF UNITS
Measurements	Occurrence 0 .. 1 Type MeasurementList <b>General Notes</b> EQUIPMENT MEASUREMENTS
xs:sequence	Occurrence 1 .. 1
Measurement	Occurrence 0 .. unbounded Type Measurement Type xs:string Use required <b>General Notes</b> EQUIPMENT MEASUREMENT TYPE
Type	
	<b>Applicable Codes</b>
	DunnageWeight Container Dunnage Weight
	TareWeight Container Tare Weight
	Weight Container Weight
Uom	Type xs:string <b>General Notes</b> MEASUREMENT UNIT OF MEASURE

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<div>Applicable Codes</div> <div><div>KG</div><div>Kilograms</div></div> <div><div>KGM</div><div>Kilograms</div></div>
<div>xs:sequence</div> <div>Measure</div>	<div>Occurence</div> <div>1 .. 1</div> <div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>xs:string</div> <div>General Notes</div> <div>MEASUREMENT</div>
<div>SealIds</div>	<div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>SealList</div> <div>General Notes</div> <div>SEAL IDS</div>
<div>xs:sequence</div> <div>Seal</div>	<div>Occurence</div> <div>1 .. 1</div> <div>Occurence</div> <div>0 .. unbounded</div> <div>Type</div> <div>Seal</div> <div>General Notes</div> <div>SEAL INFORMATION FOR SHIPPING CONTAINERS</div>
<div>xs:sequence</div> <div>SealId</div>	<div>Occurence</div> <div>1 .. 1</div> <div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>xs:string</div> <div>General Notes</div> <div>SEAL NUMBER</div>
<div>SealParty</div>	<div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>xs:string</div> <div>General Notes</div> <div>SEALING PARTY</div>
	<div>Applicable Codes</div> <div><div>Shipper</div><div>Shipper</div></div>
<div>References</div>	<div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>ReferenceGroupList</div> <div>General Notes</div> <div>EQUIPMENT REFERENCES</div>
<div>xs:sequence</div> <div>ReferenceGroup</div>	<div>Occurence</div> <div>1 .. 1</div> <div>Occurence</div> <div>0 .. unbounded</div> <div>Type</div> <div>ReferenceGroup</div>
<div>xs:sequence</div> <div>Reference</div>	<div>Occurence</div> <div>1 .. 1</div> <div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>Reference</div> <div>General Notes</div> <div>EQUIPMENT REFERENCE</div>
<div>Type</div>	<div>Type</div> <div>xs:string</div> <div>Use</div> <div>required</div> <div>General Notes</div> <div>EQUIPMENT REFERENCE TYPE</div>
	<div>Applicable Codes</div> <div><div>AirVentFlow</div><div>Air Vent Flow</div></div>
<div>Dates</div>	<div>Occurence</div> <div>0 .. 1</div> <div>Type</div> <div>DateList</div> <div>General Notes</div> <div>EQUIPMENT DATES used for Container</div>
	<div>Examples</div> <div>&lt;Dates&gt;</div> <div>&lt;Date Type="EstimatedCollection" Format="DateTimeSec" &gt;</div> <div>&lt;DateTime&gt;20200917000000&lt;/DateTime&gt;</div> <div>&lt;/Date&gt;</div> <div>&lt;Date Type="RequestedCollection" Format="DateTimeSec" &gt;</div> <div>&lt;DateTime&gt;20200917080000&lt;/DateTime&gt;</div> <div>&lt;/Date&gt;</div> <div>&lt;Date Type="EstimatedDelivery" Format="DateTimeSec" &gt;</div> <div>&lt;DateTime&gt;20210502170000&lt;/DateTime&gt;</div> <div>&lt;/Date&gt;</div>

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute	Annotation																																				
	<b>Examples</b> <Date Type="ActualDelivery" Format="DateTimeSec" > <DateTime>20210428115900</DateTime> </Date> <Date Type="EstimatedFullPickup" Format="DateTimeSec" > <DateTime>20200917000000</DateTime> </Date> <Date Type="ContainerParkEmptyReturnGateIn" Format="DateTimeSec" > <DateTime>20210430115900</DateTime> </Date> <Date Type="DeliverySlot" Format="DateTimeSec" > <DateTime>20210427115800</DateTime> </Date> <Date Type="FCLWharfGateOut" Format="DateTimeSec" > <DateTime>20210429115800</DateTime> </Date> </Dates>																																				
xs:sequence	Occurrence 1 .. 1																																				
<b>Date</b>	Occurrence 0 .. unbounded Type Date <b>General Notes</b> EQUIPMENT DATE																																				
Type	Type xs:string Use required <b>General Notes</b> EQUIPMENT DATE TYPE																																				
	<b>Applicable Codes</b> <table> <tr> <td><b>ActualCollection</b></td><td>Collection date/time, latest</td></tr> <tr> <td><b>ActualDelivery</b></td><td>Delivery date/time, actual</td></tr> <tr> <td><b>ArrivalSlotDateTime</b></td><td>Arrival slot date/time</td></tr> <tr> <td><b>CollectionSlot</b></td><td>Slot date/time, collection</td></tr> <tr> <td><b>ContainerParkEmptyReturnGateIn</b></td><td>Container park empty return gate in</td></tr> <tr> <td><b>DeliverySlot</b></td><td>Slot date/time, delivery</td></tr> <tr> <td><b>DepartureSlotDateTime</b></td><td>Departure slot date/time</td></tr> <tr> <td><b>EmptyReadyForReturn</b></td><td>Empty ready for return</td></tr> <tr> <td><b>EmptyRequiredBy</b></td><td>Empty required by</td></tr> <tr> <td><b>EmptyReturnedBy</b></td><td>Empty returned by</td></tr> <tr> <td><b>EstimatedCollection</b></td><td>Collection date/time, earliest</td></tr> <tr> <td><b>EstimatedDelivery</b></td><td>Delivery date/time, earliest</td></tr> <tr> <td><b>EstimatedFullPickup</b></td><td>Estimated equipment pick-up date/ time, planned</td></tr> <tr> <td><b>FCLUnloadFromVessel</b></td><td>FCL unload from vessel</td></tr> <tr> <td><b>FCLWharfGateIn</b></td><td>FCL wharf gate in</td></tr> <tr> <td><b>FCLWharfGateOut</b></td><td>FCL wharf gate out</td></tr> <tr> <td><b>ScheduledCollection</b></td><td>Goods collection or pick-up date/time, planned</td></tr> <tr> <td><b>ScheduledDelivery</b></td><td>Delivery date/time, 1st schedule</td></tr> </table>	<b>ActualCollection</b>	Collection date/time, latest	<b>ActualDelivery</b>	Delivery date/time, actual	<b>ArrivalSlotDateTime</b>	Arrival slot date/time	<b>CollectionSlot</b>	Slot date/time, collection	<b>ContainerParkEmptyReturnGateIn</b>	Container park empty return gate in	<b>DeliverySlot</b>	Slot date/time, delivery	<b>DepartureSlotDateTime</b>	Departure slot date/time	<b>EmptyReadyForReturn</b>	Empty ready for return	<b>EmptyRequiredBy</b>	Empty required by	<b>EmptyReturnedBy</b>	Empty returned by	<b>EstimatedCollection</b>	Collection date/time, earliest	<b>EstimatedDelivery</b>	Delivery date/time, earliest	<b>EstimatedFullPickup</b>	Estimated equipment pick-up date/ time, planned	<b>FCLUnloadFromVessel</b>	FCL unload from vessel	<b>FCLWharfGateIn</b>	FCL wharf gate in	<b>FCLWharfGateOut</b>	FCL wharf gate out	<b>ScheduledCollection</b>	Goods collection or pick-up date/time, planned	<b>ScheduledDelivery</b>	Delivery date/time, 1st schedule
<b>ActualCollection</b>	Collection date/time, latest																																				
<b>ActualDelivery</b>	Delivery date/time, actual																																				
<b>ArrivalSlotDateTime</b>	Arrival slot date/time																																				
<b>CollectionSlot</b>	Slot date/time, collection																																				
<b>ContainerParkEmptyReturnGateIn</b>	Container park empty return gate in																																				
<b>DeliverySlot</b>	Slot date/time, delivery																																				
<b>DepartureSlotDateTime</b>	Departure slot date/time																																				
<b>EmptyReadyForReturn</b>	Empty ready for return																																				
<b>EmptyRequiredBy</b>	Empty required by																																				
<b>EmptyReturnedBy</b>	Empty returned by																																				
<b>EstimatedCollection</b>	Collection date/time, earliest																																				
<b>EstimatedDelivery</b>	Delivery date/time, earliest																																				
<b>EstimatedFullPickup</b>	Estimated equipment pick-up date/ time, planned																																				
<b>FCLUnloadFromVessel</b>	FCL unload from vessel																																				
<b>FCLWharfGateIn</b>	FCL wharf gate in																																				
<b>FCLWharfGateOut</b>	FCL wharf gate out																																				
<b>ScheduledCollection</b>	Goods collection or pick-up date/time, planned																																				
<b>ScheduledDelivery</b>	Delivery date/time, 1st schedule																																				
Format	Type xs:string Use required <b>General Notes</b> EQUIPMENT DATE FORMAT																																				
	<b>Applicable Codes</b> <table> <tr> <td><b>Date</b></td><td>YYYYMMDD</td></tr> <tr> <td><b>DateTime</b></td><td>YYYYMMDDHHMM</td></tr> <tr> <td><b>DateTimeInterval</b></td><td>CCYYMMDDHHMM- CCYYMMDDHHMM</td></tr> <tr> <td><b>DateTimeSec</b></td><td>CCYYMMDDHHMMss</td></tr> </table>	<b>Date</b>	YYYYMMDD	<b>DateTime</b>	YYYYMMDDHHMM	<b>DateTimeInterval</b>	CCYYMMDDHHMM- CCYYMMDDHHMM	<b>DateTimeSec</b>	CCYYMMDDHHMMss																												
<b>Date</b>	YYYYMMDD																																				
<b>DateTime</b>	YYYYMMDDHHMM																																				
<b>DateTimeInterval</b>	CCYYMMDDHHMM- CCYYMMDDHHMM																																				
<b>DateTimeSec</b>	CCYYMMDDHHMMss																																				
xs:sequence	Occurrence 1 .. 1																																				

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																												
<b>DateTime</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EQUIPMENT DATE/TIME																												
<b>TransportMovements</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> TransportMovementList																												
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1																												
<b>TransportMovement</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> CodeDescription <b>General Notes</b> TRANSPORT MOVEMENT  <b>Examples</b> <TransportMovement> <Code>DR/CY</Code> <Description>Door to Container Yard</Description> </TransportMovement>																												
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1																												
<b>Code</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MOVEMENT CODE  <b>Applicable Codes</b> <table> <tr> <td><b>CFS/CFS</b></td><td>Container Freight Station to Container Freight Station</td></tr> <tr> <td><b>CFS/CY</b></td><td>Container Freight Station to Container Yard</td></tr> <tr> <td><b>CFS/DR</b></td><td>Container Freight Station to Door</td></tr> <tr> <td><b>CY/CFS</b></td><td>Container Yard to Container Freight Station</td></tr> <tr> <td><b>CY/CY</b></td><td>Container Yard to Container Yard</td></tr> <tr> <td><b>CY/DR</b></td><td>Container Yard to Door</td></tr> <tr> <td><b>DR/CFS</b></td><td>Door to Container Freight Station</td></tr> <tr> <td><b>DR/CY</b></td><td>Door to Container Yard</td></tr> <tr> <td><b>DR/DR</b></td><td>Door to Door</td></tr> <tr> <td><b>FCL/FCL</b></td><td>FCL/FCL</td></tr> <tr> <td><b>FCL/LCL</b></td><td>FCL/LCL</td></tr> <tr> <td><b>LCL/FCL</b></td><td>LCL/FCL</td></tr> <tr> <td><b>LCL/LCL</b></td><td>LCL/LCL</td></tr> <tr> <td><b>RO/RO</b></td><td>Roll On/Roll Off</td></tr> </table>	<b>CFS/CFS</b>	Container Freight Station to Container Freight Station	<b>CFS/CY</b>	Container Freight Station to Container Yard	<b>CFS/DR</b>	Container Freight Station to Door	<b>CY/CFS</b>	Container Yard to Container Freight Station	<b>CY/CY</b>	Container Yard to Container Yard	<b>CY/DR</b>	Container Yard to Door	<b>DR/CFS</b>	Door to Container Freight Station	<b>DR/CY</b>	Door to Container Yard	<b>DR/DR</b>	Door to Door	<b>FCL/FCL</b>	FCL/FCL	<b>FCL/LCL</b>	FCL/LCL	<b>LCL/FCL</b>	LCL/FCL	<b>LCL/LCL</b>	LCL/LCL	<b>RO/RO</b>	Roll On/Roll Off
<b>CFS/CFS</b>	Container Freight Station to Container Freight Station																												
<b>CFS/CY</b>	Container Freight Station to Container Yard																												
<b>CFS/DR</b>	Container Freight Station to Door																												
<b>CY/CFS</b>	Container Yard to Container Freight Station																												
<b>CY/CY</b>	Container Yard to Container Yard																												
<b>CY/DR</b>	Container Yard to Door																												
<b>DR/CFS</b>	Door to Container Freight Station																												
<b>DR/CY</b>	Door to Container Yard																												
<b>DR/DR</b>	Door to Door																												
<b>FCL/FCL</b>	FCL/FCL																												
<b>FCL/LCL</b>	FCL/LCL																												
<b>LCL/FCL</b>	LCL/FCL																												
<b>LCL/LCL</b>	LCL/LCL																												
<b>RO/RO</b>	Roll On/Roll Off																												
<b>Description</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MOVEMENT DESCRIPTION																												
<b>TemperatureControl</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> TemperatureControl <b>General Notes</b> TEMPERATURE CONTROL																												
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TEMPERATURE TYPE  <b>Applicable Codes</b> <table> <tr> <td><b>RecordedTemperature</b></td><td></td></tr> <tr> <td><b>Type</b></td><td>xs:string</td></tr> <tr> <td><b>General Notes</b></td><td>TEMPERATURE UNIT OF MEASURE</td></tr> <tr> <td><b>Applicable Codes</b></td><td></td></tr> <tr> <td><b>CEL</b></td><td>Celsius</td></tr> </table>	<b>RecordedTemperature</b>		<b>Type</b>	xs:string	<b>General Notes</b>	TEMPERATURE UNIT OF MEASURE	<b>Applicable Codes</b>		<b>CEL</b>	Celsius																		
<b>RecordedTemperature</b>																													
<b>Type</b>	xs:string																												
<b>General Notes</b>	TEMPERATURE UNIT OF MEASURE																												
<b>Applicable Codes</b>																													
<b>CEL</b>	Celsius																												
<i>Uom</i>	<b>Type</b> xs:string <b>General Notes</b> TEMPERATURE UNIT OF MEASURE  <b>Applicable Codes</b> <table> <tr> <td><b>CEL</b></td><td>Celsius</td></tr> </table>	<b>CEL</b>	Celsius																										
<b>CEL</b>	Celsius																												
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1																												
<b>Fixed</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string																												

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation										
	<b>General Notes</b> TEMPERATURE										
HumidityPercentage	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> HUMIDITY PERCENTAGE										
Parties	Occurrence 0 .. 1 Type PartiesList <b>General Notes</b> CONTAINER PARTIES										
xs:sequence	Occurrence 1 .. 1										
Party	Occurrence 0 .. unbounded Type Party										
xs:sequence	Occurrence 1 .. 1										
PartyDetails	Occurrence 0 .. 1 Type PartyDetails <b>General Notes</b> PARTY DETAILS  <b>Examples</b> <PartyDetails Role="ArrivalCTO"> <Id>ConsignorID</Id> <Id>Consignor</Id> <PartyName>Arrival CTO Name</PartyName> <AddressLine1>Arrival CTO Addr Line 1</AddressLine1> <AddressLine2>Arrival CTO Addr Line 2</AddressLine2> <AddressLine3>Arrival CTO Addr Line 3</AddressLine3> <CityName>Arrival CTO City</CityName> <State>Arrival CTO State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>										
Role	Type xs:string Use required <b>General Notes</b> PARTY ROLE  <b>Applicable Codes</b> <table> <tr> <td>ArrivalCTO</td><td>Arrival CTO Party</td></tr> <tr> <td>Consolidator</td><td>Consolidator</td></tr> <tr> <td>ContainerReturn</td><td>Container Return Party</td></tr> <tr> <td>Deconsolidator</td><td>Deconsolidator</td></tr> <tr> <td>DepartureCTO</td><td>Departure CTO Party</td></tr> </table>	ArrivalCTO	Arrival CTO Party	Consolidator	Consolidator	ContainerReturn	Container Return Party	Deconsolidator	Deconsolidator	DepartureCTO	Departure CTO Party
ArrivalCTO	Arrival CTO Party										
Consolidator	Consolidator										
ContainerReturn	Container Return Party										
Deconsolidator	Deconsolidator										
DepartureCTO	Departure CTO Party										
xs:sequence	Occurrence 1 .. 1										
Id	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY IDENTIFIER										
Assignor	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY IDENTIFIER ASSIGNOR  <b>Applicable Codes</b> <table> <tr> <td>Consignor</td><td>Consignor assigned identifier</td></tr> <tr> <td>DSV</td><td>DSV assigned identifier</td></tr> </table>	Consignor	Consignor assigned identifier	DSV	DSV assigned identifier						
Consignor	Consignor assigned identifier										
DSV	DSV assigned identifier										
PartyName	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY NAME										
AddressLine1	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY ADDRESS LINE 1										

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>AddressLine2</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY ADDRESS LINE 2
<b>AddressLine3</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY ADDRESS LINE 3
<b>CityName</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY CITY
<b>State</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY STATE/PROVINCE
<b>PostCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY POSTAL CODE
<b>CountryCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> PARTY COUNTRY ISO CODE
<b>Shipments</b>	Occurrence 0 .. 1 Type ShipmentList <b>General Notes</b> SHIPMENT DETAILS One iteration per shipment included in the Transport
xs:sequence <b>Shipment</b>	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Shipment
xs:sequence <b>ShipmentId</b>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type ShipmentId <b>General Notes</b> SHIPMENT IDENTIFIER  Each Shipment will have unique Shipment identifier.  <b>Examples</b> <ShipmentId>SampleShipment</ShipmentId>
<b>Dates</b>	Occurrence 0 .. 1 Type DateList <b>General Notes</b> SHIPMENT DATES  <b>Examples</b> <Dates> <Date Type="Collection" Format="DateTimeSec"> <DateTime>20190220151500</DateTime> </Date> <Date Type="DeliveryRequested" Format="DateTimeInterval"> <DateTime>201903021200-201903021700</DateTime> </Date> </Dates>
xs:sequence <b>Date</b>	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type Date
<b>Type</b>	Type xs:string Use required <b>General Notes</b> SHIPMENT DATE TYPE

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>Collection</b> Collection date/time, earliest <b>DeliveryRequested</b> Delivery date/time, requested <b>EstimatedCollection</b> Shipment date/time, promised for <b>EstimatedDelivery</b> Delivery date/time, estimated <b>RequestedCollection</b> Shipment date/time, requested <b>ScheduledCollection</b> Goods collection or pick-up date/time, planned <b>ScheduledDelivery</b> Delivery date/time, 1st schedule
<i>Format</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SHIPMENT DATE FORMAT
	<b>Applicable Codes</b> <b>DateTimeInterval</b> CCYYMMDDHHMM- CCYYMMDDHHMM CCYYMMDDHHMMSS
xs:sequence	<b>DateTimeSec</b>
<b>DateTime</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> SHIPMENT DATE/TIME
<b>TransportServices</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> ServiceGroupList <b>General Notes</b> TRANSPORT SERVICES  First occurrence is Main Service Additional services will be provided in subsequent occurrences  <b>Examples</b> <TransportServices> <TransportService> <ServiceCode>Road_LTL</ServiceCode> <PriorityCode>Normal</PriorityCode> </TransportService> <TransportService> <ServiceCode>Before16</ServiceCode> </TransportService> </TransportServices>
xs:sequence	<b>ServiceGroup</b>
xs:sequence	<b>TransportService</b>
xs:sequence	<b>ServiceCode</b>
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> TransportService <b>General Notes</b> TRANSPORT SERVICE - MAIN SERVICE
	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TYPE OF SERVICE
	<b>Applicable Codes</b> <b>FCL</b> Full Container Load <b>FTL</b> Full Truckload <b>IATA</b> Air - IATA <b>LCL</b> Less Than Container Load <b>LSE</b> Air - LSE <b>LTL</b> Less Than Truckload

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																												
<b>PriorityCode</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SERVICE PRIORITY CODE</p> <p>Only applicable to Main Service (First TransportService)</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Express</b></td><td>Express Service</td></tr> <tr> <td><b>HighSpeed</b></td><td>High Speed Service</td></tr> <tr> <td><b>Normal</b></td><td>Normal Service</td></tr> </table>	<b>Express</b>	Express Service	<b>HighSpeed</b>	High Speed Service	<b>Normal</b>	Normal Service																						
<b>Express</b>	Express Service																												
<b>HighSpeed</b>	High Speed Service																												
<b>Normal</b>	Normal Service																												
<b>TransportService &lt;AdditionalServices&gt;</b>	<p>Occurrence 0 .. 1 Type TransportService <b>General Notes</b> TRANSPORT SERVICES - ADDITIONAL SERVICES</p>																												
xs:sequence	Occurrence 1 .. 1																												
<b>ServiceCode</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TYPE OF SERVICE</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Before10</b></td><td>Express 10:00</td></tr> <tr> <td><b>Before12</b></td><td>Express 12:00</td></tr> <tr> <td><b>Before16</b></td><td>Express 16:00</td></tr> <tr> <td><b>Before7</b></td><td>Express 07:00</td></tr> <tr> <td><b>Crane</b></td><td>Crane required loading or unloading or both</td></tr> <tr> <td><b>HAZ</b></td><td>Hazardous goods</td></tr> <tr> <td><b>InNightproduct</b></td><td>InNight product</td></tr> <tr> <td><b>Lift</b></td><td>Tail lift</td></tr> <tr> <td><b>Notification</b></td><td>Notify</td></tr> <tr> <td><b>OMEX</b></td><td>Omex service goods</td></tr> <tr> <td><b>PersonalDeliveryService</b></td><td>Personal delivery service</td></tr> <tr> <td><b>PreAdvice</b></td><td>Pre-advice</td></tr> <tr> <td><b>ePallet</b></td><td>E-service pallet</td></tr> <tr> <td><b>eParcel</b></td><td>E-service parcel</td></tr> </table>	<b>Before10</b>	Express 10:00	<b>Before12</b>	Express 12:00	<b>Before16</b>	Express 16:00	<b>Before7</b>	Express 07:00	<b>Crane</b>	Crane required loading or unloading or both	<b>HAZ</b>	Hazardous goods	<b>InNightproduct</b>	InNight product	<b>Lift</b>	Tail lift	<b>Notification</b>	Notify	<b>OMEX</b>	Omex service goods	<b>PersonalDeliveryService</b>	Personal delivery service	<b>PreAdvice</b>	Pre-advice	<b>ePallet</b>	E-service pallet	<b>eParcel</b>	E-service parcel
<b>Before10</b>	Express 10:00																												
<b>Before12</b>	Express 12:00																												
<b>Before16</b>	Express 16:00																												
<b>Before7</b>	Express 07:00																												
<b>Crane</b>	Crane required loading or unloading or both																												
<b>HAZ</b>	Hazardous goods																												
<b>InNightproduct</b>	InNight product																												
<b>Lift</b>	Tail lift																												
<b>Notification</b>	Notify																												
<b>OMEX</b>	Omex service goods																												
<b>PersonalDeliveryService</b>	Personal delivery service																												
<b>PreAdvice</b>	Pre-advice																												
<b>ePallet</b>	E-service pallet																												
<b>eParcel</b>	E-service parcel																												
<b>TransportService &lt;Road BDS AdditionalServices&gt;</b>	<p>Occurrence 0 .. 1 Type TransportService <b>General Notes</b> ROAD DATA BOOKING STANDARD - ADDITIONAL SERVICES</p> <p>The codes shown here are specific to Shipments complying to the DSV Road Booking Data Standard.</p> <p><b>Examples</b></p> <pre>&lt;TransportService&gt;   &lt;ServiceCode&gt;CraneLoad&lt;/ServiceCode&gt; &lt;/TransportService&gt;</pre>																												
xs:sequence	Occurrence 1 .. 1																												
<b>ServiceCode</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> ADDITIONAL SERVICE CODE</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>AMDelivery</b></td><td>AM Delivery (08-12) (R36 / 1220)</td></tr> <tr> <td><b>AMPickup</b></td><td>AM Pick-up (08-12) (R34 / 1200)</td></tr> <tr> <td><b>ATRCertificate</b></td><td>ATR Certificate (R47 / 5009)</td></tr> <tr> <td><b>AdditionalTariffCode</b></td><td>Additional Tariff Code (R41 / 5003)</td></tr> <tr> <td><b>AdmFeeForPaymentOfVAT</b></td><td>Adm. Fee for Payment of VAT (R51 / 5013)</td></tr> <tr> <td><b>CargoInsurance</b></td><td>Cargo Insurance (R52 / 1020)</td></tr> <tr> <td><b>CarryIntoWarehouse</b></td><td>Carry into Warehouse (R18 / 1081)</td></tr> </table>	<b>AMDelivery</b>	AM Delivery (08-12) (R36 / 1220)	<b>AMPickup</b>	AM Pick-up (08-12) (R34 / 1200)	<b>ATRCertificate</b>	ATR Certificate (R47 / 5009)	<b>AdditionalTariffCode</b>	Additional Tariff Code (R41 / 5003)	<b>AdmFeeForPaymentOfVAT</b>	Adm. Fee for Payment of VAT (R51 / 5013)	<b>CargoInsurance</b>	Cargo Insurance (R52 / 1020)	<b>CarryIntoWarehouse</b>	Carry into Warehouse (R18 / 1081)														
<b>AMDelivery</b>	AM Delivery (08-12) (R36 / 1220)																												
<b>AMPickup</b>	AM Pick-up (08-12) (R34 / 1200)																												
<b>ATRCertificate</b>	ATR Certificate (R47 / 5009)																												
<b>AdditionalTariffCode</b>	Additional Tariff Code (R41 / 5003)																												
<b>AdmFeeForPaymentOfVAT</b>	Adm. Fee for Payment of VAT (R51 / 5013)																												
<b>CargoInsurance</b>	Cargo Insurance (R52 / 1020)																												
<b>CarryIntoWarehouse</b>	Carry into Warehouse (R18 / 1081)																												

Bold = Element, *Italic* = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b>
<b>CashOnDelivery</b>	Cash on Delivery (R11 / 1030)
<b>ConfirmationOfArrival</b>	Confirmation of Arrival (R38 / 1240)
<b>CraneLoad</b>	Crane Load (R23 / 1120)
<b>DV1Declaration</b>	DV1 Declaration (R45 / 5007)
<b>DangerousGoods</b>	Dangerous Goods (R12 / 1040)
<b>DangerousGoodsPercentage</b>	Dangerous Goods - Percentage (R13 / 1041)
<b>DeliveryBefore07</b>	Delivery Before 07 (R30 / 1170)
<b>DeliveryBefore08</b>	Delivery Before 08 (R31 / 1175)
<b>DeliveryBefore10</b>	Delivery Before 10 (R33 / 1190)
<b>EUR1Certificate</b>	EUR1 Certificate (R44 / 5006)
<b>ExportCustomsClearance</b>	Export Customs Clearance (R31 / 5001)
<b>ExportDocumentation</b>	Export Documentation (R49 / 5011)
<b>FixDayDelivery</b>	Fix Day Delivery (R27 / 1151)
<b>FixTimeDelivery</b>	Fix Time Delivery (R26 / 1150)
<b>FixTimePickup</b>	Fix Time Pick-up (R25 / 1140)
<b>ImportCustomsClearance</b>	Import Customs Clearance (R40 / 5002)
<b>IntrastatReporting</b>	Intrastat Reporting (R14 / 1050)
<b>OneDayGuarantee</b>	One Day Guarantee (R28 / 1152)
<b>PMDelivery</b>	PM Delivery (12-16) (R37 / 1230)
<b>PMPickup</b>	PM Pick-up (12-16) (R35 / 1210)
<b>PickupBefore07</b>	Pick-up Before 07 (R29 / 1160)
<b>PickupBefore10</b>	Pick-up Before 10 (R32 / 1180)
<b>PreAdviceDelivery</b>	Pre-advice Delivery (R06 / 1010)
<b>PreAdviceMailDelivery</b>	Pre-advice Mail Delivery (R08 / 1012)
<b>PreAdviceMailPickup</b>	Pre-advice Mail Pick-up (R07 / 1011)
<b>PreAdvicePhoneDriverDelivery</b>	Pre-adv. Phone Driver Delivery (R10 / 1014)
<b>PreAdvicePhoneDriverPickup</b>	Pre-adv. Phone Driver Pick-up (R09 / 1013)
<b>PreAdvicePickup</b>	Pre-advice Pick-up (R05 / 1009)
<b>PreArrangedDeliveryTime</b>	Pre-arranged Delivery Time (R24 / 1130)
<b>PvtDeliveryCarryIn</b>	Private Delivery: Carry (R16 / 1070)
<b>PvtDeliveryCarryUp</b>	Private Delivery: Carry Up (R17 / 1080)
<b>PvtDeliveryCurbSide</b>	Private Delivery: Curb Side (R15 / 1060)
<b>RetItemPalletsDelivery</b>	Return. Items - Pallets Delivery (R02 / 1001)
<b>RetItemPalletsPickup</b>	Return. Items - Pallets Pick-up (R01 / 1000)
<b>RetItemsMiscDelivery</b>	Return. Items - Misc Delivery (R04 / 1003)
<b>RetItemsMiscPickup</b>	Return. Items - Misc Pick-up (R03 / 1002)
<b>SpecificationImportVAT</b>	Specification Import VAT (R52 / 5012)
<b>T1Document</b>	T1 Document (R42 / 5004)
<b>T2Document</b>	T2 Document (R43 / 5005)
<b>T2LDocument</b>	T2L Document (R46 / 5008)
<b>TIRCarnet</b>	TIR Carnet (R48 / 5010)
<b>TailLiftDelivery</b>	Tail Lift Delivery (R22 / 1110)
<b>TailLiftPickup</b>	Tail Lift Pick-up (R21 / 1100)
<b>Thermo</b>	Thermo Transport (R19 / 1090)
<b>ThermoPercentage</b>	Thermo Transport - Percentage (R20 / 1091)
<b>FreeTextData</b>	Occurrence 0 .. 1 Type FreeTextList

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																
	<b>General Notes</b> SHIPMENT FREE TEXT  <b>Examples</b> <pre> &lt;FreeTextData&gt;   &lt;FreeText Type="DeliveryInstructions"&gt;     &lt;TextLine1&gt;DeliveryInstructions Text Line 1&lt;/TextLine1&gt;     &lt;TextLine2&gt;DeliveryInstructions Text Line 2&lt;/TextLine2&gt;     &lt;TextLine3&gt;DeliveryInstructions Text Line 3&lt;/TextLine3&gt;     &lt;TextLine4&gt;DeliveryInstructions Text Line 4&lt;/TextLine4&gt;     &lt;TextLine5&gt;DeliveryInstructions Text Line 5&lt;/TextLine5&gt;   &lt;/FreeText&gt;   &lt;FreeText Type="SpecialHandling"&gt;     &lt;TextLine1&gt;Special Handling Text Line 1&lt;/TextLine1&gt;   &lt;/FreeText&gt;   &lt;FreeText Type="PickupInstructions"&gt;     &lt;TextLine1&gt;Pickup Instructions Text Line 1&lt;/TextLine1&gt;   &lt;/FreeText&gt; &lt;/FreeTextData&gt; </pre>																
xs:sequence	<b>Occurrence</b> 1 .. 1																
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded																
<i>Type</i>	<b>Type</b> FreeText																
	<b>Type</b> xs:string																
	<b>Use</b> required																
	<b>General Notes</b> FREE TEXT TYPE  Predefined Types listed, additional FreeText types to be agreed																
	<b>Applicable Codes</b> <table> <tr> <td><b>DeliveryInstructions</b></td><td>Delivery Instructions</td></tr> <tr> <td><b>GeneralInformation</b></td><td>General information</td></tr> <tr> <td><b>GoodsDescription</b></td><td>GoodsDescription</td></tr> <tr> <td><b>MarksAndNumbers</b></td><td>Marks And Numbers</td></tr> <tr> <td><b>PickupInstructions</b></td><td>Pickup Instructions</td></tr> <tr> <td><b>SpecialHandling</b></td><td>Special Handling</td></tr> <tr> <td><b>SpecialInstructions</b></td><td>Special Instructions</td></tr> <tr> <td><b>TransportInstructions</b></td><td>Transport instructions</td></tr> </table>	<b>DeliveryInstructions</b>	Delivery Instructions	<b>GeneralInformation</b>	General information	<b>GoodsDescription</b>	GoodsDescription	<b>MarksAndNumbers</b>	Marks And Numbers	<b>PickupInstructions</b>	Pickup Instructions	<b>SpecialHandling</b>	Special Handling	<b>SpecialInstructions</b>	Special Instructions	<b>TransportInstructions</b>	Transport instructions
<b>DeliveryInstructions</b>	Delivery Instructions																
<b>GeneralInformation</b>	General information																
<b>GoodsDescription</b>	GoodsDescription																
<b>MarksAndNumbers</b>	Marks And Numbers																
<b>PickupInstructions</b>	Pickup Instructions																
<b>SpecialHandling</b>	Special Handling																
<b>SpecialInstructions</b>	Special Instructions																
<b>TransportInstructions</b>	Transport instructions																
xs:sequence	<b>Occurrence</b> 1 .. 1																
<b>TextLine1</b>	<b>Occurrence</b> 0 .. 1																
	<b>Type</b> xs:string																
	<b>General Notes</b> SHIPMENT FREE TEXT LINE 1																
<b>TextLine2</b>	<b>Occurrence</b> 0 .. 1																
	<b>Type</b> xs:string																
	<b>General Notes</b> SHIPMENT FREE TEXT LINE 2																
<b>TextLine3</b>	<b>Occurrence</b> 0 .. 1																
	<b>Type</b> xs:string																
	<b>General Notes</b> SHIPMENT FREE TEXT LINE 3																
<b>TextLine4</b>	<b>Occurrence</b> 0 .. 1																
	<b>Type</b> xs:string																
	<b>General Notes</b> SHIPMENT FREE TEXT LINE 4																
<b>TextLine5</b>	<b>Occurrence</b> 0 .. 1																
	<b>Type</b> xs:string																
	<b>General Notes</b> SHIPMENT FREE TEXT LINE 5																
<b>ControlTotals</b>	<b>Occurrence</b> 0 .. 1																
	<b>Type</b> ControlTotalList																
	<b>General Notes</b> SHIPMENT CONTROL TOTALS																

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute	Annotation																		
	<b>Examples</b> <ControlTotals> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>101.01</Quantity> </ControlTotal> <ControlTotal Type="Volume" Uom="MTQ"> <Quantity>2</Quantity> </ControlTotal> <ControlTotal Type="LoadingMeters" Uom="MTR"> <Quantity>12</Quantity> </ControlTotal> <ControlTotal Type="NumberOfPackages" Uom="PLT"> <Quantity>4</Quantity> </ControlTotal> <ControlTotal Type="NumberOfInnerPackages" Uom="CTN"> <Quantity>8</Quantity> </ControlTotal> </ControlTotals>																		
xs:sequence	Occurrence 1 .. 1																		
<b>ControlTotal</b>	Occurrence 0 .. unbounded																		
Type	ControlTotal																		
Type	xs:string																		
Use	required																		
	<b>General Notes</b> CONTROL TOTAL TYPE																		
	<b>Applicable Codes</b> <table> <tr> <td><b>ChargeableWeight</b></td><td>ChargeableWeight</td></tr> <tr> <td><b>GrossWeight</b></td><td>GrossWeight</td></tr> <tr> <td><b>LoadingMeters</b></td><td>Loading Meters</td></tr> <tr> <td><b>NumberOfInnerPackages</b></td><td>Number of Inner Packages</td></tr> <tr> <td><b>NumberOfPackages</b></td><td>Number of Packages</td></tr> <tr> <td><b>TotalNetWeightOfShipment</b></td><td>Total net weight of shipment</td></tr> <tr> <td><b>TotalNumberOfConsignments</b></td><td>Total number of consignments</td></tr> <tr> <td><b>TotalNumberOfShipments</b></td><td>Total number of shipments</td></tr> <tr> <td><b>Volume</b></td><td>Volume</td></tr> </table>	<b>ChargeableWeight</b>	ChargeableWeight	<b>GrossWeight</b>	GrossWeight	<b>LoadingMeters</b>	Loading Meters	<b>NumberOfInnerPackages</b>	Number of Inner Packages	<b>NumberOfPackages</b>	Number of Packages	<b>TotalNetWeightOfShipment</b>	Total net weight of shipment	<b>TotalNumberOfConsignments</b>	Total number of consignments	<b>TotalNumberOfShipments</b>	Total number of shipments	<b>Volume</b>	Volume
<b>ChargeableWeight</b>	ChargeableWeight																		
<b>GrossWeight</b>	GrossWeight																		
<b>LoadingMeters</b>	Loading Meters																		
<b>NumberOfInnerPackages</b>	Number of Inner Packages																		
<b>NumberOfPackages</b>	Number of Packages																		
<b>TotalNetWeightOfShipment</b>	Total net weight of shipment																		
<b>TotalNumberOfConsignments</b>	Total number of consignments																		
<b>TotalNumberOfShipments</b>	Total number of shipments																		
<b>Volume</b>	Volume																		
Uom	Type xs:string																		
	<b>General Notes</b> QUANTITY UNIT OF MEASURE																		
	<b>Applicable Codes</b> <table> <tr> <td><b>KGM</b></td><td>Kilogram</td></tr> <tr> <td><b>MTQ</b></td><td>Cubic meters</td></tr> <tr> <td><b>MTR</b></td><td>Meters</td></tr> <tr> <td><b>PKG</b></td><td>Packages</td></tr> </table>	<b>KGM</b>	Kilogram	<b>MTQ</b>	Cubic meters	<b>MTR</b>	Meters	<b>PKG</b>	Packages										
<b>KGM</b>	Kilogram																		
<b>MTQ</b>	Cubic meters																		
<b>MTR</b>	Meters																		
<b>PKG</b>	Packages																		
xs:sequence	Occurrence 1 .. 1																		
<b>Quantity</b>	Occurrence 0 .. 1																		
Type	xs:string																		
	<b>General Notes</b> SHIPMENT QUANTITY																		
<b>TermsOfDelivery</b>	Occurrence 0 .. 1																		
Type	TermsGroup																		
	<b>General Notes</b> TERMS OF DELIVERY																		
	<b>Examples</b> <TermsOfDelivery> <Terms> <TermCode>CIP</TermCode> <CodeId>IncoTerms</CodeId> </Terms> <Location Type="NamedPlace"> <LocationIdentification Type="UN">																		

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <LocationIdentifier>DKCPH</LocationIdentifier> <LocationName>Copenhagen</LocationName> </LocationIdentification> </Location> </TermsOfDelivery>
xs:sequence	Occurrence 1 .. 1
<b>Terms</b>	Occurrence 0 .. 1
	Type Terms
xs:sequence	Occurrence 1 .. 1
<b>TermsCode</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> TERM CODE
<b>CodeId</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> TYPE OF TERM CODE
	<b>Applicable Codes</b>
	<b>CombiTerms</b> Combi Terms
	<b>IncoTerms</b> INCO Terms
<b>Location</b>	Occurrence 0 .. unbounded
	Type Location
	<b>General Notes</b> LOCATION
<b>Type</b>	Type xs:string
	Use required
	<b>General Notes</b> TERM NAMED PLACE
	<b>Applicable Codes</b>
	<b>NamedPlace</b> Named Place
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentification</b>	Occurrence 1 .. unbounded
	Type LocationIdentification
<b>Type</b>	Type xs:string
	<b>General Notes</b> LOCATION IDENTIFIER TYPE
	<b>Applicable Codes</b>
	<b>UN</b> UN Location code
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentifier</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> LOCATION IDENTIFIER
<b>LocationName</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> LOCATION NAME
<b>References</b>	Occurrence 0 .. 1
	Type ReferenceGroupList
	<b>General Notes</b> SHIPMENT REFERENCES
	<b>Examples</b> <References> <ReferenceGroup> <Reference Type="ShipperReference">ShpRef1</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsigneeReference">ConsRef1</Reference> </ReferenceGroup> </References>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <Reference Type="RoadWaybill">Waybill1</Reference> </ReferenceGroup> </References>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ReferenceGroup</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> ReferenceGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Reference</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> Reference
<i>Type</i>	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> SHIPMENT REFERENCE TYPE
	Predefined Types listed, additional reference types to be agreed
	<b>Applicable Codes</b>
	<b>AgentsReference</b> Agent's reference <b>BookingReference</b> Carrier Booking Reference <b>CargoManifestNo</b> Cargo manifest number, Transport Id <b>ConsigneeOrderNumber</b> Consignee's order number <b>ConsigneeReference</b> Consignee Reference <b>ConsignmentId</b> Consignment id, carrier assigned <b>ContractNumber</b> Contract Number <b>CustomerReferenceNumber</b> Customer reference number <b>DeliveryAgreement</b> Delivery Agreement <b>DocumentReference</b> Document Reference <b>EventCode</b> Event Code <b>ExternalReference</b> External reference customer reference number  <b>GINCNumber</b> Waybill number, GINC <b>HouseBill</b> House bill of lading number <b>IDSReference</b> IDS reference <b>MasterBill</b> Master bill of lading number <b>OnSightAuthorizationCode</b> On sight authorization code <b>OrderReference</b> Order Reference <b>OriginatorsReference</b> Originator's Reference <b>RoadWaybill</b> Road Waybill number, SIS <b>ServiceCategoryReference</b> Service category reference <b>ShipmentReference</b> Shipment reference number <b>ShipperReference</b> Shipper Reference <b>TransportInstructionNumber</b> Transport instruction number <b>VehicleId</b> Vehicle identification number ( VIN) <b>VesselCountryOfRegistration</b> Vessel Country of Registration <b>VesselId</b> Vessel identifier <b>WorkCategory</b> Work category
<i>CustomFieldType</i>	<b>Type</b> xs:string
	<b>Use</b> optional
	<b>General Notes</b> CUSTOM FIELD TYPE
	Use to be agreed
<b>Requirements</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> RequirementList
	<b>General Notes</b> GOVERNMENT AND DOCUMENT REQUIREMENTS
	<b>Examples</b> <Requirements> <Requirement>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <GovernmentalRequirements> <TransportMovementCode>Transit</TransportMovementCode> </GovernmentalRequirements> <Documents> <Document> <DocumentCode>T5</DocumentCode> </Document> </Documents> </Requirement> </Requirements>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Requirement</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> Requirement
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>GovernmentalRequirements</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> GovernmentalRequirements
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TransportMovementCode</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORT MOVEMENT TYPE
	<b>Applicable Codes</b>
	<b>Completed</b> Completed
	<b>NotApplicable</b> Not Applicable
	<b>Occurrence</b> 0 .. 1
<b>InvolvementCode</b>	<b>Type</b> xs:string
	<b>General Notes</b> INVOLVEMENT CODE
	<b>Applicable Codes</b>
	<b>Completed</b> Completed
	<b>NotApplicable</b> Not Applicable
	<b>Occurrence</b> 0 .. 1
<b>Documents</b>	<b>Type</b> DocumentList
	<b>General Notes</b> TRANSPORTATION DOCUMENT
	<b>Examples</b>
	<Documents> <Document> <DocumentCode>OBL</DocumentCode> <DocumentCopies>3</DocumentCopies> <DocumentOriginals>2</DocumentOriginals> </Document> </Documents>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Document</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> Document
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>DocumentCode</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> TRANSPORTATION DOCUMENT TYPE
	<b>Applicable Codes</b>
	<b>NMT</b> Non-negotiable maritime transport document
	<b>OBL</b> Original Bill of Lading
	<b>T1</b> Despatch note model T1
	<b>T2</b> Despatch note model T2
	<b>T2L</b> Despatch note model T2L

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<div> <div> <div>DocumentCopies</div> <div>DocumentOriginals</div> </div> <div>ChargeMethodology</div> <div> <div>xs:sequence</div> <div>PaymentInstructions</div> <div> <div>xs:sequence</div> <div>PaymentInstruction</div> <div> <div>xs:sequence</div> <div>PaymentCode</div> </div> </div> </div> </div>	
<div> <div> <div>Applicable Codes</div> <div>T5</div> <div>Control Document T5</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>NUMBER OF DOCUMENT COPIES</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>NUMBER OF ORIGINAL DOCUMENTS</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>ChargeMethodologyList</div> </div> <div> <div>General Notes</div> <div>CHARGE METHODOLOGY</div> </div> <div> <div>Examples</div> <div> &lt;ChargeMethodology&gt; &lt;PaymentInstructions&gt; &lt;PaymentInstruction&gt; &lt;PaymentCode&gt;Prepaid&lt;/PaymentCode&gt; &lt;/PaymentInstruction&gt; &lt;/PaymentInstructions&gt; &lt;/ChargeMethodology&gt; </div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. unbounded</div> </div> <div> <div>Type</div> <div>PaymentInstructions</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>PaymentInstruction</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>PAYMENT TYPE</div> </div> </div>	
<div> <div> <div>Applicable Codes</div> <div>Collect</div> <div>Collect Shipment</div> <div>Prepaid</div> <div>Prepaid Shipment</div> <div>ThirdParty</div> <div>Third Party Payment</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>TransportStageList</div> </div> <div> <div>General Notes</div> <div>TRANSPORT STAGES</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. unbounded</div> </div> <div> <div>Type</div> <div>TransportStage</div> </div> </div>	
<div> <div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>Stage</div> </div> <div> <div>General Notes</div> <div>TRANSPORTATION STAGE</div> </div> <div> <div>Examples</div> <div> &lt;Stage Type="MainCarriage"&gt; &lt;ModeOfTransport&gt;Sea&lt;/ModeOfTransport&gt; &lt;TransportId&gt;017W&lt;/TransportId&gt; &lt;CarrierId&gt;61616161&lt;/CarrierId&gt; &lt;CarrierName&gt;Carrier name&lt;/CarrierName&gt; &lt;TransportType&gt;Main&lt;/TransportType&gt; &lt;TransportMeansName&gt;Vessel name&lt;/TransportMeansName&gt; &lt;TransportMeansNationality&gt;PA&lt;/TransportMeansNationality&gt; &lt;/Stage&gt; </div> </div> </div>	

Bold = Element, *Italic* = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION STAGE TYPE <b>Applicable Codes</b> <b>MainCarriage</b> Main Carriage Transport
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>ModeOfTransport</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MODE OF TRANSPORTATION <b>Applicable Codes</b> <b>Air</b> Air Transport <b>Rail</b> Rail Transport <b>Road</b> Road Transport <b>Sea</b> Sea Transport
<b>TransportId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used
<b>CarrierId</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER IDENTIFICATION Air & Sea: DSV Carrier Identifier Road: Not used
<b>CarrierName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> CARRIER NAME Road: Not used
<b>TransportType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT TYPE Road: Not used
<b>TransportMeansName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MEANS NAME Sea: Vessel Name Air & Road: Not used
<b>TransportMeansNationality</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MEANS NATIONALITY Sea: Vessel flag Air & Road: Not used
<b>Dates</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> DateList <b>General Notes</b> TRANSPORTATION DATES <b>Examples</b> <Dates> <Date Type="ScheduledTransportDeparture" Format="Date"> <DateTime>20190225</DateTime> </Date> <Date Type="ScheduledTransportArrival" Format="Date"> <DateTime>20190301</DateTime> </Date>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> </Dates>
xs:sequence <b>Date</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> Date
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION DATE TYPE
	<b>Applicable Codes</b> <b>Collection</b> Collection date/time, earliest <b>EstimatedDelivery</b> Delivery date/time, estimated <b>ScheduledTransportArrival</b> Transport means arrival date/time, scheduled <b>ScheduledTransportDeparture</b> Transport means departure date/time, scheduled
Format	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION DATE FORMAT
	<b>Applicable Codes</b> <b>DateTimeInterval</b> CCYYMMDDHHMM- CCYYMMDDHHMM <b>DateTimeSec</b> CCYYMMDDHHMMSS
xs:sequence <b>DateTime</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORTATION DATE/TIME
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> LocationGroupList <b>General Notes</b> TRANSPORTATION LOCATIONS
	<b>Examples</b> <Locations> <Location Type="Departure"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> <Location Type="Destination"> <LocationIdentification Type="UN"> <LocationIdentifier>ZAJNB</LocationIdentifier> <LocationName>Johannesburg</LocationName> </LocationIdentification> </Location> </Locations>
xs:sequence <b>LocationGroup</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> LocationGroup
xs:sequence <b>Location</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> Location
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION LOCATION TYPE
	<b>Applicable Codes</b> <b>Departure</b> Place of Departure

Bold = Element, Italic = Attribute, Grey = Group

**DSV XML TRANSPORT outbound\_V2\_Release\_v2.0\_20230601**
Issue date: 2023-05-31
Print date: 2023-05-31  
Generated by GEFEG.FX
Page: 48 /





Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>CargoManifestNo</b> Cargo manifest number, Transport Id <b>ConsigneeOrderNumber</b> Consignee's order number <b>ConsigneeReference</b> Consignee Reference <b>ConsignmentId</b> Consignment id, carrier assigned <b>CustomField</b> Custom Field <b>CustomerReferenceNumber</b> Customer reference number <b>DeliveryAgreement</b> Delivery Agreement <b>DocumentReference</b> Document Reference <b>EventCode</b> Event Code <b>ExternalReference</b> External reference customer reference number <b>GINCNumber</b> Waybill number, GINC <b>HouseBill</b> House bill of lading number <b>IDSReference</b> IDS reference <b>MasterBill</b> Master bill of lading number <b>OnSightAuthorizationCode</b> On sight authorization code <b>OrderReference</b> Order Reference <b>PackageNumber</b> Package Number <b>ProofOfDeliveryNumber</b> Proof of delivery reference number <b>RoadWaybill</b> Road Waybill number, SIS <b>ShipmentReference</b> Shipment reference number <b>ShipperReference</b> Shipper Reference <b>StandardCarrierAlphaCode</b> Standard Carrier Alpha Code (SCAC) number <b>TrafficFrom</b> Traffic From <b>TransportInstructionNumber</b> Transport instruction number <b>VehicleId</b> Vehicle identification number ( VIN) <b>VesselCountryOfRegistration</b> Vessel Country of Registration <b>VesselId</b> Vessel identifier
<b>Parties</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> PartiesList <b>General Notes</b> SHIPMENT PARTY INFORMATION
xs:sequence	
<b>Party</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> Party
xs:sequence	
<b>PartyDetails</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> PartyDetails <b>General Notes</b> PARTY DETAILS <b>Examples</b> <PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>
Role	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PARTY ROLE
	<b>Applicable Codes</b> <b>AcceptingParty</b> Accepting Party

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Applicable Codes</b>	
<b>Agent</b>	Agent
<b>Buyer</b>	Buyer
<b>Carrier</b>	Carrier Party
<b>Consignee</b>	Consignee Party
<b>Consignor</b>	Consignor Party
<b>Consolidator</b>	Consolidator
<b>Creditor</b>	Creditor
<b>Deconsolidator</b>	Deconsolidator
<b>Delivery</b>	Delivery Party
<b>DeliveryAgent</b>	Delivery Agent
<b>DeliveryLocalCartage</b>	Delivery Local Cartage
<b>Despatch</b>	Despatch Party
<b>Forwarder</b>	Forwarder
<b>FreightForwarder</b>	Freight Forwarder
<b>FreightPayer</b>	Freight/charges Payer
<b>Notify</b>	Notify Party
<b>OrderingCustomer</b>	Ordering Customer
<b>PickupAgent</b>	Pickup Agent
<b>PickupLocalCartage</b>	Pickup Local Cartage
<b>ShipFrom</b>	Ship From
<b>ShipTo</b>	Ship To
<b>Supplier</b>	Supplier
xs:sequence	Occurrence 1 .. 1
<b>Id</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY IDENTIFIER
<b>PartyName</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY NAME
<b>AddressLine1</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY ADDRESS LINE 1
<b>AddressLine2</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY ADDRESS LINE 2
<b>AddressLine3</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY ADDRESS LINE 3
<b>CityName</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY CITY NAME
<b>State</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY STATE OR PROVINCE
<b>PostCode</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY POSTAL OR ZIP CODE
<b>CountryCode</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> PARTY COUNTRY ISO CODE
<b>Locations</b>	Occurrence 0 .. 1
	Type LocationGroupList
	<b>General Notes</b> PARTY PHYSICAL LOCATION

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <Locations> <Location Type="PhysicalLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationGroup</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> LocationGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> Location
Type	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> PHYSICAL LOCATION TYPE
	<b>Applicable Codes</b> <b>PhysicalLocation</b> Place of Physical Location
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded
	<b>Type</b> LocationIdentification
Type	<b>Type</b> xs:string
	<b>General Notes</b> PHYSICAL LOCATION IDENTIFIER TYPE
	<b>Applicable Codes</b> <b>UN</b> UN Location Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PHYSICAL LOCATION IDENTIFIER
<b>Contact</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> Contact
	<b>General Notes</b> PARTY CONTACT DETAILS
	<b>Examples</b> <Contact Type="InformationContact"> <Name>Contact name</Name> <Phone>Contact Phone</Phone> <Mobile>Contact Mobile</Mobile> <Fax>Contact Fax</Fax> <Email>Contact Email</Email> </Contact>
Type	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> PARTY CONTACT TYPE
	<b>Applicable Codes</b> <b>GoodsReceivingContact</b> Goods Receiving Contact <b>InformationContact</b> Information Contact
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Name</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY CONTACT NAME
<b>Phone</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation										
	<b>General Notes</b> PARTY CONTACT TELEPHONE NUMBER										
<b>Mobile</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT MOBILE NUMBER										
<b>Fax</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT FAX NUMBER										
<b>Email</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT EMAIL ADDRESS										
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> ReferenceGroupList <b>General Notes</b> PARTY REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="VATRegistrationNumber" >1234567890</ Reference> </ReferenceGroup> </References>										
xs:sequence	<b>Occurrence</b> 1 .. 1										
<b>ReferenceGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> ReferenceGroup										
xs:sequence	<b>Occurrence</b> 1 .. 1										
<b>Reference</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Reference <b>General Notes</b> PARTY REFERENCE										
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PARTY REFERENCE TYPE  <b>Applicable Codes</b> <table> <tr> <td><b>GovernmentBusinessCode</b></td><td>Government Business Code</td></tr> <tr> <td><b>GovernmentCorporationCode</b></td><td>Government Corporation Code</td></tr> <tr> <td><b>GovernmentVATCode</b></td><td>Government VAT Code</td></tr> <tr> <td><b>RFCTaxIdentificationNumber</b></td><td>RFC Tax Identification Number</td></tr> <tr> <td><b>VATRegistrationNumber</b></td><td>VAT Registration id number</td></tr> </table>	<b>GovernmentBusinessCode</b>	Government Business Code	<b>GovernmentCorporationCode</b>	Government Corporation Code	<b>GovernmentVATCode</b>	Government VAT Code	<b>RFCTaxIdentificationNumber</b>	RFC Tax Identification Number	<b>VATRegistrationNumber</b>	VAT Registration id number
<b>GovernmentBusinessCode</b>	Government Business Code										
<b>GovernmentCorporationCode</b>	Government Corporation Code										
<b>GovernmentVATCode</b>	Government VAT Code										
<b>RFCTaxIdentificationNumber</b>	RFC Tax Identification Number										
<b>VATRegistrationNumber</b>	VAT Registration id number										
<b>GoodsItems</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> GoodsItemList <b>General Notes</b> LINE ITEMS  <b>Examples</b> <GoodsItems> <GoodsItem> <Item> <ItemNumber>1</ItemNumber> <PackageQty>1</PackageQty> <PackageType>NTPL</PackageType> </Item> <Measurements> <Measurement Type="GrossWeight" Uom="KGM" > <Measure>1072</Measure> </Measurement> </Measurements> </GoodsItem> </GoodsItems>										

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <pre> &lt;GoodsItem&gt;   &lt;Item&gt;     &lt;ItemNumber&gt;0&lt;/ItemNumber&gt;     &lt;PackageQty&gt;1&lt;/PackageQty&gt;     &lt;PackageType&gt;NTPL&lt;/PackageType&gt;   &lt;/Item&gt;   &lt;Measurements&gt;     &lt;Measurement Type="GrossWeight" Uom="KGM" &gt;       &lt;Measure&gt;1072&lt;/Measure&gt;     &lt;/Measurement&gt;   &lt;/Measurements&gt;   &lt;Dimensions&gt;     &lt;Dimension Type="GoodsItemsDimensions" Uom="MTR" &gt;       &lt;Length&gt;1.2&lt;/Length&gt;       &lt;Width&gt;1.45&lt;/Width&gt;       &lt;Height&gt;1.1&lt;/Height&gt;     &lt;/Dimension&gt;   &lt;/Dimensions&gt;   &lt;References&gt;     &lt;ReferenceGroup&gt;       &lt;Reference Type="PackageNumber" &gt;G0123456789&lt;/ Reference&gt;     &lt;/ReferenceGroup&gt;   &lt;/References&gt; &lt;/GoodsItem&gt; &lt;/GoodsItems&gt; </pre>
xs:sequence <b>GoodsItem</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> GoodsItem <b>General Notes</b> LINE ITEM <p>A second GoodsItem with ItemNumber = 0 can be present for the Line Item Package List. Please see details in second GoodsItem description below.</p>
xs:sequence <b>Item</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> Item <b>General Notes</b> GOODS ITEM DETAILS <b>Examples</b> <pre> &lt;Item&gt;   &lt;ItemNumber&gt;1&lt;/ItemNumber&gt;   &lt;PackageQty&gt;20&lt;/PackageQty&gt;   &lt;PackageType&gt;PKG&lt;/PackageType&gt; &lt;/Item&gt; </pre>
xs:sequence <b>ItemNumber</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM NUMBER <b>Examples</b> <pre> &lt;Item&gt;   &lt;ItemNumber&gt;1&lt;/ItemNumber&gt;   &lt;PackageQty&gt;1&lt;/PackageQty&gt;   &lt;PackageType&gt;NTPL&lt;/PackageType&gt; &lt;/Item&gt; </pre>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>PackageQty</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM PACKAGE QUANTITY
<b>PackageType</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LINE ITEM PACKAGE TYPE
<b>HandlingInstructions</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> HandlingInstructions <b>General Notes</b> LINE ITEM HANDLING INSTRUCTION  Only used for Road Freight Stacked Cargo  <b>Examples</b> <HandlingInstructions> <HandlingInstruction> <DescriptionCode>Stacked</DescriptionCode> <Description>1</Description> </HandlingInstruction> </HandlingInstructions>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>HandlingInstruction</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> CodeDescription
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Code</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> HANDLING DESCRIPTION CODE  <b>Applicable Codes</b> <b>Stacked</b> Stacked
<b>Description</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> NUMBER OF STACKED ITEMS
<b>RangeDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> RangeDetails <b>General Notes</b> LINE ITEM TEMPERATURE RANGE  <b>Examples</b> <RangeDetails Type="Allowance" Uom="CEL"> <Minimum>-5</Minimum> <Maximum>5</Maximum> </RangeDetails>
<b>Type</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TEMPERATURE RANGE TYPE  <b>Applicable Codes</b> <b>Allowance</b> Temperature allowance <b>Range</b> Temperature range
<b>Uom</b>	<b>Type</b> xs:string <b>General Notes</b> TEMPERATURE RANGE UNIT OF MEASURE
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Minimum</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MINIMUM TEMPERATAURE
<b>Maximum</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> MAXIMUM TEMPERATAURE
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> LocationGroupList <b>General Notes</b> LINE ITEM COUNTRY OF ORIGIN <b>Examples</b> <Locations> <Location Type="CountryOfOrigin"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>DK</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> LocationGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Location <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> LOCATION TYPE <b>Applicable Codes</b> <b>CountryOfOrigin</b> Country of Origin
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> LocationIdentification <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE <b>Applicable Codes</b> <b>ISOCountry</b> ISO Country Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER ISO Country Code for Goods Country of Origin
<b>MonetaryAmounts</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> MonetaryAmountList <b>General Notes</b> LINE ITEM MONETARY AMOUNTS <b>Examples</b> <MonetaryAmounts> <MonetaryAmount Type="LineInvoiceValue"> <Amount>100.01</Amount> <Currency>DKK</Currency> </MonetaryAmount> </MonetaryAmounts>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>MonetaryAmount</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> MonetaryAmount <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> MONETARY AMOUNT TYPE <b>Applicable Codes</b> <b>LineInvoiceValue</b> GID Line Invoice Values
Type	

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div> <div>Amount</div> <div>Currency</div> </div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>MONETARY AMOUNT</div> </div>
<div> <div>ProductIds</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>ProductIdsList</div> </div> <div> <div>General Notes</div> <div>MONETARY AMOUNT ISO CURRENCY CODE</div> </div> <div> <div>Examples</div> <div> &lt;ProductIds&gt; &lt;ProductId Type="ProductId"&gt; &lt;ItemId&gt;35079090&lt;/ItemId&gt; &lt;ItemType&gt;HarmonizedCode&lt;/ItemType&gt; &lt;/ProductId&gt; &lt;/ProductIds&gt; </div> </div>
<div> <div>xs:sequence</div> <div> <div>ProductId</div> <div>Type</div> </div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. unbounded</div> </div> <div> <div>Type</div> <div>ProductId</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>Use</div> <div>required</div> </div> <div> <div>General Notes</div> <div>PRODUCT IDENTIFICATION TYPE</div> </div> <div> <div>Applicable Codes</div> <div> <div>ProductId</div> <div>Product Identification</div> </div> </div>
<div> <div>xs:sequence</div> <div> <div>ItemId</div> <div>ItemType</div> </div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>PRODUCT IDENTIFICATION</div> </div> <div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>General Notes</div> <div>PRODUCT IDENTIFIER TYPE</div> </div> <div> <div>Applicable Codes</div> <div> <div>CommodityCode</div> <div>Commodity Code</div> </div> <div> <div>HarmonizedCode</div> <div>Harmonized Code</div> </div> </div>
<div> <div>FreeTextData</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> </div> <div> <div>Type</div> <div>FreeTextList</div> </div> <div> <div>General Notes</div> <div>LINE ITEM FREE TEXT</div> </div> <div> <div>Examples</div> <div> &lt;FreeTextData&gt; &lt;FreeText Type="GoodsDescription"&gt; &lt;TextLine1&gt;Goods Description Line&lt;/TextLine1&gt; &lt;/FreeText&gt; &lt;FreeText Type="AdditionalDetails"&gt; &lt;TextLine1&gt;Additional Details Line&lt;/TextLine1&gt; &lt;/FreeText&gt; &lt;/FreeTextData&gt; </div> </div>
<div> <div>xs:sequence</div> <div> <div>FreeText</div> <div>Type</div> </div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div> <div> <div>Occurrence</div> <div>0 .. unbounded</div> </div> <div> <div>Type</div> <div>FreeText</div> </div> <div> <div>Type</div> <div>xs:string</div> </div> <div> <div>Use</div> <div>required</div> </div>

Bold = Element, *Italic* = Attribute, Grey = Group





Element/Attribute	Annotation
	<b>General Notes</b> FREE TEXT TYPE <b>Applicable Codes</b> <b>AdditionalInfo</b> Additional Information <b>GoodsDescription</b> Goods Description <b>ProperShippingName</b> Proper Shipping Name <b>SaidToContain</b> Said to contain
xs:sequence	Occurrence 1 .. 1
<b>DescriptionCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT DESCRIPTION CODE Use to be agreed
<b>TextLine1</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 1
<b>TextLine2</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 2
<b>TextLine3</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 3
<b>TextLine4</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 4
<b>TextLine5</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> FREE TEXT LINE 5
<b>Measurements</b>	Occurrence 0 .. 1 Type MeasurementList <b>General Notes</b> LINE ITEM MEASUREMENTS <b>Examples</b> <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>10.03</Measure> </Measurement> <Measurement Type="NetWeight" Uom="KGM"> <Measure>8.03</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.03</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>2.05</Measure> </Measurement> <Measurement Type="PalletSpaces" Uom="PLL"> <Measure>5</Measure> </Measurement> </Measurements>
xs:sequence	Occurrence 1 .. 1
<b>Measurement</b>	Occurrence 0 .. unbounded Type Measurement
<b>Type</b>	Type xs:string Use required

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> MEASUREMENT TYPE <b>Applicable Codes</b> <b>ChargeableWeight</b> Chargeable Weight <b>GrossWeight</b> Gross Weight <b>LoadingMeters</b> Loading Meters <b>NetWeight</b> Net Weight <b>PalletSpaces</b> Pallet Spaces <b>Volume</b> Volume
<i>Uom</i>	<b>Type</b> xs:string <b>General Notes</b> MEASUREMENT UNIT OF MEASURE (Required) <b>Applicable Codes</b> <b>KGM</b> Kilogram <b>MTQ</b> Cubic meters <b>MTR</b> Meters <b>PCE</b> Pieces
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Measure</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MEASUREMENT VALUE
<b>Dimensions</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> DimensionsList <b>General Notes</b> LINE ITEM DIMENSIONS <b>Examples</b> <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>0.6</Length> <Width>0.2</Width> <Height>0.8</Height> </Dimension> </Dimensions>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Dimension</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> Dimension
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> DIMENSION TYPE <b>Examples</b> <Dimensions> <Dimension Type="GoodsItemsDimensions" Uom="MTR" > <Length>1.2</Length> <Width>1.45</Width> <Height>1.1</Height> </Dimension> </Dimensions>
	<b>Applicable Codes</b> <b>ConsignmentDimensions</b> General consignment Dimensions <b>Equipment</b> External equipment dimension <b>Gross</b> Gross Dimensions
<i>Uom</i>	<b>Type</b> xs:string <b>General Notes</b> DIMENSIONS UNIT OF MEASURE <b>Applicable Codes</b> <b>CMT</b> Centimeters <b>MTR</b> Meters

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation				
<div> <div>xs:sequence</div> <div>Length</div> </div>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - LENGTH				
<div> <div>Width</div> </div>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - WIDTH				
<div> <div>Height</div> </div>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - HEIGHT				
<div> <div>NumberOfUnits</div> </div>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - NUMBER OF UNITS				
<div> <div>References</div> </div>	Occurrence 0 .. 1 Type ReferenceGroupList <b>General Notes</b> LINE ITEM REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="PackageNumber">Pack1</Reference> </ReferenceGroup> </References>				
<div> <div>xs:sequence</div> <div>ReferenceGroup</div> </div>	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type ReferenceGroup				
<div> <div>xs:sequence</div> <div>Reference</div> </div>	Occurrence 1 .. 1 Occurrence 0 .. 1 Type Reference <b>General Notes</b> LINE ITEM REFERENCE				
<div> <div>Type</div> </div>	Type xs:string Use required <b>General Notes</b> LINE ITEM REFERENCE TYPE  <b>Applicable Codes</b> <table> <tr> <td><b>PackageNumber</b></td><td>Package Number</td></tr> <tr> <td><b>WorkCategory</b></td><td>Work category</td></tr> </table>	<b>PackageNumber</b>	Package Number	<b>WorkCategory</b>	Work category
<b>PackageNumber</b>	Package Number				
<b>WorkCategory</b>	Work category				
<div> <div>Packagelds</div> </div>	Occurrence 0 .. 1 Type Packagelds <b>General Notes</b> PACKAGE IDENTIFICATION AND MARKINGS  <b>Examples</b> <Packagelds> <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Package1</ShippingMark> <ShippingMark>Package2</ShippingMark> <ShippingMark>Package3</ShippingMark> </Marks> </Packageld> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities>				

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>
xs:sequence <b>Packageld</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> Packageld <b>General Notes</b> PACKAGE MARKS & NUMBERS
xs:sequence <b>InstructionCode</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> PACKAGE MARKS TYPE
<b>Marks</b>	<b>Applicable Codes</b> <b>PackageMarks</b> Shipper Marks
xs:sequence <b>ShippingMark</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Marks <b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> PACKAGE MARK
<b>GoodsIdentities</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> GoodsIdentity <b>General Notes</b> PACKAGE BAR CODES
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TYPE OF IDENTIFIER
	<b>Applicable Codes</b> <b>SSCC</b> Carrier Serial Shipping Container Code <b>SerialNumber</b> Seller barcode
xs:sequence <b>GoodsIdentifier</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> GOODS IDENTIFIER
<b>GoodsPlacemntIds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> GoodsPlacemntIds <b>General Notes</b> GOODS PLACEMENT For containerized Sea Freight, container number the line item is packed in
	<b>Examples</b> <GoodsPlacemntIds> <GoodsPlacemntId>MSCU1234567</GoodsPlacemntId> </GoodsPlacemntIds>
xs:sequence <b>GoodsPlacemntId</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER
<b>DangerousGoodsDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> DangerousGoodsDetailList

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> DANGEROUS / HAZARDOUS GOODS DETAILS Only include if line item contains dangerous/hazardous cargo
xs:sequence	Occurrence 1 .. 1
<b>DangerousGoodsDetail</b>	Occurrence 0 .. unbounded
	Type DangerousGoodsDetail
xs:sequence	Occurrence 1 .. 1
<b>DangerousGoods</b>	Occurrence 0 .. 1
	Type DangerousGoods
	<b>General Notes</b> DANGEROUS GOODS INFORMATION  <b>Examples</b> <DangerousGoods> <Regulation>ADR</Regulation> <HazardClass>9</HazardClass> <AdditionalHazardClass>3</AdditionalHazardClass> <HazardVersionId>5</HazardVersionId> <UNDGNumber>3082</UNDGNumber> <FlashPointDescription>FlashDesc</FlashPointDescription> <FlashPointTemperature FlashpointUom="CEL">10</FlashPointTemperature> <DangerLevelCode>III</DangerLevelCode> <EMSNumber>EMS No</EMSNumber> <MFAGNumber>MFAG No</MFAGNumber> <TremCardNumber>Trem No</TremCardNumber> <UpperPlate>Upper</UpperPlate> <LowerPlate>Lower</LowerPlate> <Labels> <Label>Lab1</Label> </Labels> <TunnelCode>E</TunnelCode> </DangerousGoods>
xs:sequence	Occurrence 1 .. 1
<b>Regulation</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> DANGEROUS GOODS REGULATION TYPE  <b>Applicable Codes</b> <b>ADR</b> European Road DG Agreement <b>IMO</b> IMO IMDG Code
<b>HazardClass</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> HAZARDOUS CLASS
<b>AdditionalHazardClass</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> ADDITIONAL HAZARDOUS CLASS / SUBRISK
<b>HazardVersionId</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> HAZARDOUS VERSION ID
<b>UNDGNumber</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> UNDG NUMBER
<b>FlashPointDescription</b>	Occurrence 0 .. 1
	Type xs:string
	<b>General Notes</b> FLASH POINT DESCRIPTION

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>FlashPointTemperature</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> extension (xs:string) <b>General Notes</b> FLASHPOINT TEMPERATURE Integer value only
<i>FlashpointUom</i>	<b>Type</b> xs:string <b>General Notes</b> FLASHPOINT TEMPERATURE UNIT OF MEASURE <b>Applicable Codes</b> <b>CEL</b> Celsius
<b>DangerLevelCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DANGER LEVEL CODE / PACKING GROUP <b>Applicable Codes</b> <b>I</b> Packing Group I - Great danger <b>II</b> Packing Group II - Medium danger <b>III</b> Packing Group III - Minor danger
<b>EMSNumber</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EMERGENCY SCHEDULE NUMBER
<b>MFAGNumber</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MEDICAL FIRST AID GUIDE
<b>TremCardNumber</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TREMCARD NUMBER
<b>UpperPlate</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> ORANGE HAZARD PLACARD UPPER PLATE
<b>LowerPlate</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> ORANGE HAZARD PLACARD LOWER PLATE
<b>Labels</b>	<b>Occurrence</b> 0 .. 1 <b>General Notes</b> HAZARDOUS LABELS
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>Label</b>	<b>Occurrence</b> 1 .. 4 <b>Type</b> xs:string <b>General Notes</b> HAZARDOUS LABEL
<b>PackingInstruction</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PACKING INSTRUCTION
<b>TransportMeansCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TRANSPORT MEANS CODE
<b>TunnelCode</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> TUNNEL CODE
<b>FreeTextData</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> FreeTextList <b>General Notes</b> DANGEROUS GOODS FREE TEXT <b>Examples</b> <FreeTextData>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Examples</b> <FreeText Type="MarinePollutant"> <TextLine>MP</TextLine> </FreeText> <FreeText Type="ProperShippingName"> <TextLine>Proper Shipping Name</TextLine> </FreeText> <FreeText Type="TechnicalName"> <TextLine>Technical Name</TextLine> </FreeText> <FreeText Type="IntTechnicalName"> <TextLine>Int Technical Name</TextLine> </FreeText> <FreeText Type="DGAdditionalInfo"> <TextLine>DG Additional Info Line</TextLine> </FreeText> </FreeTextData>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>FreeText</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> FreeText
Type	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> FREE TEXT TYPE
	<b>Examples</b> <FreeText Type="ClassificationCode" > <TextLine1>1.3G</TextLine1> </FreeText> <FreeText Type="UNPackagingCode" > <TextLine1>6HB2</TextLine1> </FreeText>
	<b>Applicable Codes</b> <b>ClassificationCode</b> DGS Classification code <b>DGAdditionalInfo</b> Dangerous Goods Additional Information <b>GoodsDescription</b> Goods Description <b>IntTechnicalName</b> Dangerous Goods Int. Technical Name <b>MarinePollutant</b> Marine Pollutant <b>ProperShippingName</b> Dangerous Goods Proper Shipping Name <b>TechnicalName</b> Dangerous Goods Technical Name <b>UNPackagingCode</b> DGS UN Packaging code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>TextLine1</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 1
<b>TextLine2</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 2
<b>TextLine3</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 3
<b>TextLine4</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> DG FREE TEXT LINE 4

Bold = Element, Italic = Attribute, Grey = Group

Bold = Element, Italic = Attribute, Grey = Group





Element/Attribute	Annotation
	<b>Examples</b> <Item> <ItemNumber>0</ItemNumber> <PackageQty>20</PackageQty> <PackageType>PKG</PackageType> </Item>
xs:sequence	Occurrence 1 .. 1
<b>ItemNumber</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LINE ITEM PACKAGE LIST - ITEM NUMBER
	<b>Examples</b> <Item> <ItemNumber>0</ItemNumber> <PackageQty>1</PackageQty> <PackageType>NTPL</PackageType> </Item>
<b>PackageQty</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LINE ITEM PACKAGE LIST - QUANTITY
<b>PackageType</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> LINE ITEM PACKAGE LIST - PACKAGE TYPE
<b>Locations</b>	Occurrence 0 .. 1 Type LocationGroupList
xs:sequence	Occurrence 1 .. 1
<b>LocationGroup</b>	Occurrence 0 .. unbounded Type LocationGroup
xs:sequence	Occurrence 1 .. 1
<b>Location</b>	Occurrence 0 .. 1 Type Location
Type	Type xs:string
	Use required
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentification</b>	Occurrence 1 .. unbounded Type LocationIdentification
Type	Type xs:string
xs:sequence	Occurrence 1 .. 1
<b>LocationIdentifier</b>	Occurrence 0 .. 1 Type xs:string
<b>Measurements</b>	Occurrence 0 .. 1 Type MeasurementList <b>General Notes</b> LINE ITEM PACKAGE LIST - MEASUREMENTS
	<b>Examples</b> <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>10.03</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.03</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>2.05</Measure> </Measurement> </Measurements>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div> <div>Measurement</div> <div>Type</div> <div>Uom</div> <div>Measure</div> <div>Dimensions</div> <div>Dimension</div> <div>Type</div> <div>Uom</div> <div>xs:sequence</div> </div> </div>	<div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. unbounded <div>Type</div> Measurement <div>Type</div> xs:string <div>Use</div> required <div>General Notes</div> MEASUREMENT TYPE <div>Applicable Codes</div> <div>GrossWeight</div> Gross Weight <div>LoadingMeters</div> Loading Meters <div>Volume</div> Volume <div>Type</div> xs:string <div>General Notes</div> MEASUREMENT UNIT OF MEASURE (Required) <div>Applicable Codes</div> <div>KGM</div> Kilogram <div>MTQ</div> Cubic meters <div>MTR</div> Meters <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. 1 <div>Type</div> xs:string <div>General Notes</div> MEASUREMENT VALUE <div>Occurrence</div> 0 .. 1 <div>Type</div> DimensionsList <div>General Notes</div> LINE ITEM PACKAGE LIST - DIMENSIONS <div>Examples</div> <div>&lt;Dimensions&gt;</div> <div>&lt;Dimension Type="Gross" Uom="MTR"&gt;</div> <div>&lt;Length&gt;0.6&lt;/Length&gt;</div> <div>&lt;Width&gt;0.2&lt;/Width&gt;</div> <div>&lt;Height&gt;0.8&lt;/Height&gt;</div> <div>&lt;/Dimension&gt;</div> <div>&lt;/Dimensions&gt;</div> <div>Occurrence</div> 1 .. 1 <div>Occurrence</div> 0 .. unbounded <div>Type</div> Dimension <div>Type</div> xs:string <div>Use</div> required <div>General Notes</div> DIMENSION TYPE <div>Examples</div> <div>&lt;Dimensions&gt;</div> <div>&lt;Dimension Type="GoodsItemsDimensions" Uom="MTR" &gt;</div> <div>&lt;Length&gt;1.2&lt;/Length&gt;</div> <div>&lt;Width&gt;1.45&lt;/Width&gt;</div> <div>&lt;Height&gt;1.1&lt;/Height&gt;</div> <div>&lt;/Dimension&gt;</div> <div>&lt;/Dimensions&gt;</div> <div>Applicable Codes</div> <div>GoodsItemsDimensions</div> Goods items dimensions <div>Type</div> xs:string <div>General Notes</div> DIMENSIONS UNIT OF MEASURE <div>Applicable Codes</div> <div>CMT</div> Centimeters <div>MTR</div> Meters <div>Occurrence</div> 1 .. 1 </div>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<b>Length</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - LENGTH
<b>Width</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - WIDTH
<b>Height</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - HEIGHT
<b>NumberOfUnits</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DIMENSION - NUMBER OF UNITS
<b>References</b>	Occurrence 0 .. 1 Type ReferenceGroupList <b>General Notes</b> LINE ITEM PACKAGE LIST - REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="PackageNumber">Pack1</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
<b>ReferenceGroup</b>	Occurrence 0 .. unbounded Type ReferenceGroup
xs:sequence	Occurrence 1 .. 1
<b>Reference</b>	Occurrence 0 .. 1 Type Reference <b>General Notes</b> LINE ITEM PACKAGE LIST - REFERENCE
Type	Type xs:string Use required <b>General Notes</b> LINE ITEM PACKAGE LIST - REFERENCE TYPE
<b>Applicable Codes</b>	
<b>PackageNumber</b>	Package Number
<b>Packagelds</b>	Occurrence 0 .. 1 Type Packagelds <b>General Notes</b> PACKAGE IDENTIFICATION AND MARKINGS  <b>Examples</b> <Packagelds> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>
xs:sequence	Occurrence 1 .. 1
<b>GoodsIdentities</b>	Occurrence 0 .. unbounded Type GoodsIdentity

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> PACKAGE BAR CODES
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TYPE OF IDENTIFIER
	<b>Applicable Codes</b>
	<b>SSCC</b> Carrier Serial Shipping Container Code <b>SerialNumber</b> Seller barcode
<i>xs:sequence</i>	
<b>GoodsIdentifier</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> xs:string <b>General Notes</b> GOODS IDENTIFIER
<b>EquipmentUnits</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> EquipmentUnitList <b>General Notes</b> EQUIPMENT INFORMATION
<i>xs:sequence</i>	
<b>EquipmentUnit</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> EquipmentUnit <b>General Notes</b> EQUIPMENT UNIT DETAILS
	<b>Examples</b> For EUR pallet road freight: <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;EFP&lt;/Type&gt;   &lt;/EquipmentType&gt;   &lt;NumberOfUnits&gt;3&lt;/NumberOfUnits&gt; &lt;/EquipmentUnit&gt;           </pre> For containerized sea freight: <pre> &lt;EquipmentUnit&gt;   &lt;EquipmentType&gt;     &lt;Type&gt;Container&lt;/Type&gt;     &lt;UnitId&gt;MSCU1234567&lt;/UnitId&gt;     &lt;SizeTypeCode&gt;40GP&lt;/SizeTypeCode&gt;   &lt;/EquipmentType&gt;   &lt;SealIds&gt;     &lt;Seal&gt;       &lt;SealId&gt;Seal1&lt;/SealId&gt;       &lt;SealParty&gt;Shipper&lt;/SealParty&gt;     &lt;/Seal&gt;   &lt;/SealIds&gt; &lt;/EquipmentUnit&gt;           </pre>
<i>xs:sequence</i>	
<b>EquipmentType</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> EquipmentType <b>General Notes</b> EQUIPMENT TYPE INFORMATION
<i>xs:sequence</i>	
<b>Type</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> EQUIPMENT TYPE
	<b>Applicable Codes</b>
	<b>Container</b> Shipping Container <b>EFP</b> Euro Flat Pallet <b>EUR</b> Euro Pallet

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																												
<b>UnitId</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPPING CONTAINER NUMBER																												
<b>SizeTypeCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container <b>Applicable Codes</b> <table> <tr><td>20GP</td><td>20 ft General Purpose</td></tr> <tr><td>20RE</td><td>20 ft Reefer</td></tr> <tr><td>40GP</td><td>40 ft General Purpose</td></tr> <tr><td>40HC</td><td>40 ft High Cube</td></tr> <tr><td>40NOR</td><td>40 ft high Cube, self powered Reefer</td></tr> <tr><td>40RE</td><td>40 ft Reefer</td></tr> <tr><td>40REHC</td><td>40 ft High Cube Reefer</td></tr> </table>	20GP	20 ft General Purpose	20RE	20 ft Reefer	40GP	40 ft General Purpose	40HC	40 ft High Cube	40NOR	40 ft high Cube, self powered Reefer	40RE	40 ft Reefer	40REHC	40 ft High Cube Reefer														
20GP	20 ft General Purpose																												
20RE	20 ft Reefer																												
40GP	40 ft General Purpose																												
40HC	40 ft High Cube																												
40NOR	40 ft high Cube, self powered Reefer																												
40RE	40 ft Reefer																												
40REHC	40 ft High Cube Reefer																												
<b>ISOCODE</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPPING CONTAINER ISO CODE <b>Applicable Codes</b> <table> <tr><td>22G1</td><td>20 ft General purpose</td></tr> <tr><td>22P1</td><td>20 ft Platform</td></tr> <tr><td>22R1</td><td>20 ft Reefer</td></tr> <tr><td>22T1</td><td>20 ft Tanker</td></tr> <tr><td>22U1</td><td>20 ft Open-top</td></tr> <tr><td>42G1</td><td>40 ft General purpose</td></tr> <tr><td>42P1</td><td>40 ft Platform</td></tr> <tr><td>42R1</td><td>40 ft Reefer</td></tr> <tr><td>42T1</td><td>40 ft Tanker</td></tr> <tr><td>42U1</td><td>40 ft Open-top</td></tr> <tr><td>45G1</td><td>40 ft High cube, General purpose</td></tr> <tr><td>45R1</td><td>40 ft High cube Reefer</td></tr> <tr><td>45R9</td><td>40 ft High cube Self powered Reefer</td></tr> <tr><td>L5G0</td><td>45 ft High cube General purpose</td></tr> </table>	22G1	20 ft General purpose	22P1	20 ft Platform	22R1	20 ft Reefer	22T1	20 ft Tanker	22U1	20 ft Open-top	42G1	40 ft General purpose	42P1	40 ft Platform	42R1	40 ft Reefer	42T1	40 ft Tanker	42U1	40 ft Open-top	45G1	40 ft High cube, General purpose	45R1	40 ft High cube Reefer	45R9	40 ft High cube Self powered Reefer	L5G0	45 ft High cube General purpose
22G1	20 ft General purpose																												
22P1	20 ft Platform																												
22R1	20 ft Reefer																												
22T1	20 ft Tanker																												
22U1	20 ft Open-top																												
42G1	40 ft General purpose																												
42P1	40 ft Platform																												
42R1	40 ft Reefer																												
42T1	40 ft Tanker																												
42U1	40 ft Open-top																												
45G1	40 ft High cube, General purpose																												
45R1	40 ft High cube Reefer																												
45R9	40 ft High cube Self powered Reefer																												
L5G0	45 ft High cube General purpose																												
<b>NumberOfUnits</b>	Occurrence 0 .. 1 Type xs:decimal <b>General Notes</b> NUMBER OF UNITS For Road freight pallets Only used for Returnable items.																												
<b>SealIds</b>	Occurrence 0 .. 1 Type SealList <b>General Notes</b> SEAL IDS																												
xs:sequence	Occurrence 1 .. 1																												
<b>Seal</b>	Occurrence 0 .. unbounded Type Seal <b>General Notes</b> SEAL INFORMATION FOR SHIPPING CONTAINERS																												
xs:sequence	Occurrence 1 .. 1																												
<b>SealId</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SEAL NUMBER																												
<b>SealParty</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SEALING PARTY <b>Applicable Codes</b> <table> <tr><td>Shipper</td><td>Shipper assigned</td></tr> </table>	Shipper	Shipper assigned																										
Shipper	Shipper assigned																												

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation										
<b>Parties</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> PartiesList <b>General Notes</b> CONTAINER PARTIES										
xs:sequence	<b>Occurrence</b> 1 .. 1										
<b>Party</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> Party										
xs:sequence	<b>Occurrence</b> 1 .. 1										
<b>PartyDetails</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> PartyDetails <b>General Notes</b> PARTY DETAILS  <b>Examples</b> <PartyDetails Role="ArrivalCTO"> <Id>ConsignorID</Id> <Id>Consignor</Id> <PartyName>Arrival CTO Name</PartyName> <AddressLine1>Arrival CTO Addr Line 1</AddressLine1> <AddressLine2>Arrival CTO Addr Line 2</AddressLine2> <AddressLine3>Arrival CTO Addr Line 3</AddressLine3> <CityName>Arrival CTO City</CityName> <State>Arrival CTO State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>										
<b>Role</b>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> PARTY ROLE  <b>Applicable Codes</b> <table> <tr> <td><b>ArrivalCTO</b></td><td>Arrival CTO Party</td></tr> <tr> <td><b>Consolidator</b></td><td>Consolidator</td></tr> <tr> <td><b>ContainerReturn</b></td><td>Container Return Party</td></tr> <tr> <td><b>Deconsolidator</b></td><td>Deconsolidator</td></tr> <tr> <td><b>DepartureCTO</b></td><td>Departure CTO Party</td></tr> </table>	<b>ArrivalCTO</b>	Arrival CTO Party	<b>Consolidator</b>	Consolidator	<b>ContainerReturn</b>	Container Return Party	<b>Deconsolidator</b>	Deconsolidator	<b>DepartureCTO</b>	Departure CTO Party
<b>ArrivalCTO</b>	Arrival CTO Party										
<b>Consolidator</b>	Consolidator										
<b>ContainerReturn</b>	Container Return Party										
<b>Deconsolidator</b>	Deconsolidator										
<b>DepartureCTO</b>	Departure CTO Party										
xs:sequence	<b>Occurrence</b> 1 .. 1										
<b>Id</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY IDENTIFIER										
<b>Assignor</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY IDENTIFIER ASSIGNOR  <b>Applicable Codes</b> <table> <tr> <td><b>Consignor</b></td><td>Consignor assigned identifier</td></tr> <tr> <td><b>DSV</b></td><td>DSV assigned identifier</td></tr> </table>	<b>Consignor</b>	Consignor assigned identifier	<b>DSV</b>	DSV assigned identifier						
<b>Consignor</b>	Consignor assigned identifier										
<b>DSV</b>	DSV assigned identifier										
<b>PartyName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY NAME										
<b>AddressLine1</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 1										
<b>AddressLine2</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY ADDRESS LINE 2										
<b>AddressLine3</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string										

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute		Annotation	
		<b>General Notes</b>	PARTY ADDRESS LINE 3
CityName		Occurrence	0 .. 1
		Type	xs:string
		<b>General Notes</b>	PARTY CITY
State		Occurrence	0 .. 1
		Type	xs:string
		<b>General Notes</b>	PARTY STATE/PROVINCE
PostCode		Occurrence	0 .. 1
		Type	xs:string
		<b>General Notes</b>	PARTY POSTAL CODE
CountryCode		Occurrence	0 .. 1
		Type	xs:string
		<b>General Notes</b>	PARTY COUNTRY ISO CODE

Bold = Element, Italic = Attribute, Grey = Group